

RECEIVED
SEP 0 8 2009
PRO

September 1 2009

Virginia Kelly Permit Writer Virginia Department of Environmental Quality Piedmont Regional Office 4949A Cox Road Glen Allen, Virginia, 23060-6295

Subject: City of Richmond, Virginia
Richmond WWTP VPDES Permit VA0063177
VPDES Permit Reissuance Application

Dear Ms. Kelly

City of Richmond WWTP is supplying one original and one copy of our VPDES Permit reissuance application. The following plant upgrades were completed during the last permit cycle.

- Rehab. 4 primary and 6 secondary tanks
- Installation of 3 new variable speed drives Main Pump Station
- Rehab Supplemental Pump Station 2 new variable speed drives and electric motors
- Rehab Chlorine and Sulfur Dioxide railyard feed lines, chemical detectors, and cameras
- Rehab & Clean 5 primary anaerobic digesters
- ♣ Install new computerized control panels for 5 Dewatering & 4 Thickening Centrifuges
- ♣ See Supplement 2B-1 for a list of plant upgrade projects ongoing or starting in the near future.

If you have any questions or comments please feel free to contact me at 646-8903

Clair Watson, Supt. of Plant Operations

CITY OF RICHMOND DEPARTMENT OF PUBLIC UTILITIES WASTEWATER TREATMENT PLANT





VPDES PERMIT #VA 0063177 PERMIT REISSUANCE APPLICATION

September 1, 2009

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001

VPDES Permit Reissuance Application

TABLE OF CONTENTS

September 2009

GENERAL

- Permit Application Fee
- ❖ VPDES Permit Application Addendum

FORM 2A

- ❖ Part A Basic Application Information
- Part B Additional Application Information
- ❖ Part C Certification
- Part D Expanded Effluent Testing Data
- ❖ Part E Toxicity Testing Data
- ❖ Part F Industrial User Discharges and RCRA/CERCLA Wastes
- ❖ Part G Combined Sewer Systems

VPDES SEWAGE SLUDGE FORM

- ❖ Section A General Information
- Section B Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge
- ❖ Biosolids Environmental Management Plan

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

GENERAL

DEPARTMENT OF ENVIRONMENTAL QUALITY WATER DIVISION PERMIT APPLICATION FEE FORM EFFECTIVE JANUARY 1, 2008

INSTRUCTIONS

Applicants for individual Virginia Pollutant Discharge Elimination System (VPDES), Virginia Pollution Abatement (VPA), Virginia Water Protection (VWP), Surface Water Withdrawal (SWW), and Ground Water Withdrawal (GWW) Permits are required to pay permit application fees, except farming operations engaged in production for market. Fees are also required for registration for coverage under General Permits except for the general permits for sewage treatment systems with discharges of 1,000 gallons per day (GPD) or less and for Corrective Action Plans for leaking underground storage tanks. Except for VWP permits, fees must be paid when applications for permit issuance, reissuance* or modification are submitted. Applicants for VWP permits will be notified by the DEQ of the fee due. Applications will be considered incomplete if the proper fee is not paid and will not be processed until the fee is received. (* - the reissuance fee does not apply to VPDES and VPA permits - see the fee schedule included with this form for details.)

The permit fee schedule is included with this form. Fees for permit issuance or reissuance and for permit modification are included. Once you have determined the fee for the type of application you are submitting, complete this form. The original copy of the form and your check or money order payable to "Treasurer of Virginia" should be mailed to:

Department of Environmental Quality

Receipts Control

P.O. Box 1104

Richmond, VA 23218

A copy of the form and a copy of your check or money order should accompany the permit application. You should retain a copy for your records. Please direct any questions regarding this form or fee payment to the DEQ Office to which you are submitting your application.

APPLICANT NAME:	Christopher Beschler	SSN/FIN:	
ADDRESS: Departm	nent of Public Utilities	DAYTIME PHONE	: (804) 646 - 5200
730 E. Broad Street			Area Code
Richmond Va 23219			
FACILITY/ACTIVITY N	AME: Richmond Wastewa	ter Treatment Facility	
LOCATION: 1400 Br	ander Street Richmond, Va	23224	
TYPE OF PERMIT APP (from Fee Schedule):		oal Major	
TYPE OF ACTION:	New Issuance	Reissuance	■ Modification
AMOUNT OF FEE SUE (from Fee Schedule):		laintenance Fee instead of r	eapplication Fee
EXISTING PERMIT NU	MBER (if applicable): VA0	0063177	
DEQ OFFICE TO WHIC	CH APPLICATION SUBMITT	ED (check one)	
☐ Abingdon/SWRO ☑ Richmond/PRO	☐ Harrisonburg/VRO ☐ Richmond/Headquarters	☐ Woodbridge/NVRO ☐ Roanoke/BRRO-R	☐ Lynchburg/BRRO-L☐ Virginia Beach/TRO
FOR DEQ USE ONLY	Original Fo	rm and Check - DEQ Receipts	Control, Richmond
Date:	Copy of Fo	orm and Copy of Check - DEC) Regional Office or Permi αram Office

FEE SCHEDULES

A. VPDES and VPA Permits. Applications for issuance of new individual VPDES or VPA permits, and for permittee initiated major modifications that occur (and become effective) before the stated permit expiration date. (Flows listed are facility "design" flows. Land application rates listed are facility "design" rates.) [NOTE: VPDES and VPA permittees pay an Annual Permit Maintenance Fee (APMF) instead of a reapplication fee. The permittee is billed separately by DEQ for the APMF.]

TYPE OF PERMIT	ISSUANCE	MODIFICATION	LAND APP MOD*
VPDES Industrial Major	\$24,000	\$12,000	· · · · · · · · · · · · · · · · · · ·
VPDES Municipal Major	\$21,300	\$10,650	\$1,000
VPDES Industrial Minor / No Standard Limits	\$10,200	\$5,150	
VPDES Industrial Minor / Standard Limits	\$3,300	\$3,300	
VPDES Industrial Stormwater	\$7,200	\$3,600	
VPDES Municipal Minor / Greater Than 100,000 GPD	\$7,500	\$3,750	\$1,000
VPDES Municipal Minor / 10,001 GPD - 100,000 GPD	\$6,000	\$3,000	\$1,000
VPDES Municipal Minor / 1,001 GPD - 10,000 GPD	\$5,400	\$2,700	\$1,000
VPDES Municipal Minor / 1,000 GPD or Less	\$2,000	\$1,000	
VPDES Municipal Minor / 1,000 GPD or Less that includes authorization for land application or land disposal of sewage sludge	\$5,000	\$1,000	\$1,000
VPA Industrial Wastewater Operation / Land Application of 10 or More Inches Per Year	\$15,000	\$7,500	
VPA Industrial Wastewater Operation / Land Application of Less Than 10 Inches Per Year	\$10,500	\$5,250	
VPA Industrial Sludge Operation	\$7,500	\$3,750	
VPA Municipal Wastewater Operation	\$13,500	\$6,750	
VPA Municipal Sludge Operation	\$5,000	\$1,000	
All other VPA operations not specified above	\$750	\$375	

^{*} The fee for modification of a VPDES permit due to changes relating to authorization for land application or land disposal of sewage sludge shall be \$1,000.

B. Virginia Water Protection (VWP) Permits. Applications for issuance of new individual, and reissuance or major modification of existing individual VWP permits. Only one permit application fee will be assessed per application; for a permit application involving more than one of the operations described below, the governing fee shall be based upon the primary purpose of the proposed activity. (Withdrawal amounts shown are maximum daily withdrawals.)

TYPE OF PERMIT	ISSUANCE/REISSUANCE	MODIFICATION
VWP Individual / Surface Water Impacts (Wetlands, Streams and/or Open Water)	\$2,400 plus \$220 for each 4,356 sq. ft. (1/10 acre) (or portion thereof) of incremental impact over 87,120 sq. ft. (two acres) (\$60,000 maximum)	\$1,200 plus \$110 for each 4,356 sq. ft. (1/10 acre) (or portion thereof) of incremental impact over 87,120 sq. ft. (two acres) (\$30,000 maximum)
VWP Individual/Minimum Instream Flow - Withdrawals equal to or greater than 3,000,000 gallons on any day	\$25,000	\$5,000
VWP Individual / Minimum Instream Flow - Withdrawals between 2,000,000 and 2,999,999 gallons on any day	\$20,000	\$5,000
VWP Individual / Minimum Instream Flow - Withdrawals between 1,000,000 and 1,999,999 gallons on any day	\$15,000	\$5,000
VWP Individual / Minimum Instream Flow - Withdrawals < 1,000,000 gallons on any day that do not otherwise qualify for a general VWP permit for water withdrawals	\$10,000	\$5,000
VWP Individual / Reservoir - Major	\$35,000	\$12,500
VWP Individual / Reservoir - Minor	\$25,000	\$12,500
VWP Individual/Nonmetallic Mineral Mining	\$2,400 plus \$220 for each 4,356 sq. ft. (1/10 acre) (or portion thereof) of incremental impact over 87,120 sq. ft. (two acres) (\$7,500 maximum)	\$1,200 plus \$110 for each 4,356 sq. ft. (1/10 acre) (or portion thereof) of incremental impact over 87,120 sq. ft. (two acres) (\$3,750 maximum)

C. Surface Water Withdrawal (SWW) and Ground Water Withdrawal (GWW) Permits. Applications for issuance of new individual, and reissuance or major modification of existing individual SWW permits or GWW permits.

TYPE OF PERMIT	ISSUANCE/REISSUANCE	MODIFICATION
Surface Water Withdrawal	\$12,000	\$6,000
Ground Water Withdrawal / Initial Permit for an Existing Withdrawal Based Solely on Historic Withdrawals	\$1,200	\$600
Ground Water Withdrawal	\$6,000	\$3,000

- D. Registration Statements (VPDES and VPA permits) or Applications (VWP permits) for General Permit Coverage.
 - 1. Except as specified in 2, 3, and 4 below, the fee for registration for coverage under a general permit is \$600.
 - General VPDES Permit for Domestic Sewage Discharges of Less Than or Equal to 1,000 GPD (VAG40) = \$0. General VPDES Permit Regulation for Discharges From Petroleum Contaminated Sites (VAG83) = \$0.
 - 3, VWP General Permit:

TYPE OF PERMIT	ISSUANCE
VWP General / Less Than 4,356 sq. ft. (1/10 acre) of Surface Water Impact (Wetlands, Streams and/or Open Water)	\$0
VWP General / 4,356 sq. ft. to 21,780 sq. ft. (1/10 acre to 1/2 acre) of Surface Water Impact (Wetlands, Streams and/or Open Water)	\$600
VWP General / 21,781 sq. ft. to 43,560 sq. ft. (greater than 1/2 acre to one acre) of Surface Water Impact (Wetlands, Streams and/or Open Water)	\$1,200
VWP General / 43,561 sq. ft. to 87,120 sq. ft. (greater than one acre to two acres) of Surface Water Impact (Wetlands, Streams and/or Open Water)	\$1,200 plus \$120 for each 4,356 sq. ft. (1/10 acre) (or portion thereof) of incremental impact over 43,560 sq. ft. (one acre) (\$2,400 maximum)
VWP General / Minimum Instream Flow / Reservoir - Water withdrawals and/or pond construction	\$2,400

4. General VPDES Permit for Industrial Activity Storm Water Discharges (VAR05) = \$500.

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A: APPLICATION FOR VPDES PERMIT

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A - PART A: BASIC APPLICATION INFORMATION

Form Approved 1/14/99 OMB Number 2040-0086

FORM 2A

NPDES FORM 2A APPLICATION OVERVIEW

NPDES

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SiUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

RICHMOND WWTP VA 0063177 BASIC APPLICATION INFORMATION

A.1.	Facility Information.	ete questions A:1 through A.8 of thi								
ra. I .	racility information.			A Se allocate	200					
	Facility name	City of Richmond Wastewater Tr DEPARTMENT OF PUBLIC UTIL								
	Mailing Address	730 Broad Street			_					
	Mailing Address				-					
	October 1	Richmond, Virginia 23219	·		-					
	Contact person	Mr. Christopher Beschler			-					
	Title	Director of Public Utilities			-					
	Telephone number	(804) 646-5200			-					
	Facility Address	1400 Brander Street			-					
	(not P.O. Box)	Richmond, VA 23224			_					
A.2.	Applicant Information. If	the applicant is different from the abo	eve, provide the following:							
	Applicant name	City of Richmond, VA			-					
	Mailing Address	1400 Brander Street			_					
		Richmond, VA 23224			_					
	Contact person	Clair Watson	ilair Watson							
	Title		-							
	Telephone number	<u>Supt. of Plant Operations</u> (804) 646-8903			-					
	·		nant works?		<u>-</u>					
	• •	r or operator (or both) of the treatm	ICIR WOLKS !							
	Xowner	X _operator								
	Indicate whether corresp	ondence regarding this permit sho	uld be directed to the facility or the applic	cant.						
	Xfacility	applicant								
A.3.	Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits).									
	NPDES <u>VA0063177</u>		PSD							
	UIC		Other							
	RCRA		Other							
A.4.			ipalities and areas served by the facility. Pro system (combined vs. separate) and its ow							
	Name	Population Served	Type of Collection System	Ownership						
	City of Richmond	200,123	Combined/Separate	Municipal	-					
	County of Henrico	3,551	· · · · · · · · · · · · · · · · · · ·							
	County of Chesterfield	11,100	Separate	Municipal	•					
	County of Goochland		500 Separate Municipal							
	Total population serv	ed 215,274								

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 RICHMOND WWTP 0063177 A.5. Indian Country. a. Is the treatment works located in Indian Country? b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country? A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal. 45.00 mgd a. Design flow rate ____ Two Years Ago Last Year This Year b. Annual average daily flow rate 59.30 47,40 50.10 mgd c. Maximum daily flow rate 84.00 83.70 83.90 mgd A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each. Separate sanitary sewer 67.00 % Combined storm and sanitary sewer 33.00 % A.8. Discharges and Other Disposal Methods. a. Does the treatment works discharge effluent to waters of the U.S.? If yes, list how many of each of the following types of discharge points the treatment works uses: i. Discharges of treated effluent ii. Discharges of untreated or partially treated effluent 0 iii. Combined sewer overflow points iv. Constructed emergency overflows (prior to the headworks) Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.? Yes If yes, provide the following for each surface impoundment: Location: Annual average daily volume discharged to surface impoundment(s) continuous or Is discharge intermittent? c. Does the treatment works land-apply treated wastewater? Yes If yes, provide the following for each land application site: Location: Number of acres: Annual average daily volume applied to site: Mgd Is land application ____ continuous or intermittent? d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works? Yes

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99
RICHMOND WWTP 0063177	OMB Number 2040-008

If transport is by a	party other than the applicant, provide:		
Transporter name:	• • • • • • • • • • • • • • • • • • • •		
Mailing Address:			
			<u> </u>
Contact person:			
Title:			
Telephone numbe		·····	
Name:			
Name:			
Mailing Address:			
			
Contact person:		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Contact person:			
-			
Title: Telephone numbe			
Title: Telephone numbe If known, provide t	г.		mg
Title: Telephone numbe If known, provide t Provide the average Does the treatment	r: the NPDES permit number of the treatment works that receives this discharge.	Yes	
Title: Telephone numbe If known, provide t Provide the average Does the treatmen A.8.a through A.8.	t works discharge or dispose of its westewater in a manner not included in		mg
Title: Telephone numbe If known, provide t Provide the average Does the treatmen A.8.a through A.8. If yes, provide the	the NPDES permit number of the treatment works that receives this discharge. Just deally flow rate from the treatment works into the receiving facility. It works discharge or dispose of its wastewater in a manner not included in dispose (e.g., underground percolation, well injection)?		mg

, , -					1					
		Y NAME AND PERM OND WWTP 00631			Form Approved 1/14/99 OMB Number 2040-0086					
I	f yo whic	h effluent is discharge	question A.8.a, complete questions	mbined sewer o	verflows	in this se	h outfall (including bypass points) through ection. If you answered "no" to question er than or Equal to 0.1 mgd."			
A.9.	De	scription of Outfail.		······································			· · · · · · · · · · · · · · · · · · ·			
	a.	Outfall number	001	_						
	b.	Location	Richmond, Virginia (City or town, if applicable)				23224 (Zip Code)			
			(County) N 37 ° 31 ' 02 " (Latitude)				(State) W 77 ° 25 ' 06 " (Longitude)			
	C.	Distance from shore	e (if applicable)		NA	ft.				
	d.	Depth below surface	e (if applicable)		NA	ft.				

52.20 mgd

No (go to A.9.g.)

NA NA

NA

NA mgd

A.10. Description of Receiving Waters.

a. Name of receiving water

b. Name of watershed (if known)

e. Average daily flow rate

periodic discharge?

f. Does this outfall have either an intermittent or a

Number of times per year discharge occurs:

If yes, provide the following information:

Average duration of each discharge:

Months in which discharge occurs:

Average flow per discharge:

g. Is outfall equipped with a diffuser?

	United States Soil Conservation Service 14-digit watershed code (if known):	00208020500H39		
C.	Name of State Management/River Basin (if known): James River Basin	in		
	United States Geological Survey 8-digit hydrologic cataloging unit code (if known):	02080205		

Middle James - Willis

	acute	487.00	_ cfs	chronic	559.00	_ cfs
e.	Total hardness	of receiving strea	am at critica	I low flow (if applicable): _	91.00	mg/l of CaCO

James River

d. Critical low flow of receiving stream (if applicable):

FACILITY NAME AND F		MBER:									n Approved 1/14/99 3 Number 2040-0086
A.11. Description of Tr	eatment.				 .		<u> </u>	·····			
a. What levels of	f treatment a	re provid	led? Cl	heck all the	at a _l	pply.					
Pi	rimary			✓_ Se	con	idary					
A	dvanced			Ot	her.	Describe:					
b. Indicate the fo	llowing rem	oval rates	s (as a _l	pplicable):							
Design BOD ₅	removal <u>or</u> l	Design Cl	BOD _s r	emoval			<u> 5.a</u>	e Suffle	ment "	%	
Design SS ren	noval		-				<u>_2</u>	A-AL		%	
Design P reme	oval									%	
Design N remo	oval									%	
Other										%	
c. What type of d	lisinfection i	s used for	rthe e	ffluent from	n thi	is outfall? If disin	fection varies	by season.	please desc	ibe.	
	Loric							-,,			
If disinfection i		,			ed f	or this outfall?		/ \	es es		No
d. Does the treat	•					or uno ounan.	-		'es		No
d. Does the treat	itient biant	nave post	l deidli	OIT:			-		<u></u>		10
At a minimum, ef Outfall number:	fluent testi	ng data n	nust b	e based o	en a	t least three sai -	mples and m	ust be no m	ore than fo	ır and	l one-half years apart.
PARAME	TER		M	MUMIXAI	DAI	LY VALUE		AVE	RAGE DAIL	Y VAL	.UE
			٧	alue	Γ	Units	Value	•	Units	T	Number of Samples
pH (Minimum)		4	4.20		\vdash	S.U.	Caramata B	anar 4.	6.025		
pH (Maximum)		ε	8.60			s.u.		and an	i ja ja tiitait		
Flow Rate		8	35.00		М	GD	54.90	М	3D	1,8	827.00
Temperature (Winter)		1	15.70		de	gC	14.50	de	gC	84	8.00
Temperature (Summer)			31.30			gC	24.50	de	gC	61	2.00
* For pH please re		MA	XIMUI	M DAILY ARGE	val		DAILY DISC	HARGE	ANALYT		ML / MDL
			nc. Units		Conc.	onc. Units No					
CONVENTIONAL AND N	IONCONVE	NTIONA	L CON	IPOUNDS							
BIOCHEMICAL OXYGEN	BOD-5										
DEMAND (Report one)	CBOD-5	64.70		mg/l		3.20	mg/l	1,827.00	52108,#6	3	
FECAL COLIFORM		2,420.0				10.00	n/cml	1,006.00	.		
TOTAL SUSPENDED SOL	JDS (TSS)	129.00		mg/l		4.00	mg/l	1,826.00	2540 D		

END OF PART A.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001

SUPP. 2A-AI

Question No.

Item A.11.b Plant removal design criteria up to 75 mgd

	Monthly Avg Winter	Monthly Avg Summer	7 Day Rolling Avg Summer	7 Day Rolling Avg Winter	
CBOD	14.3	N/A	8.0	21.4	
Ammonia –N	15.2	6.4	9.6	22.8	
Phosphorous	2	2	N/A	N/A	
SS	18	N/A	10	27.0	

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A - PART B: ADDITIONAL APPLICATION INFORMATION

	ILITY NAME AND PERMIT NUMBER: HMOND WWTP 0063177	Form Approved 1/14/99 OMB Number 2040-008				
ВА	SIC APPLICATION INFORMATION					
PAF	RT B. ADDITIONAL APPLICATION INFORMATION FOR APPLICATION EQUAL TO 0.1 MGD (100,000 gallons per day).	CANTS WITH A DESIGN FLOW GREATER THAN OR				
All a	pplicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through	gh B.6. All others go to Part C (Certification).				
B.1.	Inflow and Infiltration. Estimate the average number of gallons per day to 11.40 gpd	nat flow into the treatment works from inflow and/or infiltration.				
	Briefly explain any steps underway or planned to minimize inflow and infiltra	ation.				
	From 2004 thru 2008 the City of Richmond relined 55,549 feet of s	ewer,				
B.2 .	Topographic Map. Attach to this application a topographic map of the are This map must show the outline of the facility and the following information the entire area.)					
	a. The area surrounding the treatment plant, including all unit processes.					
	 The major pipes or other structures through which wastewater enters the treated wastewater is discharged from the treatment plant. Include out 					
	c. Each well where wastewater from the treatment plant is injected underg	ground.				
	 Wells, springs, other surface water bodies, and drinking water wells that works, and 2) listed in public record or otherwise known to the applican 					
	e. Any areas where the sewage sludge produced by the treatment works	is stored, treated, or disposed.				
	f. If the treatment works receives waste that is classified as hazardous ur truck, rail, or special pipe, show on the map where that hazardous was disposed.					
B.3.	Process Flow Diagram or Schematic. Provide a diagram showing the probackup power sources or redundancy in the system. Also provide a water bichlorination and dechlorination). The water balance must show daily average flow rates between treatment units. Include a brief narrative description of the	alance showing all treatment units, including disinfection (e.g, e flow rates at influent and discharge points and approximate daily				
B.4.	Operation/Maintenance Performed by Contractor(s).					
	Are any operational or maintenance aspects (related to wastewater treatmer contractor?	nt and effluent quality) of the treatment works the responsibility of a				
	If yes, list the name, address, telephone number, and status of each contract pages if necessary).	tor and describe the contractor's responsibilities (attach additional				
	Name: Atlas Mailing Address: PO Box 3598 Chester Va 23831					
	Telephone Number: (804) 796-1720					
	Responsibilities of Contractor: <u>Vacuum scum off surface of Primary a</u>	nd Final sedimentation Tanks				
B.5.	Scheduled Improvements and Schedules of Implementation. Provide in uncompleted plans for improvements that will affect the wastewater treatment treatment works has several different implementation schedules or is planning B.5 for each. (If none, go to guestion B.6.)	nt, effluent quality, or design capacity of the treatment works. If the				

a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

<u></u>✓_Yes ____No

FACILITY NAME	AND	PERMIT	NUMBER:
---------------	-----	--------	---------

Form Approved 1/14/99 OMB Number 2040-0086

RICHMOND WWTP 0063177					OMB Number 2040-0086					
c If the answer to	_	oriefly describe, in		kimum daily inflo	w rate (if applica	ble).				
applicable. Fo	r improvements p		ently of local, Sta			ementation steps liste planned or actual co				
		Schedul	e	Actual Complet	ion					
Implementation	n Stage	MM / DE	/ YYYY	MM / DD / YYY	<u>Y</u>					
– Begin constru	uction	/	/	_/_/	_					
 End construct 	tion	/	/		_					
- Begin discha	rge	/	/	_/_/	_					
– Attain operat	ional level	/	/	//	<u></u>					
e. Have appropria	ate permits/cleara	ances concerning	other Federal/St	ate requirement	s been obtained?	YesYes	No			
Describe briefly	y:									
testing required by overflows in this se methods. In addition	the permitting au ction. All informa on, this data mus for analytes not a I must be no mor	ithority <u>for each or</u> ation reported must t comply with QA/ addressed by 40 C	utfall through wh st be based on d QC requirement FR Part 136. A	ich effluent is dis ata collected thr s of 40 CFR Par t a minimum, effl	scharged. Do no ough analysis co t 136 and other a	eters. Provide the in t include information inducted using 40 CF appropriate QA/QC re in must be based on a	on combined sewer R Part 136 quirements for			
POLLUTANT	MAX	MUM DAILY SCHARGE	AVER	AGE DAILŸ DIS	CHARGE					
	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL			
CONVENTIONAL AND N	ONCONVENTIO	NAL COMPOUN	DS.	·		•	1			
AMMONIA (as N)	30.00	mg/l	1.90	mg/l	1,826.00	EPA 350.1				
CHLORINE (TOTAL RESIDUAL, TRC)	1.80	mg/l	0.07	mg/l			0.07			
DISSOLVED OXYGEN	13.80	mg/l	8.50	mg/l	1,370.00	sm18/4500				
TOTAL KJELDAHL NITROGEN (TKN)	30.90	mg/l	3.60	mg/l	1,414.00	EPA 351.4	0.5			
NITRATE PLUS NITRITE NITROGEN	25.90	mg/l	9.80	mg/l	1,409.00	EPA 353.2	0.5			
OIL and GREASE	5.00	mg/l	5.00	mg/l	3.00	EPA 1664	5mg/l			
PHOSPHORUS (Total)	4.90	mg/l	1.10	mg/l	1,826.00	EPA 365.4	0.3			
TOTAL DISSOLVED SOLIDS (TDS)	268.00	mg/l				SM18/2540C	10			

END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

OTHER

Richmond WWTP VPDES Permit #VA0063177 Supplement 2B-1

The following projects are projected for the Richmond plant, upgrades for Chesapeake Bay Nutrient Reduction. (Nitrogen and Phosphorus)

Div 35 Phosphorus Control (Prim and Second) - start Apr 6, 2009- scheduled completion: Dec. 31 2009

Div 36 Methanol - start Apr 6, 2009 - scheduled completion Jun 29, 2010

Div 37 Effluent Filters (north and south sides) - start Apr 6, 2009 - scheduled completion Sep 27, 2010


Div 38 UV disinfection - projected start Jan 30, 2010 - projected completion Aug 30, 2011


Div 39 Main plant power - projected start Jan 30, 2010 - projected completion Apr 30, 2011


Div 40 Scum Control - actual start Jun 1, 2009 - projected completion Dec 2, 2010

Contract 4 - Divisions 41 (Aeration) 42 (RAS) and 43 (Bioaug) - projected start Mar 1, 2010 - projected completion Sep 30, 2011

Contract 5 - Division 44 (Sed tanks) and 45 (Fermentation) - projected start Nov 1 2010 - projected completion Apr 1, 2012









Richmond Wastewater Treatment Plant Flow Sheet: Normal Operation

City of Richmond, Virginia Department of Public Utilities August 2009




Flow Sheet: Main Pumping Station Out of Service

City of Richmond, Virginia **Department of Public Utilities** August 2009




Richmond Wastewater Treatment Plant Flow Sheet: Primary Sludge Degritting Out of Service

City of Richmond, Virginia Department of Public Utilities August 2009




Richmond Wastewater Treatment Plant Flow Sheet: Bypass Effluent Filter

City of Richmond, Virginia Department of Public Utilities August 2009




Richmond Wastewater Treatment Plant Flow Sheet: Sludge Dewatering Out of Service

City of Richmond, Virginia Department of Public Utilities August 2009




Richmond Wastewater Treatment Plant Flow Sheet: WAS Thickening Out of Service

City of Richmond, Virginia Department of Public Utilities August 2009




Richmond Wastewater Treatment Plant Flow Sheet: Future Normal Operation

City of Richmond, Virginia Department of Public Utilities August 2009




Richmond Wastewater Treatment Plant Flow Sheet: <u>Future with Fermentation Out of Service</u>

City of Richmond, Virginia Department of Public Utilities August 2009




Richmond Wastewater Treatment Plant Flow Sheet: <u>Future with Bioaugmentation Out of Service</u>

City of Richmond, Virginia Department of Public Utilities August 2009



Richmond Wastewater Treatment Plant Flow Sheet: <u>Future with Filters Out of Service</u>

City of Richmond, Virginia
Department of Public Utilities
August 2009



Flow Sheet: Future with Testing of Primary Effluent UV

Disinfection

City of Richmond, Virginia **Department of Public Utilities** August 2009

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A - PART C: CERTIFICATION

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99
RICHMOND WWTP VA 0063177	O¾/B Number 2040-0088
BASIC APPLICATION INFORMATION	
PART C. CERTIFICATION	
All applicants must complete the Certification Section. Refer to instructions to determ applicants must complete all applicable sections of Form 2A, as explained in the Appl completed and are submitting. By signing this certification statement, applicants confithat apply to the facility for which this application is submitted.	ication Overview. Indicate below which parts of form 2A you have
Indicate which parts of Form 2A you have completed and are submitting	g:
XBasic application Information packet Supplemental A	application Information packet:
X_Part D ((Expanded Effluent Testing Data)
XPart E ((Toxicity Testing: Biomonitoring Data)
XPart F (Industrial User Discharges and RCRA/CERCLA Wastes)
XPart G	(Combined Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.	
I certify under penalty of law that this document and all attachments were prepared unto assure that qualified personnel properly gather and evaluate the information submit system or those persons directly responsible for gathering the information, the information complete. I am aware that there are significant penalties for submitting false informativiolations.	tted. Based in my inquiry of the person or persons who manage the ation is, to the best of my knowledge and belief, true, accurate, and
Name and official title	olic Utilities
Signature	<u> </u>
Telephone number (804) 546 5200	
Date signed 522-2005	
Upon request of the permitting authority, you must submit any other information necessor identify appropriate permitting requirements.	sary to assess wastewater treatment practices at the treatment works
SEND COMPLETED FORMS TO:	

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A - PART D: EXPANDED EFFLUENT TESTING DATA

FACILITY NAME AND PERMIT NUMBER:

RICHMOND WWTP VA0063177

SUPPLEMENTAL APPLICATION INFORMATION

PART D. Expanded Effluent Testing Data

Refer to the directions on the cover page to determine where this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharge. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based no at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE			AVERAGE DAILY DISCHARGE				ANALYTICAL			
POBLUTANT	Conc.	Units	Mass	Units	Conc.:	Units	Mass	Units	Number of Samples		ML/MDL
DISSOLVED METALS	A. I Meta tellene-ere traesau	***************************************	Service and the service of the servi	Activities	- 47			***************************************	Manager Committee Committe	-	3.1.30000000000000000000000000000000000
ANTIMONY	<80	ug/L			<80	ug/L			3	EPA 200.7	
ARSENIC	<60	ug/L			<60	ug/L			3	EPA 200.7	
RYLLIUM	<2	ug/L			<2	ug/L			3	EPA 200.7	
CADMIUM	0.13	ug/L			0.13	ug/L			3	EPA 200.8	
СНКОМІИМ	<10	ug/L			<10	ug/L			3	EPA 200.7	
COPPER	5	ug/L			5	ug/L			3	EPA 200.7	
LEAD	<20	ug/L			<20	ug/L			3	EPA 200.7	
MERCURY	<0.1	ug/L			<0.1	ug/L	į		3	EPA 245.1	
NICKEL	<10	ug/L			<10	ug/L			3	EPA 200.7	
SELENIUM	<2	ug/L			<2	ug/L			3	EPA 200.8	
SILVER	<0.5	ug/L			<0.5	ug/L			3	EPA 200.8	
THALLIUM	<40	ug/L			<40	ug/L			3	EPA 200.7	
ZINC	50	ug/L			50	ug/L			3	EPA 200.7	
Park to the second seco		ug/L				ug/L					
		ug/L				ug/L					
		mg/L		•		mg/L					

FACILITY NAME AND PERMIT NUMBER: RICHMOND WWTP 0063177

Outfall number: 001 POLLUTANT			M DAIL				DAILY		the United :		
	Conc.		HARGE	Units	Conc.	Units	Màss	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.	· · · · · · · · · · · · · · · · · · ·						.				
ACROLEIN	<10	ug/L			<10	ug/L			3	EPA 624	
ACRYLONITRILE	<10	ug/L			<10	ug/L			3	EPA 624	
BENZENĖ	<10	ug/L			<10	ug/L			3	EPA 624	
BROMOFORM	<10	ug/L			<10	ug/L			3	EPA 624	
CARBON TETRACHLORIDE	<10	ug/L			<10	ug/L			3	EPA 624	
CLOROBENZENE	<10	ug/L			10	ug/L			3	EPA 624	
CHLORODIBROMO-METHANE	11.5	ug/L.			10.5	ug/L			3	EPA 624	
CHLOROETHANE	<10	ug/L			<10	ug/L			3	EPA 624	
2-CHLORO-ETHYLVINYL ETHER	<10	ug/L			<10	ug/L			3	EPA 624	
CHLOROFORM	13.1	ug/L			11	ug/L			3	EPA 624	
DICHLOROBROMO-METHANE	11.5	ug/L			10.5	ug/L			3	EPA 624	
1,1-DICHLOROETHANE	<10	ug/L			<10	ug/L			3	EPA 624	
1,2-DICHLOROETHANE	<10	ug/L			<10	ug/L			3	EPA 624	
TRANS-1,2-DICHLORO-ETHYLENE	<10	ug/L			<10	ug/L			3	EPA 624	
1,1-DICHLOROETHYLENE	<10	ug/L			<10	ug/L			3	EPA 624	
1,2-DICHLOROPROPANE	<10	ug/L			<10	ug/L			3	EPA 624	
1,3-DICHLORO-PROPYLENE	<10	ug/l			<10	ug/L			3	EPA 624	
ETHYLBENZENE	<10	ug/L			<10	ug/L			3	EPA 624	
METHYL BROMIDE	<10	ug/L			<10	ug/L			3	EPA 624	
METHYL CHLORIDE	<10	ug/L		-	<10	ug/L			3	EPA 624	
METHYLENE CHLORIDE	<10	ug/L			<10	ug/L			3	EPA 624	
1,1,2,2-TETRACHLORO-ETHANE	<10	ug/L			<10	ug/L			3	EPA 624	
TETRACHLORO-ETHYLENE	<10	ug/L			<10	ug/L			3	EPA 624	
TOLUENE	<10	ug/L			<10	ug/L	-		3	EPA 624	

RICHMOND WWTP 0063177

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.) AVERAGE DAILY DISCHARGE **POLLUTANT** MAXIMUM DAILY DISCHARGE Conc. ML/ MDL Conc. Units Mass Units Units Mass Units Number ANALYTICAL METHOD Samples <10|ug/L **EPA 624** <10|ug/L 3 1,1,1-TRICHLOROETHANE 3 1,1,2-TRICHLOROETHANE <10|ug/L <10|ug/L **EPA 624** 3 **EPA 624** TRICHLORETHYLENE <10|ug/L <10|ua/L <10|ug/L **EPA 624** VINYL CHLORIDE <10|ug/L Use this space (or a separate sheet) to provide information on other volatile organic compounds requested by the permit writer. **ACID-EXTRACTABLE COMPOUNDS** 3 **EPA 625** <10 ug/L <10|ua/L P-CHLORO-M-CRESOL 3 <10|ug/L **EPA 625** 2-CHLOROPHENOL <10|ug/L 3 **EPA 625** <10 ug/L <10 ug/L 2,4-DICHLOROPHENOL <10 ug/L **EPA 625** 2,4-DIMETHYLPHENOL <10 lug/L 3 **EPA 625** 4,6-DINITRO-O-CRESOL <10|ug/L <10|ug/L 3 <10 lug/L **EPA 625** 2,4-DINITROPHENOL <10|ug/L 3 2-NITROPHENOL <10 ug/L <10 ug/L **EPA 625** 3 **EPA 625** <10|ug/L <10|ug/L 4-NITROPHENOL 3 PENTACHLOROPHENOL <10|ug/L <10|ug/L **EPA 625** 3 PHENOL <10|ug/L <10 ug/L **EPA 625** 2,4,6-TRICHLOROPHENOL <10 <10 **EPA 625** ug/L ug/L Use this space (or a separate sheet) to provide information on other acid extractable compounds requested by the permit writer. BASE-NEUTRAL COMPOUNDS. 3 **EPA 625 ACENAPHTHENE** <10|ug/L <10 ug/l 3 **ACENAPHTHYLENE** <10|ug/L <10|ua/L **EPA 625** 3 **EPA 625** <10|ug/L <10 ug/L **ANTHRACENE** <10|ug/l **EPA 625** BENZIDINE <10|ug/L 3 **EPA 625** <10|ug/L <10|ug/L BENZO(A)ANTHRACENE 3 **EPA 625** <10|ug/L <10|ug/L BENZO(A)PYRENE

RICHMOND WWTP 0063177

Outfall number:	Il number:(Complete once for each outfal					Il discharging effluent to waters of the United States.)					
POLLUTANT	N		M DAIL' IARGE	Ý	AVERAGE DAILY DISCHARGE						
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
3,4 BENZO-FLUORANTHENE	<10	ugle			<10	سالون			3	EPA 625	
BENZO(GHI)PERYLENE	<10				<10	•			3	EPA 625	
BENZO(K)FLUORANTHENE	<10				<10				3	EPA 625	
BIS (2-CHLOROETHOXY) METHANE	<10				<10				3	EPA 625	
BIS (2-CHLOROETHYL)-ETHER	<10				<10				3	EPA 625	
BIS (2-CHLOROISO-PROPYL) ETHER	<10				<10				3	EPA 625	
BIS (2-ETHYLHEXYL) PHTHALATE	<10				<10				3	EPA 625	
4-BROMOPHENYL PHENYL ETHER	<10				<10				3	EPA 625	
BUTYL BENZYL PHTHALATE	<10				<10				3	EPA 625	
2-CHLORONAPHTHALENE	<10				<10				3	EPA 625	
4-CHLORPHENYL PHENYL ETHER	<10				<10				3	EPA 625	
CHRYSENE	<10				<10				3	EPA 625	
DI-N-BUTYL PHTHALATE	<10				<10				3	EPA 625	
DI-N-OCTYL PHTHALATE	<10				<10				3	EPA 625	
DIBENZO(A,H) ANTHRACENE	<10				<10				3	EPA 625	
1,2-DICHLOROBENZENE	<10				<10				3	EPA 625	
1,3-DICHLOROBENZENE	<10				<10				3	EPA 625	
1,4-DICHLOROBENZENE	<10				<10				3	EPA 625	
3,3-DICHLOROBENZIDINE	<10				<10				3	EPA 625	
DIETHYL PHTHALATE	<10				<10				3	EPA 625	
DIMETHYL PHTHALATE	<10				<10				3	EPA 625	
2,4-DINITROTOLUENE	<10				<10				3	EPA 625	
2,6-DINITROTOLUENE	<10				<10				3	EPA 625	
1,2-DIPHENYLHYDRAZINE	<10	UGIL			<10	USIL			3	EPA 625	

RICHMOND WWTP 0063177

Outfall number: 001	(Comp	lete onc	e for eac	th outfall	discharg	jing efflu	ent to w	raters of	the United	States.)	
POLLUTANT	٨		M DAIL'	Ý	A۱	/ERAGE	DAILY	DISCH	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE	<10	ug/L			<10	ug/L			3	EPA 625	
FLUORENE	<10	ug/L			<10	ug/L			3	EPA 625	
HEXACHLOROBENZENE	<10	ug/L			<10	ug/L			3	EPA 625	
HEXACHLOROBUTADIENE	<10	ug/L			<10	ug/L		:	3	EPA 625	
HEXACHLOROCYCLO- PENTADIENE	<10	ug/L			<10	ug/L			3	EPA 625	
HEXACHLOROETHANE	<10	ug/L			<10	ug/L			3	EPA 625	
INDENO(1,2,3-CD)PYRENE	<10	ug/L			<10	ug/L	. "		3	EPA 625	
ISOPHORONE	<10	ug/L			<10	ug/L			3	EPA 625	
NAPHTHALENE	<10	ug/L			<10	ug/L			3	EPA 625	
NITROBENZENE	<10	ug/L			<10	ug/L			3		
N-NITROSODI-N-PROPYLAMINE	<10	ug/L	-		<10	ug/L			3	EPA 625	
N-NITROSODI- METHYLAMINE	<10	ug/L			<10	ug/L			3	EPA 625	
N-NITROSODI-PHENYLAMINE	<10	ug/L			<10	ug/L			3	EPA 625	
PHENANTHRENE	<10	ug/L			<10	ug/L			3	EPA 625	
PYRENE	<10	ug/L			<10	ug/L			3	EPA 625	
1,2,4-TRICHLOROBENZENE	<10	ug/L			<10	ug/L			3	EPA 625	,
Use this space (or a separate sheet)	to provide in	formatio	on other	base-net	itral comp	ounds rec	quested b	y the per	mit writer.	· · · · · · · · · · · · · · · · · · ·	
					!	1				1	

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER: RICHMOND WWTP VA 0063177

Atfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)											
POLLUTANT	999	MAXIMU DISCH	M®DAILY IARGE			AVERAG	E DAILY	DISCHAF	GE.	ANALYTICAL	
	Conc	Units	Mass∵	Units	Conc.		Mass		Number of		ML/MDL
A SUSIN			Baldyr					1			122
Pesticides & PCB's											
Hexachlorocyclohexane Alpha-Bl	HC <0,05	ug/L			<0.05	ug/L			1	EPA 608	
Alpha-Endosulfan	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Hexachlorocyclohexane Beta-BH	C <0.05	ug/L			<0.05	ug/L			1	EPA 608	
Beta-Endosulfan	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Endosulfan sulfate	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Endrin aldehyde	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Heptachlor epoxide	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
PCB 1016	ND	ug/L			ND	ug/L			1	EPA 608	
PCB 1221	ND	ug/L			ND	ug/L			1	EPA 608	
PCB 1232	ND	ug/L			ND	ug/L			1	EPA 608	
PCB 1242	ND	ug/L			ND	ug/L			1	EPA 608	
PCB1248	ND	ug/L			ND	ug/L			1	EPA 608	
PCB 1254	ND	ug/L			ND	ug/L			1	EPA 608	
PCB 1260	ND	ug/L			ND	ug/L			1	EPA 608	
PCB Total3	ND	ug/L			ND	ug/L			1	EPA 608	
Aldrin	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Mirex	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Chlordane	ND	ug/L			ND	ug/L			1	EPA 608	
DDD	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
DDE	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
DDT	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Diedrin	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Endrin	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Heptachhlor	<0.05	ug/L			<0.05	ug/L			2	EPA 608	

						j					
fall number: 001	•	le once fo									
POLLUTANT		MAXIMU	M'DAILY IARGE	Ma rija odjav	(free editor)	AVERAG	E DAILY	DISCHAF	RGE.	ANALYTICAL	
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number	METHOD	ML/MDL
POLEUTANT Second line of the control		Units			7.5	thadjornija			of Samples	METHOD	
Gamma BHC	<0.05	ug/L	100000		<0.05	ug/L	\$000 x x x 20 ; 0 , ; 10000000		1	EPA 608	7 %
Hexachlorocyclohexane	<0.05	ug/L			<0.05	ug/L			1	EPA 608	
Mehoxychlor	<0.05	ug/L			<0.05	ug/L		`	1	EPA 608	
Toxaphene	ND	ug/L			ND	ug/L			1	EPA 608	
Kepone	<1.0	ug/L			<1.0	ug/L			1	EPA 608	
Organophosphorous											
Pesticides											
Demetron	<0.1	ug/L			<0.1	ug/L			1	EPA 622	
Guthion	<0.1	ug/L			<0.1	ug/L			1	EPA 622	
Malathion	<0.1	ug/L			<0.1	ug/L			1	EPA 622	
nloropyrifos	<0.1	ug/L			<0.1	ug/L			1	EPA 622	
parathion	<0.1	ug/L			<0.1	ug/L			1	EPA 622	
			_								
											

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A - PART E: TOXICITY TESTING DATA

	FACILITY NAME AND PERMIT NUMBER:	- 1
	RICHMOND WWTP VA 0063177 SUPPLEMENTAL APPLICATION INFORMATION	
,	PART E. TOXICITY TESTING DATA	
	POTWs meeting one or more of the following criteria must provide the results of whole effectility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 required to have one under 40 CER Part 403); or 3) POTWs required by the permitting a	mgd; 2) POTWs with a pretreatment prog

xicity for each of the ram (or of those that are

At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section, All information reported must be based on data colleted through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.

Form Approved 1/14/99 OMB Number 2040-0088

	 In addition, submit the results of conducted during the past four toxicity reduction evaluation, if of the submitted a requested in question E.4 for pill fest summaries are available. 	and one-half years revealed one was conducted ny of the Information request reviously submitted information	oxicity, provide any info ed in Part E, you need n on. If EPA methods wer	rmation on the cause of the too ot submit it again. Rather, pro e not used, report the reasons	vide the information for using alternate methods.
lf no b	iomonitoring data is required, do not comp	olete Part E. Refer to the Ap	dication Overview for dis	rections on which other section	s of the form to
compl	ete.				
E.1.	Required Tests.				
	Indicate the number of whole e	fluent toxicity tests conducte	I in the past four and on	e-half years.	
	9 chronic	8 acute			
E.2.	individual Test Data. Complete the foll column per test (where each species or				alf years. Allow one
	Refer to Question E.4. (below)				
		Test number:	Test num	ber:	Test number:
	a. Test information.				Mary 1 - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -
Test s	pecies & test method number			· · · · · · · · · · · · · · · · · · ·	
	t initiation of test				
	Inumber				
Dates	sample collected				
Date to	est started				
Duratio	on				
	b. Give toxicity test methods followed.				
Manua	al title				
Edition	n number and year of publication				
Page :	number(s)				
	c. Give the sample collection method(s)	used. For multiple grab san	ples, indicate the numb	er of grab samples used.	
24-Ho	ur composite				
Grab		·			
	d. Indicate where the sample was take	n in relation to disinfection.	Check all that apply for	each)	
Before	disinfection				
	disinfection				
After d	dechlorination				

FACILITY NAME AND PERMIT NUMBER:		Form Approved 1/14/99					
RICHMOND WWTP	VA 0063177		OMB Number 2040-0086				
	Test number:	Test number:	Test number:				
e. Describe the point in the treatment p	rocess at which the sample was collected	•					
Sample was collected:							
	t was intended to asses chronic toxicity, a	acute toxicity, or both.					
Chronic toxicity							
Acute toxicity							
g. Provide the type of test performed.							
Static							
Static-renewal							
Flow-through							
h. source of dilution water. If laboratory	water, specify type; if receiving water, spe	cify source.					
Łaboratory water							
Receiving water							
Type of dilution water. If salt water, s	pecify "natural" or type of artificial sea salt	s or brine used.					
Fresh water							
Salt water							
j. Give the percentage effluent used for	all concentrations in the test series.						
k. Parameters measured during the tes	t. (State whether parameter meets test m	ethod specifications)					
рН							
Salinity							
Temperature							
Ammonia							
Dissolved oxygen							
i. Test Results.							
Acute:							
Percentage survival in 100% effluent							
LC ₅₀							
95% C.I.							
Control percent survival							
Other (describe)							

FACILITY NAME AND PERMIT NUMBER: RICHMOND WWT	P VA 0063177		Form Approved 1/14/99 OMB Number 2040-0080
Chronic:	7 170000111		
NOEC	%	%	%
IC ₂₅	%	%	%
Control percent survival	%	%	%
Other (describe)			
m. Quality Control/Quality Assurance.			
Is reference toxicant test within			
Is reference toxicant test within			
acceptable bounds?			
What date was reference toxicant test run			
(MM/DD/YYYY)?			
E.3. Toxicity Reduction Evaluation. Is the	a treatment works involved in a Toxicity Re	duction Evaluation?	
E.S. TOXIGITY REDUCTION EVALUATION. IS III	s deathert works involved in a Toxicity Re	duction Evaluation?	
YesX No	If yes, describe:	······································	
		W	411 0 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A
E.4. Summary of submitted Biomonitorin	ig Test Information. If you have submitte	d hiomogitarina tast information, or into	emation maarding the
· ·	nd one-half, provide the dates the informati		
Date submitted: See Supplem	ent/Table E-1 (MM/DD/YYYY)	
Summary of results: (see Instructions)		
			·····································
	END OF PART	E.	
REFER TO THE AP	PLICATION OVERVIEW TO DETER 2A YOU MUST COM		FFORM

City of Richmond, Virginia Department of Public Utilities Richmond Wastewater Treatment Plant VPDES Permit: VA0063177 Outfall 001

Table E1
WET Testing Performed since Last Permit Reissuance

		Acute	Test			ic Test		
	Inverte C. dub		Vertebra P. prome			Inverteb C. dub		Vertebrate P. promel
	LC50%	TUa	LC50%	TUa		LC50%	TUc	LC50% T
Date of Test								
1/19/03	>100%	<1	>100%	<1	1/22/02	100%	1	100%
11/22/03	>100%	<1	>100%	<1	1/21/03	100%	1	100%
1/16/05	>100%	<1	>100%	<1	2/03/04	50%	2	100%
5/13/05	>100%	<1	>100%	<1	1/19/05	100%	1	100%
3/05/06	>100%	<1	>100%	<1	5/17/05	100%	1	100%
2/02/07	>100%	<1	>100%	<1	3/08/06	100%	1	100%
2/01/08	>100%	<1	>100%	<1	2/06/07	100%	1	100%
1/23/09	>100%	<1	>100%	<1	2/05/08	100%	1	100%
					1/27/09	100%	1	100%

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A - PART F: INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES

All t	RT F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES reatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other edial wastes must complete Part F.
	NERAL INFORMATION:
F.1.	Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? X Yes No
F.2.	Number of Significant industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.
	a. Number of non-categorical SIUs. b. Number of CIUs. 38 (See Supplement No. 2A-F1) (See Supplement No. 2A-F2)
SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	ply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: 623 Landfill, Inc
	Mailing Address: 2415 Grenoble Road
	Richmond, Virginia 23294
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. Landfill Leachate
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Landfill rainwater
•	Raw material(s):
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	175,000 gpd (continuous orX_intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesX_No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.
1	

RCRA HAZARDOUS	S WASTE RECEIVED BY	Y TRUCK, RAIL, OR DEDIC	ATED PIPELINE:		
F.9. RCRA Waste. Doc or dedicated pipe YesX_No	?	eive or has it in the past three	years received RCRA haz	zardous waste	by truck, rail,
F.10. Waste Transport	t. Method by which RCRA	waste is received (check all the	st apply):Truck	Rail	Dedicated Pipe
	on. Give EPA hazardous w ous Waste Number	aste number and amount (volu <u>Amount</u>	ime or mass, specify units	s). 	
	· Facility & Miles - Market - Salar -		**************************************		
		CRA REMEDIATION/CORR			
activities? Yes (compl	ete F.13 through F.15.)	orks currently (or has it been n <u>K</u> No viormation (F.13 - F.15.) for each	•		laibeme
	escribe the site and type of ne next five years).	f facility at which the CERCLA	RCRA/or other remedial v	waste originat	es (or is expected
	he hazardous constituents f known. (Attach additiona	s that are received (or are expe il sheets if necessary).	cted to be received). Incl	ude data on v	blume and
F.15. Waste Treatmen	t.				*****
a. Is this wasteYesN) prior to entering the treatment (vorks?		
If yes, describe the	ne treatment (provide inform	ation about the removal efficienc	y):	· • • • • • • • • • • • • • • • • • • •	
		e) continuous or intermittent? ent, describe discharge schedule),		
REFER TO T		END OF PART I I OVERVIEW TO DE RM 2A YOU MUST CO	TERMINE WHICH	OTHER F	PARTS OF

SIG	SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.	
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
	Name: Afton Chemical Corporation	
	Mailing Address: 500 Spring Street	
	Richmond, Virginia 23219	
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.	
	Laboratory wastewater, engine wash-down wastewater, cooling tower and boiler blowdown.	
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
	Principal product(s): Acids & bases, mop water, cooling tower chemicals and surfactants.	
	Raw material(s): N/A	
F.6.	Flow Rate.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	87668 gpd (continuous orX_intermittent)	
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	8400 gpd (continuous or X intermittent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:	
	a. Local limits X_YesNo	
	b. Categorical pretreatment standardsYesX_No	
	If subject to categorical pretreatment standards, which category and subcategory?	
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the StU. Has the StU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.	

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
ŀ	Name: Alloy Polymers, Inc.
	Mailing Address: 3310 Deepwater Terminal Road
	Richmond, Virginia 23234
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Devolatilized, extruded powder and resins which produce plastic pellets. Cooling water and non-contact cooling water.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Nylon blend, polymer blends
	Raw material(s): Nylon, polypropylene, silica, fiberglass
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	279257 gpd (X continuous or intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Altadis U,S,A.
	Mailing Address:600 Perdue Avenue
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Equipment wash-down from tobacco mixing vats, boiler, air wash, cooling tower and regeneration blow-downs.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Smoking tobaccos
	Raw material(s): Tobacço, casing, flavoring
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	11966 gpd (continuous orXintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SiU. Has the SiU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	bly the following Information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Atlantic Corrugated Box Co., Inc.
	Mailing Address: 1701 Ruffin Road
	Richmond, Virginia 23234
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Manufacturing of corrugated sheets into boxes. Adhesives, water based inks and press wash water.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): <u>Corrugated boxes</u>
	Raw material(s): Flexo inks
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	215475 gpd (X continuous orintermittent)
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the StU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X_No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Sup F.8 a	bly the following Information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant industrial User Information . Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: BP Products-North America
	Mailing Address: 1636 Commerce Road
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
!	Facility stormwater discharges from petroleum products storage tanks' dikes.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): <u>Transfer Station of petroleum products</u>
	Raw material(s): Gasoline, Distillates, Fuel Additives
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X_No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.	
F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
Name: Carpenter Company	
Mailing Address: <u>2400 Jefferson Davis Highway</u>	
Richmond, Virginia 23234	
F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SiU's discharge.	
Process wastewater from pretreatment of non-woven fiber line, continuous bonded foam line and condensate from steam used to heat bonded foam.	
F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
Principal product(s): Virgin Foam, bonded foam	
Raw material(s): Polyol, toluene dilsocyanate, ground foam	
F.6. Flow Rate.	
 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
gpd (continuous orXintermittent)	
F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:	
a. Local limits X Yes No	
b. Categorical pretreatment standardsYesX_No	
if subject to categorical pretreatment standards, which category and subcategory?	
F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesX _No	

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Sup F.8 a	ply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Carter Printing Company
	Mailing Address: 2007 Hamilton Street
	Richmond, Virginia 23230
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Commercial Offset Printing, Film and offset plate processing
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Printed material
	Raw material(s): Film(plates), Ink, paper
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Cavalier Inks and Coatings .
	Mailing Address: 2807 Transport Street
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Non-contact gooling water
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Solvent & water based printing inks
	Raw material(s): Pigments, resins, solvents, additives.
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	11429 gpd (continuous or Xintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X_YesNo
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Citgo Petroleum Corporation
	Mailing Address: Third & Maury Streets
	Richmond, Virginia 23224
F.4.	•
	Stormwater runoff from bulk petroleum storage tanks.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s):
	Raw material(s): Gasoline, Distillates, Fuel Additives
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X_No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: City of Richmond's Water Purification Plant
	Mailing Address: 3920 Douglasdale Road
	Richmond, Virginia 23221
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	City of Richmond's water purification and supply utility. Alum sludge from the sludge lagoon dredge system.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Zinc orthophosphate, ammonia, aluminum, copper sulfate, lime, fluoride, chloride, non-ionic polymer, sodium hydroxide, potassium permanganate. Raw material(s): Water
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X_Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No if yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: CSX Transportation Inc.
	Mailing Address: 500 Water Street-J275
	Jacksonville, Florida 32202
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Locomotive fueling, equipment and parts washing.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): N/A
	Raw material(s): Petroleum & diesel fuel.
F.6.	Flow Rate.
	Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYes _ X _No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Department of Forensic Science (Commonwealth of Virginia)
	Mailing Address: Biotech Two- 700 North Fifth Street
	Richmond, Virginia 23219
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Forensic laboratory services, medicologal death investigations, autopsies etc.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): N/A
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	7560 gpd (continuous orXintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	7500 gpd (continuous or X_ intermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards Yes X No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X_No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Domestic Uniform Rental
	Mailing Address: 1321 Oliver Hill Way
	Richmond, Virginia 23219
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Industrial laundry discharge from DAF system.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): <u>Clean laundry. bleach. oxalic acid. anit-chlor. polymers. H2SO4. lime Al sulfate. boiler chemicals.</u> <u>Sodium bentonite</u> Raw material(s): <u>N/A</u>
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	42803 gpd (X continuous or intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX_intermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYes _XNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	ly the following information for each SiU. If more than one SiU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SiU.
F.3.	Significant Industrial User Information . Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Duro Bag Manufacturing Company
	Mailing Address: 2801 Cofer Road
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SiU's discharge.
	Bag converting plant via starch paste adhesive production, water base flexographic printing.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Retail paper bags
	Raw material(s): Kraft/Bleach paper, flexographic ink, starch and adhesives
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	19436 gpd (continuous orX_intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: First Energy Corporation
	Mailing Address: 200 Maury Street
	Richmond, Virginia 23218
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Stormwater runoff from bulk petroleum storage tanks.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s):
	Raw material(s): Gasoline, Distillates, Fuel Additives
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Greyhound Lines, Inc.
	Mailing Address: 350 North St. Paul MS 0084
	Dallas, TX 75042
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Maintenance and cleaning activities associated with bus fleet
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): N/A
	Raw material(s): Olt, Antifreeze, Paint, Soan and Solvents
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X_YesNo
	b. Categorical pretreatment standards Yes X No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:		
Supp F.8 a	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.	
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
	Name: Handcraft Services	
	Mailing Address: 1501 Roseneath Road	
	Richmond, Virginia 23230	
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.	
	Healthcare laundry, boller blowdown	
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
	Principal product(s): Clean laundry service	
	Raw material(s): N/A	
F.6.	Flow Rate.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	34072 gpd (continuous orX Intermittent)	
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	gpd (continuous orXintermittent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:	
	a. Local limits X Yes No	
	b. Categorical pretreatment standardsYesXNo	
	If subject to categorical pretreatment standards, which category and subcategory?	
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No if yes, describe each episode.	•

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	bly the following information for each SiU. If more than one SiU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SiU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: International Paper
	Mailing Address: 2811 Cofer Road
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Dve from automatic washer boiler and compressor blow-down and adhesive disposal.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Manufacturing and conversion of corrugated board
	Raw material(s): Kraft paper, starch
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	7328 gpd (continuous or X intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SiU. Has the SiU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	by the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Land-O-Sun, LLC (Pet Dairy) Formerly Supervalu
	Mailing Address: 1505 Robin Hood Road
	Richmond, Virginia 23220
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Process wastewater from pasteurization of raw milk and juices receiving operations.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Milk, cream, juice
	Raw material(s): Sugar, water, raw milk, juice
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	90249 gpd (X continuous orintermittent)
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYes _X_No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	ly the following information for each SiU. If more than one SiU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SiU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Magellan Terminals Holdings, L.P. – Richmond Terminal
	Mailing Address: 204 East 1st Street
	Richmond, Virginia 23224
F.4.	•
	Refined product storage terminal
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): gasoline, diesel, jet fuel
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	34187 gpd (continuous orX intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local fimits X Yes No
	b. Categorical pretreatment standardsYesX _No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	oly the following information for each SiU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Packaging Corporation of America
	Mailing Address: 2000 Jefferson Davis Highway
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Formation of corrugated board, printing press wash-up water, boiler blowdown.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Corrugated sheets
	Raw material(s): Kraft paper, corn starch sodium hydroxide, water-based flexographic inks, water-based adhesives.
F.6,	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	33947 gpd (continuous or X intermittent)
	 Non-process wastewater flow rate. Indicate the average dally volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.	
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Philip Morris- Blended Leaf
	Mailing Address: P.O. Box 26603
	Richmond, Virginia 23234
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Tobacco by-products grinding, drying, blending and flavoring. Cooling towers, air washers, ammonia tanks, slurry mixers water softener, refiners, scrubbers, oil & water separator, and boiler and condensate blowdown.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Reconstituted blended leaf, ground tobacco.
	Raw material(s): Tobacco, binder, flavors
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	53523 gpd (X continuous or intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
ı	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SiU.
F.3.	Significant industrial User information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Philip Morris-Manufacturing Center Complex
	Mailing Address: P.Q. Box 26603
:	Richmond, Virginia 23261
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SiU's discharge.
	Processed tobacco, steam boiler, equipment washdown, cooling tower, cigarette manufacturing.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SiU's discharge.
	Principal product(s): Cigarettes, propylene glycol, tobacco glycerin, flavoring
	Raw material(s): Tobacco, flavorings
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	594690 gpd (X continuous or intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	63450 gpd (continuous or X_intermittent)
F.7.	Pretreatment Standards. Indicate whether the SiU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGI	IFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 at	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: River City Linens
	Mailing Address: 3406 West Leigh Street
	Richmond, Virginia 23230
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Commercial lauderer
	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Clean linen for nursing homes, hotels, and hospitals
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX intermittent)
F.7.	Pretreatment Standards. Indicate whether the SiU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNo If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	by the following information for each SiU. If more than one SiU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SiU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: <u>TransMontaigne Terminaling</u>
	Mailing Address: 200 Mansell Court East, Suite 600
	Roswell, GA 30076
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Bulk petroleum storage stormwater runoff
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Bulk petroleum products
	Raw material(s): N/A
F.6.	Fiow Rate.
r.o.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	89825gpd (continuous orXintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.	
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
	Name: Reynolds Metal (Alcoa)	
	Mailing Address: 7th & Bainbridge Streets	
	Richmond, Virginia 23224	
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.	
	Wastewater from roll grinding units-pretreated through batch process and ultra-filtration system. Non-contact cooling water from annealing process. Process water from converting process (laminating, coating, gluing, grayure painting, finished goods, raw product storage and lacquer mixing) cooling towers.	
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
	Principal product(s): Roll grinding fluids, boiler chemicals, cooling tower chemicals.	
	Raw material(s): N/A	
F.6.	Flow Rate.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	gpd (continuous orXintermittent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:	
	a. Local limits X_YesNo	
	b. Categorical pretreatment standards X_YesNo	
	If subject to categorical pretreatment standards, which category and subcategory?	
	40 CFR Part 467 Aluminum Forming Category, Subpart A - Rolling with Neat Oils: Core Without an Annealing Furnace Scrubber.	
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.	

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	ply the following information for each SiU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Total Cleaning Power
	Mailing Address: 2212 Deepwater Terminal Road
	Richmond, Virginia 23234
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Wastewater from the truck washing operation and boiler blowdown water flows to a pretreatment unit consisting of oil and grease removal, pH adjustment and DAF solids removal.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Butyl cellosolve, NaOH, H2SO4, HCI, aluminum brightener, poly-tergent.
	Raw material(s): N/A
	!
F.6.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 437 Centralized Waste Treatment Point Source.
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SiU. Has the SiU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	ly the following Information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Specialty Finishers, Inc.
	Mailing Address: 311 Tynick Street
	Richmond, Virginia 23224
F.A.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Excess caustic wash water and rinse water from the nickel plating and anodizing process.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SiU's discharge.
	Principal product(s): <u>Ammonium hydroxide, Chromium, Acetic Acid, HNO3, H3NQ3, HCI, Nickel, NaOH, H2SO4</u>
	Raw material(s): N/A
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 433 subparts A - Metal Finishing Subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No if yes, describe each episode.

SIG	SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supr F.8 a	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.	
	Significant industrial User information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
	Name: Sonoco Products Company	
	Mailing Address: 1850 Commerce Road	
	Richmond, Virginia 23224	
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.	
	Recycled industrial wastewater and process wastewater circulated to ponds.	
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
	Principal product(s): NaOH, defoamer, wet resin, poly phosphate, alkaline sizing agent, biocides	
	Raw material(s): N/A	
F.6.	Flow Rate.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	962294 gpd (X continuous or intermittent)	
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.	
	gpd (continuous orXintermittent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:	
	a. Local limits X Yes No	
	b. Categorical pretreatment standards <u>X</u> YesNo	
	If subject to categorical pretreatment standards, which category and subcategory?	
	40 CFR Part 430 Subparts E, Paperboard from Wastepaper Subcategory	
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.	

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	bly the following information for each SiU. If more than one SiU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SiU.
F.3.	Significant Industrial User Information. Provide the name and address of each StU discharging to the treatment works. Submit additional pages as necessary.
	Name: Richmond Metal Finishing
	Mailing Address: 506 Maury Street
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Process wastewater from powder coating with Iron phosphate, wash operation, the metal forming and cutting operations,
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): HCl, bleach, metablsulfate, plating metals.
	Raw material(s): N/A
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average dally volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 433 Subparts A - Metal Finishing Subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: RECO Biotechnology
	Mailing Address: 710 Hospital Street
	Richmond, Virginia 23219
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Petroleum contaminated water is treated by an oil/water separator, pH adjusters, aerated biological treatment and screening.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Sodium bicarbonate, sulfuric acid, sodium chloride, standard polymers, diammonium phosphate
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	149472 gpd (continuous or X intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X_YesNo
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 437 - Centralized Waste Treatment Point Source subpart D - Multiple Wastestreams
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	by the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Production Metal Finishers, Inc.
	Mailing Address: 1802 Currie Street
	Richmond, Virginia 23220
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Rinse water from plating and cleaning operations.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
•	Principal product(s): Chromic acid, NaOH, H2SO4, Phosphoric acid, copper, sulfate
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX intermittent)
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 433 Subparts A - Metal Finishing Subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesX_NoIf yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Miller Manufacturing Company, Inc.
	Mailing Address: P.O. Box 1356
	Richmond, Virginia 23218
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Metal fabrications are rinsed after alkaline wash and Iron phosphate etch, Filtered rinse water.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Aikaline bore cleaner, iron phosphate, acid
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	4067 gpd (X continuous or intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards <u>X</u> Yes <u>No</u>
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 433 subparts A - Metal Finishing Subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: House of Silver
	Mailing Address: 1813 West Broad Street
	Richmond, Virginia 23220
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Rinsate from electroplating, caustic and acid cleaning operations.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): HCI, H2SO4, HNO3, silver potassium cyanide solution.
	Raw material(s): N/A
F.0	Flow Date
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	90 gpd (continuous or X intermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
ı	40 CFR Part 413 Subparts B Electroplating of Precious Metals Subcategory.
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNo If yes, describe each episode.

SIG	SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.	
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
	Name: Hanlon Plating Company Inc.	
	Mailing Address: 925 East Fourth Street	
	Richmond, Virginia 23224	
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.	
l	Batched rinse water from electroplating operation.	
l		
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
	Principal product(s): Copper, Zinc, Nickel, brightener.	
	Raw material(s): N/A	
F.6.	Flow Rate.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	gpd (continuous orX intermittent)	
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	gpd (continuous orXintermittent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:	
	a. Local limits X Yes No	
	b. Categorical pretreatment standards X Yes No	
	If subject to categorical pretreatment standards, which category and subcategory?	
	40 CFR Part 413 Electropiating.	
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.	

SIG	SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.	
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
	Name:	
	Mailing Address: 1860 Commerce Road	
	Richmond, Virginia 23224	
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.	
	Process wastewater from the neutralization tank floor drainage treated an oil & water separators, blowdown from boilers, cooling tower and steam condensate.	
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
	Principal product(s): Caustic soda, ammonium hydroxide, boller and cooling water chemicals, sulfuric acid sodium bisulfite,	
	Raw material(s): N/A	
F.6.	Flow Rate.	
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	655826 gpd (continuous orXintermittent)	
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	gpd (continuous orXinterm(ttent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:	
	a. Local limits X Yes No	
	b. Categorical pretreatment standards X Yes No	
	If subject to categorical pretreatment standards, which category and subcategory?	
	40 CFR Part 423 – Steam Electrical Power Generating Point Source Category	
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.	

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Colonial Plating Shop
	Mailing Address: 9 South First Street
	Richmond, Virginia 23219
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Silver plating process rinsate
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Potassium cyanide, caustic soda , rinsate
	Raw material(s):N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 413 - Metal Finishing Subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	bly the following Information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the Information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Caraustar (Richmond Paperboard Corporation
	Mailing Address: 111 Hull Street Road
	Richmond, Virginia 23224
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Hydropulper process discharges, high density cleaners and float washer.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Bismarck brown powder, ASA, biocide, polymers, defoamer, boiler chemicals, brown & green liquid dye
	Raw material(s): N/A
F.6.	Flow Rate.
	Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	38890 gpd (X continuous orintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	1650 gpd (continuous or X_intermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 430 Subparts E - Paperboard form wastepaper subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Brass Beds of Virginia
	Mailing Address: 3210 West Marahall Street
	Richmond, Virginia 23230
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Batch process wastewater form the phosphoric acid washing of the bed frames.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Phosphoric Acid, Zinc Alloy
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	8367 gpd (continuous orX intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40 CFR Part 433 Subparts A - Metal Finishing Subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	bly the following information for each SiU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: APC, Inc.
	Mailing Address: 1136-A Hermitage Road
	Richmond, Virginia 23220
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Rinse water from cleaning, etching and anodizing processes.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Nickel, Copper, Chromium, NaOH Acetate, nitric and sulfuric acid, organic dyes.
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	6218 gpd (continuous orXintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X_YesNo
	b. Categorical pretreatment standards X Yes No
	If subject to categorical pretreatment standards, which category and subcategory?
	40CFR Part 413 Subparts A & D - Electroplating of Common Metals Subcategory & Anodizing Subcategory
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SiU. Has the SiU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: X-Ray Engineering
	Mailing Address: 708 Dawn Street
	Richmond, Virginia 23222
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Process rinse water from washing containers associated with fixer and developer solutions.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Fixer and developer.
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	8487 gpd (continuous orX_ intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesX_No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant industrial User information. Provide the name and address of each SiU discharging to the treatment works. Submit additional pages as necessary.
	Name: West End Printing
	Mailing Address: 1607 Sherwood Avenue
	Richmond, Virginia 23220
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Commercial offset printing operation, air compressor or blowdown
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Meter roll cleaner, solvent inks, fountain solution
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	15394 gpd (continuous orX intermittent)
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesX_No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SiU. Has the SiU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X_No If yes, describe each episode.

SIG	SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	bly the following information for each SiU. If more than one SiU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SiU.	
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.	
	Name: Waste Management-Maplewood Facility	
	Mailing Address: 20221 Maplewood Road	
	Jetersville, Virginia 23083	
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.	
	Municipal Solid Waste Landfill	
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.	
	Principal product(s): Sanitary Landfili	
	Raw material(s): N/A	
F.6.	Flow Rate.	
F.O.		
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	gpd (continuous orXintermittent)	
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 	
	gpd (continuous orintermittent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:	
	a. Local limits X Yes No	
	b. Categorical pretreatment standardsYesXNo	
	If subject to categorical pretreatment standards, which category and subcategory?	
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? YesXNoIf yes, describe each episode.	

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
Supp F.8 a	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Waste Management-King George Landfill
	Mailing Address: 10375 Bullock Lane
	King George, Virginia 22485
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Municipal Solid Waste Landfill
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Sanitary Landfill
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	203306 gpd (continuous orX_intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X_YesNo
	b. Categorical pretreatment standardsYesX_No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:	
	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Waste Management-Charles City County
	Mailing Address: 8000 Chambers Road
	Charles City, VA 23030
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Municipal Solid Waste Landfill
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Sanitary Landfill
	Raw material(s): N/A
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesX_No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIGNIFICANT INDUSTRIAL USER INFORMATION:
Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.
F.3. Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
Name: Waste Management-Brunswick Facility
Mailing Address: 107 Mallard Crossing Road
Lawrenceville, Virginia 23868
F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
Municipal Solid Waste Landfill
F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
Principal product(s): <u>Sanitary Landfill</u>
Raw material(s): N/A
F.6. Flow Rate.
 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
222000 gpd (continuous orX_intermittent)
 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
gpd (continuous orintermittent)
F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:
a. Local limits X Yes No
b. Categorical pretreatment standardsYesXNo
If subject to categorical pretreatment standards, which category and subcategory?
F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	by the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Waste Management-Atlantic Waste Disposal Facility
	Mailing Address: 3474 Atlantic Lane
	Waverly, Virginia 23890
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. Municipal Solid Waste Landfill
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Sanitary Landfill
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	1445336 gpd (continuous or X intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Virginia Hospital Laundry
	Mailing Address: 1601 Oliver Hill Way
	Richmond, Virginia_23219
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Industrial laundering of health care and hospital linens.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Sodium Hydroxide, phosphoric acid, sodium thiosulfate, isopropanol, sodium hypochiorite, methyl bis-2-hydroxyethyl ammonium methyl sulfate Raw material(s): N/A
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits <u>X</u> Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	ly the following information for each SiU. If more than one SiU discharges to the treatment works, copy questions F.3 through nd provide the information requested for each SiU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: VCU-MCV Steam Plant
	Mailing Address: P.O. Box 980166
	Richmond, Virginia 23298
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Steam production and distribution. Boiler blow-down, stormwater and softener regeneration.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Boiler chemicals, salar salt
	Raw material(s): N/A
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged Into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	84632 gpd (continuous orX intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.7.	Pretreatment Standards, Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYes _X_No
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SiU. Has the SiU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
İ	Name: Veteran Administration Medical Center
	Mailing Address: 1201 Road Rock Blvd
	Righmond, Virginia 23249
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
ı	General medical and surgical hospital
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): <u>Laundry operations, food service</u>
	Raw material(s):
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (Xcontinuous orintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
i	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp F.8 a	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Unifirst Corporation
	Mailing Address: 4300 Castlewood Road
	Richmond, Virginia 23234
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Industrial laundry process wastewater
ı	
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Surfactants, DAF chemicals, caustic acid, bleach
	Raw material(s): N/A
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	60796 gpd (continuous orX_ intermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orXintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYesXNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SiU. Has the SiU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through and provide the information requested for each SIU.
F.3.	Significant industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name: Upaco Adhesives inc.
	Mailing Address: 4105 Castlewood Road
	Richmond, Virginia 23234
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
	Kettle cleaning water-based adhesive manufacturing area, contact and non-contact cooling water.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s): Boiler chemicals, water-based chemicals, latex emulsions.
	Raw material(s): N/A
F.6.	Flow Rate.
	 Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orX intermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limits X Yes No
	b. Categorical pretreatment standardsYes _XNo
	If subject to categorical pretreatment standards, which category and subcategory?
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes X No If yes, describe each episode.

Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

APPENDIX F: FORM 2A PART F

Additional Information

City of Richmond's Wastewater Treatment Plant VPDES Permit #VA0063177 Outfall No. 001

Supplement No. 2A-F2

List of Categorical Industrial Users

INDUSTRY	40CFR	SIC/NAICS	EXPIRATION DATE	Permit#
APC, Inc.	413	3471/332813	9/30/2012	2807
Brass Beds of Virginia	433	3471/332813	9/30/2009	1910
Caraustar (Richmond Paperboard)	430	2675/322226	9/30/2010	2228
Colonial Plating Shop	413	3471/332813	1/30/2010	2647
Dominion VA Power	423	4961/221330	12/31/2011	2707
Hanlon Plating	433	3471/332813	7/31/2009	1927
House of Silver, Inc.	413	3471/332813	7/31/2009	1929
Miller Manufacturing Co,	433	3542/337127	3/31/2010	1224
Production Metal Finisher, Inc.	433	3471/332813	9/30/2009	2231
RECO	437	8711/541330	3/31/2010	2450
Reynolds Metals 7 th Street	467	3353/331315	12/31/2011	2728
Richmond Metal Finishing	433	3471/332813	10/31/2010	2387
Sonoco Products Company	430	2611/322110	7/31/2010	2089
Specialty Finishes, Inc.	433	3471/332813	8/1/2010	2087
Total Cleaning Power	442	7699/562998	9/30/2009	1826

Additional Information

City of Richmond's Wastewater Treatment Plant VPDES Permit #VA0063177 Outfall No. 001

Supplement No. 2A-F1

List of Significant Industrial Users

RATION	Permit#
30/2011	1666
1/2013	1585
1/2009	2088
1/2009	1948
0/2011	2628
31/2010	2287
1/2009	2127
0/2010	1909
0/2009	1908
0/2010	1786
31/2013	1425
1/2009	1827
0/2011	5017
30/2013	1366
0/2010	2827
31/2013	2847
1/2011	2631
0/2010	1947
0/2011	2727
0/2009	2407
9/2009	1485
1/2010	2327
1/2010	2148-BL
1/2010	2149-MC
1/2010	2427
31/2012	1020
31/2011	2630
0/2009	2229
8/2011	2487
31/2010	2388
1/2010	2147
1/2011	2629
8/2010	2449
1/2009	2188
8/2011	2467
0/2009	1906
31/2010	2230 2167
3	

Richmond WWTP

VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

FORM 2A - PART G: COMBINED SEWER SYSTEMS

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 RICHMOND WWTP 0063177 SUPPLEMENTAL APPLICATION INFORMATION PART G. COMBINED SEWER SYSTEMS If the treatment works has a combined sewer system, complete Part G. G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs. G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information: a. Locations of major sewer trunk lines, both combined and separate sanitary. b. Locations of points where separate sanitary sewers feed into the combined sewer system. c. Locations of in-line and off-line storage structures. d. Locations of flow-regulating devices. e. Locations of pump stations. **CSO OUTFALLS:** Complete questions G.3 through G.6 once for each CSO discharge point. G.3. Description of Outfall. a Outfall number b. Location (City or town, if applicable) (Zip Code) (County) (Latitude) (Longitude) c. Distance from shore (if applicable) ft. d. Depth below surface (if applicable) e. Which of the following were monitored during the last year for this CSO? Rainfall CSO pollutant concentrations _CSO frequency CSO flow volume Receiving water quality f. How many storm events were monitored during the last year? G.4. CSO Events. a. Give the number of CSO events in the last year. events (___ actual or ___ approx.) b. Give the average duration per CSO event.

actual or _

approx.)

hours (_

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 RICHMOND WWTP 0063177 c. Give the average volume per CSO event. _ million gallons (____ actual or ____ approx.) d. Give the minimum rainfall that caused a CSO event in the last year. inches of rainfall G.5. Description of Receiving Waters. a. Name of receiving water: b. Name of watershed/river/stream system:_ United States Soil Conservation Service 14-digit watershed code (If known): _ c. Name of State Management/River Basin: United States Geological Survey 8-digit hydrologic cataloging unit code (If known): G.6. CSO Operations. Describe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water END OF PART G. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.

		IIT NUMBER: HMOND WWTP V	A 0063177				OMB Numbe	ved 1/14/9 er 2040-008
cso	OUTFALLS:	Maria August		N. S.	7 . 2.45 kg			
		ough G.8 once for each			Str. of Str. Str. Str. Str. Str. Str. Str. Str.	California de la companya de la comp	MILE	Mar. Leas
G.3.	Description of Outfa	all.						
	a. Outfall Number	002 (Orleans)						
	b. Outfall Location	Richmond		23231				
		(City or town, if applic		(Zip Code)		_		
		N/A (County)		Virginia (State)		-		
		N 37deg 31 min 3.72	sec	W 77 deg 24	min 59 sec	-		
		(Latitude)		(Longitude)				
	c. Distance from sho	ore (if applicable)	N/A ft.					
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.					
	e. Which of the follow	wing were monitored duri	ing the last year for th	nis CSO?				
	Rainf	all flow volume	CSO pollutant Receiving wate	concentrations	CSO frequency			
		vents were monitored duri		o quanty				
3.4.	CSO Events.	ents were monitored dan	ing the last year:					
J.4.	CSO Events.						,	
		of CSO events in the last actual orXap	-					
		duration per CSO event. actual or <u>X</u> _ap	oprox.)					
		volume per CSO event. s(actual or <u>X</u> ap	рргох.)					
	d. Give the minimum 0.2 inches of rain	n rainfall that caused a CS fall.	6O event in the last y	ear.				
3.5.	Description of Recei	iving Waters.						
	a. Name of receiving	water: James Ri	ver		_			
	b. Name of watershe	ed/river/stream system:	Middle James	- Willis	_			
	United States Soil	Conservation 14-digit wa	atershed code (if kno	wn): <u>00208</u>	3020500H39	•		
	c. Name of State Ma	nagement/River Basin:	James River		-			
	Unites States Geo	ological Survey 8-digit hyd	drologic cataloging ur	nit code (if known):	02080500			
3.6.	CSO Operations.							
		ty impacts on the receiving was shell fish bed closings, fish kil	•	• •	·	water quality standard).	
	CSO discharges cau	se short duration episo	odic exceedances o	f the bacteriological w	ater quality standa	ds.		
				OF PART G.			7. T.	
	REFI	ER TO THE APPLICA		TO DETERMINE WI		TS.OF.FORM	Million dis	3

,,,,	OUTFALLS:	wer in Conding		B (2)	and the second second	41 14 14 14 14	SECTION AND ADDRESS OF THE PERSON AND ADDRES
omp		ough G.8 once for eac			on the contract of the contrac		
.3.	Description of Outfa	.11					
.3.	Description of Outla						
	a. Outfall Number	003 (Nicholson St	<u>treet)</u>				
	b. Outfall Location	Richmond		23231			
		(City or town, if applic	cable)	(Zip Code)			
		N/A (County)		Virginia (State)			
		N 37deg 31 min 13.3	35 sec	W 77 deg 25 r (Longitude)	nin .029 sec		
		(Latitude)		(Longitude)			
	c. Distance from sho	re (if applicable)	N/A ft.				
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.				
	e. Which of the follow	wing were monitored dur	ring the last year for thi	s CSO?			
	Rainf	_		concentrations	_CSO frequency		
		flow volume	Receiving water				
		rents were monitored du	ring the last year?	0			
4.	CSO Events.						
		of CSO events in the las					
	c. Give the average	duration per CSO eventactual orXa volume per CSO event. s(actual orXa	pprox.)				
		rainfall that caused a C		ear.			
5.	Description of Recei	ving Waters.					
	a. Name of receiving	water: James Ri	iver		-		
	b. Name of watershe	ed/river/stream system:	Middle James	- Willis	_		
	United States Soil	Conservation 14-digit w	ratershed code (if know	/n): <u>002080</u>	020500H39		
	c. Name of State Ma	nagement/River Basin:	James River		_		
	Unites States Geo	ological Survey 8-digit hy	drologic cataloging uni	t code (if known):	02080500		
3 .	CSO Operations.						
		ty impacts on the receiving w shell fish bed closings, fish k			-	ter quality standard).	
	CSO discharges cau	se short duration epis	odic exceedances of	the bacteriological wa	ter quality standards		
						•	

FACIL	ITY NAME AND PERM	IIT NUMBER:			Form Approved 1/14/ OMB Number 2040-00
		HMOND WWTP VA		Miles Control	4000
	OUTFALLS:	1440 S S S S S S S S S S S S S S S S S S		man and the said and and	
Comp	lete questions G:3/thr	ough G.8 once for each	CSO discharge point.		
G.3.	Description of Outfa	ıil.			
	a. Outfall Number	004 (Bloody Run)		·	
	a. Odlian Namber	604 (Bloody Ruin)			
	b. Outfall Location	Richmond (City or town, if applicat	nla)	23231	
		(City or town, if applicat	DIE)	(Zip Code) Virginia	
		(County)		(State)	
		N 37deg 31 min 21.33 (Latitude)	sec	W 77 deg 24 min 57.47 sec (Longitude)	
				(Longitudo)	
	c. Distance from sho	re (if applicable)	<u>N/A</u> ft.		
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.		
	e. Which of the follow	wing were monitored during	g the last year for this CSC	?	
	Rainfa	all	CSO pollutant concen	trations CSO frequency	
		flow volume	Receiving water qualit		
	f. How many storm ev	vents were monitored durin	ig the last year?	0	
3.4.	CSO Events.				
	a. Citya tha mumbaa	af CCO accorda in the lant.			
		of CSO events in the last y actual or X app			
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	3.34 hours (duration per CSO event. actual orXapp volume per CSO event.	orox.)		
		s(actual or X app	prox.)		
	d. Give the minimum 0.2 inches of raint	n rainfall that caused a CSC fall.	O event in the last year.		
3.5.	Description of Recei	iving Waters.			
	a. Name of receiving	water: Gillies Cree	ek		
	b. Name of watershe	ed/river/stream system:	Middle James - Willis	<u>; </u>	
	United States Soil	Conservation 14-digit wat	ershed code (if known):	00208020500H39	
	c. Name of State Ma	nagement/River Basin:	James River		
	Unites States Geo	ological Survey 8-digit hydr	rologic cataloging unit code	(if known): 02080500	
6.6.	CSO Operations.				
				manent or intermittent beach closings, nal loss, or violation of any applicable State w	vater quality standard).
	CSO discharges cau	se short duration episod	lic exceedances of the ba	cteriological water quality standard	s
			EKID OE'D'	OT C	
	REFE	ER TO THE APPLICAT	END OF PA	IRT G. TERMINE WHICH OTHER PART	SOFFORM
	A THE VEHICLE IN				

			E. CONTRACTOR OF THE PROPERTY				18	**************************************	Contract of the Contract of th	A 1º AVANDERS MONTA	Naces
		FALLS:	P	30.00.1A	CSO discharge po					Name of the last o	
Omp	eteşqı	185(10f15);U:0,U:10)tign:(U:o;Ui)	ICE:TOE:Equipm	250:Olschaige po	oint.	90 M. W.			Sales of Spinister A.	
3.3.	Desc	cription of Outfal	ī.								
	а. (Outfall Number	005 (Pea	ach street)							
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u>-</u>	101, 01, 222,							
	b. C	Outfall Location	Richmone		-la\	23231					
			N/A	wn, if applicat	леј	(Zip Co Virginia	•				
			(County)			(State)	_				
			N 37deg 3 (Latitude)	31 min 30.82	sec	W 77 de (Longitu	eg 25 min 13.93	sec			
			(Lautoue)			(Eonghe	3 00)				
	Ç. D	Distance from shor	e (if applicat	ble)	N/A ft.						
	d. E	Depth below Surfa	ce (if applica	able)	N/A ft.						
	e V	Which of the follow	ina were ma	onitored during	g the last year for t	his CSO?					
	Ü. •		_	annorou danny	-						
		Rainfa	ill low volume		CSO pollutant Receiving wat	concentrations	CSO fre	quency			
			1017 70101110			cr quality					
	f. Ho	w many storm eve	ents were mo	onitored during	g the last year?	0	•				
3.4.	cso	Events.									
		Sive the number of	f CSO swant	ta in the last v	voor.						
	а. С	4 events(
					,						
	ь с	The the everence of	luration nos	CCO avent							
		Give the average d 2.5 hours (rox.)						
					,						
		Give the average v	rolumo por C	°CO ovent							
	0.	13 million gallons	actual or	X app	rox.)						
		_			,						
	a 6	ive the minimum	rainfall that (caused a CSC	O event in the last y	/ear					
		0.9 inches of rainfa		zauseu a coc	zevent in the last y	oai.					
_	D		in m Madana								
3.5.	Desc	ription of Receiv	ang waters	•							
	a. N	lame of receiving	water:	James Rive	<u>er</u>						
	b. N	lame of watershed	d/river/strear	n system:	Middle James	s ∙ Willis					
	U	Inited States Soil	Conservation	ກ 14-digit wate	ershed code (if kno	own):	00208020500H3	9			
								-			
		lame of State Man	_		James River						
	U	nites States Geol	ogical Surve	y 8-digit hydro	ologic cataloging u	nit code (if known)): <u>0208</u>	80500			
6.6.	cso	Operations.									
	Descri	ibe any known quality	impacts on th	ne receiving wate	er caused by this CSO	(e.g. permanent or in	ntermittent beach clo	osings,			
	perma	nent or intermittent s	hell fish bed cl	losings, fish kills,	, fish advisories, other	recreational loss, or	violation of any appli	icable State water	quality standard).		
	cso	discharges caus	se short dur	ration episod	lic exceedances o	f the bacteriolog	ical water qualit	v standards.			
	- 555	diodilai goo budo	o onon dan	augu opiesa	<u></u>		iour tracer qualit	y otaniaanao.			
										_	

RICHMOND WYTP VA 0063177 CSO OUTFALLS: Spriplete.dusestions.G3.through G.8 once frequency CSO discharge point research a. Outfall Number D. Outfall Location Richmond Richmond City to town, if applicable) Wing right Nor outfall Location Richmond City to town, if applicable) Wing right Nor outfall Location Richmond City to town, if applicable) Wing triplete. (Cap Code) Wing triplete. (Cap Code) Wing triplete. (Station) Nor of the gas and station of the control o	FACIL	JTY NAME AN			NATO VA C	NC2477						oproved 1/14/99 mber 2040-008
G.3. Description of Outfall. a. Outfall Number O06 (Shockoe Creek) b. Outfall Location (City or town, if applicable) (City Code) (City or town, if applicable) (City Or town, if applica	cso	OUTFALLS			WIP VAL	7063177			*	* ************************************		
a. Outfall Number b. Outfall Location Richmond Z3219 (Zip Code) (Zip Code								April 10 Apr	1000	-4x\$96.8	· • • • • • • • • • • • • • • • • • • •	JAJON OF
b. Outfall Location Richmond	G.3.	Description	of Outfall									
(City or town, if applicable) (Zip Code) N/A Virginia (Counvi) (Slate) N/3 (Guard) N/3 (Slate) N/3 (Guard) N/3 (Slate) N/3 (Latitude) C. Distance from shore (if applicable) N/A ft. d. Depth below Surface (if applicable) N/A ft. e. Which of the following were monitored during the last year for this CSO? Rainfall CSO pollutant concentrations CSO frequency Receiving water quality f. How many storm events were monitored during the last year? G.4. CSO Events. a. Give the number of CSO events in the last year. S9 events(actual or X approx.) b. Give the average duration per CSO event. 10.16 hours (actual or X approx.) c. Give the minimum rainfall that caused a CSO event in the last year. 9.1 inches of rainfall. G.5. Description of Receiving Waters. a. Name of receiving water: James River b. Name of watersheo/inver/stream system: Middle James - Willis United States Soil Conservation 14-digit watershed code (if known): 0208020500H39 c. Name of State Management/River Basin: James River Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): 02080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish adviscines, other recreational loss, or violation of any applicable State water quality standard).		a. Outfall Nu	umber	006 (Shoo	ckoe Creek)	1						
NA Virginia		b. Outfall Lo	cation									
Note					n, if applicable	e)	• •	,				
C. Distance from shore (if applicable) O. Depth below Surface (if applicable) N/Aft. O. Depth below Surface (if applicable) N/Aft. O. Which of the following were monitored during the last year for this CSO? Rainfall CSO pollutant concentrations CSO frequency Receiving water quality f. How many storm events were monitored during the last year? O. GSO Events. O. Give the number of CSO events in the last year. S9 events(actual orX_approx.) D. Give the average duration per CSO event. 10.16 hours (actual orX_approx.) C. Give the average volume per CSO event. 54.6 million gallons(actual orX_approx.) d. Give the minimum rainfall that caused a CSO event in the last year. O.1 inches of rainfall. G.5. Description of Receiving Waters. A Name of receiving Waters. A Name of receiving water. James River D. Name of watershed/river/stream system: Middle James - Wrillis United States Soil Conservation 14-digit watershed code (if known):00288020500H39 C. Name of State Management/River Basin:				(County)			(State)					
d. Depth below Surface (if applicable) N/A_ft. e. Which of the following were monitored during the last year for this CSO? Rainfall					min 51.55 se	ec			sec			
e. Which of the following were monitored during the last year for this CSO? Rainfall		c. Distance	from shore	e (if applicabl	e)	<u>N/A</u> ft.						
Rainfall CSO pollutant concentrations CSO frequency Rocciving water quality f. How many storm events were monitored during the last year? G.4. CSO Events. a. Give the number of CSO events in the last year. 59 events(actual or X approx.) b. Give the average duration per CSO event. 10.16 hours (actual or X approx.) c. Give the average volume per CSO event. 44.6 million gallons(actual or X approx.) d. Give the minimum rainfall that caused a CSO event in the last year. 9.1 inches of rainfall. G.5. Description of Receiving Waters. a. Name of receiving water: James River b. Name of watershed/river/stream system: Middle James - Willis United States Soil Conservation 14-digit watershed code (if known): 00208020500H39 c. Name of State Management/River Basin: James River Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): 02080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).		d. Depth bel	low Surfac	e (if applicab	ole)	<u>N/A</u> ft.						
CSO flow volume Receiving water quality f. How many storm events were monitored during the last year? G.4. CSO Events. a. Give the number of CSO events in the last year. 59 events(e. Which of	the followi	ng were mor	itored during	the last year for th	is CSO?					
a. Give the number of CSO events in the last year. 59 events(actual orXapprox.) b. Give the average duration per CSO event. 10.16 hours (actual orXapprox.) c. Give the average volume per CSO event. 54.6 million gallons(actual orXapprox.) d. Give the minimum rainfall that caused a CSO event in the last year. 0.1 inches of rainfall. G.5. Description of Receiving Waters. a. Name of receiving water:James River b. Name of watershed/river/stream system:Middle James - Willis United States Soil Conservation 14-digit watershed code (if known):00208020500H39 c. Name of Slate Management/River Basin:								CSO free	quency			
a. Give the number of CSO events in the last year. 59 events(actual orXapprox.) b. Give the average duration per CSO event. 10.16 hours (actual orX_approx.) c. Give the average volume per CSO event. 54.6 million gallons(actual orX_approx.) d. Give the minimum rainfall that caused a CSO event in the last year. 0.1 inches of rainfall. G.5. Description of Receiving Waters. a. Name of receiving water:		f. How many	storm eve	nts were mor	nitored during	the last year?	0					
b. Give the average duration per CSO event. 10.16 hours (actual or X approx.) c. Give the average volume per CSO event. 54.6 million gallons(actual or X approx.) d. Give the minimum rainfall that caused a CSO event in the last year. 0.1 inches of rainfall. G.5. Description of Receiving Waters. a. Name of receiving water: James River b. Name of watershed/river/stream system: Middle James - Willis United States Soil Conservation 14-digit watershed code (if known): 00208020500H39 c. Name of State Management/River Basin: James River Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): 02080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).	G.4.	CSO Events.								-	-	
c. Give the average volume per CSO event. 54.6 million gallons(actual or X approx.) d. Give the minimum rainfall that caused a CSO event in the last year. 0.1 inches of rainfall. G.5. Description of Receiving Waters. a. Name of receiving water: James River b. Name of watershed/river/stream system: Middle James - Willis United States Soil Conservation 14-digit watershed code (if known): 00208020500H39 c. Name of State Management/River Basin: James River Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): 02080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).												
d. Give the minimum rainfall that caused a CSO event in the last year. 0.1 inches of rainfall. G.5. Description of Receiving Waters. a. Name of receiving water: b. Name of watershed/river/stream system: Middle James - Willis United States Soil Conservation 14-digit watershed code (if known): 00208020500H39 c. Name of State Management/River Basin: Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): 02080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).		10.16_ hours	. (actual or	X appro	ox.)						
		54.6 million	n gallons(actual or	X appro							
a. Name of receiving water: b. Name of watershed/river/stream system: Middle James - Willis United States Soil Conservation 14-digit watershed code (if known): O0208020500H39 c. Name of State Management/River Basin: Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): O2080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).					aused a CSO (event in the last ye	ear.					
b. Name of watershed/river/stream system: Middle James - Willis United States Soil Conservation 14-digit watershed code (if known): 00208020500H39 c. Name of State Management/River Basin: James River Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): 02080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).	G.5.	Description (of Receivi	ng Waters.								
United States Soil Conservation 14-digit watershed code (if known): O0208020500H39 c. Name of State Management/River Basin: Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): O2080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).		a. Name of r	eceiving v	vater:	James River							
c. Name of State Management/River Basin: James River Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): 02080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).		b. Name of v	watershed	/river/stream	system:	Middle James	- Willis					
Unites States Geological Survey 8-digit hydrologic cataloging unit code (if known): O2080500 G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).		United Sta	ates Soil C	onservation	14-digit water	shed code (if knov	vn): _	00208020500H39	<u> </u>			
G.6. CSO Operations. Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).		c. Name of S	State Mana	agement/Rive	er Başin:	James River						
Describe any known quality impacts on the receiving water caused by this CSO (e.g. permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).		Unites Sta	ates Geolo	gical Survey	8-digit hydrolo	ogic cataloging uni	it code (if known):	0208	0500			
permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).	G.6.	CSO Operati	ons.									
CSO discharges cause short duration episodic exceedances of the bacteriological water quality standards.		•		-	-					ity standard).		
		CSO dischar	ges caus	short dura	tion episodic	exceedances of	the bacteriologi	ical water quality	y standards.			
END OF PARTIC.	ing and the second			10 S							SEC.	
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE:			REFE	RTO THE	PPLICATIO				ER PARTS OF I	ORM	AND TO SERVICE STREET, SERVICE	

FACIL	LITY NAME AND PERM			~~435				proved 1/14/99 ober 2040-008
020	RICI OUTFALLS:	HMOND WW	VTP VA 006		9974 and Harrison Confine	No.		
	lete questions G:3 thr		72	* * * * * * * * * * * * * * * * * * *			and the same of th	
G.3.	Description of Outfa	·II						
G.J.	•		- A					
	a. Outfall Number	007 (Byrd \$	<u>Street)</u>					
	b. Outfall Location	Richmond			23219		•	
		(City or town, N/A	, if applicable)		(Zip Code) Virginia			
		(County)			(State)		•	
		N 37deg 32 n (Latitude)	min 1.83 sec		W 77 deg 26 (Longitude)	min 10.68sec	,	
	c. Distance from sho	re (if annlicable)	A !	N/A ft.				
			-	<u> </u>				
	d. Depth below Surfa	ice (if applicable	ş) <u>[</u>	N/A ft.				
	e. Which of the follow	wing were monitor	ored during the	last year for this	CSO?			
	Rainfa				ncentrations	CSO frequency		
	CSO	flow volume	F	Receiving water q	luality			
	f. How many storm ev-	ents were monit	tored during the	last year?	0			
3.4.	CSO Events.							
	a. Give the number of	of CSO events in	n the last year.					
		actual or	_					
	b. Give the average of the bours (duration per CSo actual or	O event. X approx.)					
	c. Give the average v							
	d. Give the minimum 1.2 inches of rainf		ised a CSO eve	nt in the last year	;			
G.5.	Description of Recei	ving Waters.						
	a. Name of receiving	water: <u>J</u> :	ames River					
	b. Name of watershe	d/river/stream s	svstem:	Middle James - V	Villis			
	United States Soil		_			— 8020500H39		
			-). <u> </u>	3020300133		
	c. Name of State Mar	nagement/kiver	Basın:	James River		_		
	Unites States Geo	logical Survey 8	s-digit hydrologic	cataloging unit o	ode (if known):	02080500		
G.6.	CSO Operations.							
	Describe any known qualit permanent or intermittent s	•	_			•	water quality standard).	
	CSO discharges caus	se short durati	on episodic ex	ceedances of th	e bacteriological w	vater quality standar	ds	
						··		
	4				F PART G.			· Plane
1	REFE	R TO THE AF		OVERVIEW TO	DETERMINE W	HICH OTHER PAR		
	The state of the s			_2A YOU MUS	ST COMPLETE.		incommens and the same	Times a series.

	RIC	HMOND WWTP V	A 0063177				roved 1/14/99 per 2040-008
cso	OUTFALLS:			4446.0	r hillion		
Comp	lete questions G:3 thr	ough G.8 once for each	GSO discharge point	h ini			
G.3.	Description of Outfa	III.					
	a. Outfall Number	009 (7th Street)					
	b. Outfall Location	Richmond		23219		_	
		(City or town, if applic	able)	(Zip Code) Virginia			
		(County)		(State)		_	
		N 37deg 32 min 6.19 (Latitude)	sec	(Longitude)	min 33.01 sec	_	
	c. Distance from sho	re (if applicable)	<u>N/A</u> ft.				
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.				
	e. Which of the follow	wing were monitored duri	ing the last year for this C	SO?			
	Rainfa	all	CSO pollutant con	centrations	CSO frequency		
	cso	flow volume	Receiving water qu	uality	_		
	f. How many storm ev	ents were monitored dur	ing the last year?	0			
3.4.	CSO Events.						
		of CSO events in the last actual orXap	•				
		duration per CSO event. actual orXap					
		volume per CSO event. s(_actual or X ap	pprox.)				
	d. Give the minimum N/A inches of rainf	rainfall that caused a CS fall.	SO event in the last year.			·	
3.5.	Description of Recei	ving Waters.					
	a. Name of receiving	water: Haxall Ca	nal		_		
	b. Name of watershe	d/river/stream system:	Middle James - W	fillis			
	United States Soil	Conservation 14-digit wa	atershed code (if known):	0020	8020500H39	_	
	c. Name of State Ma	nagement/River Basin:	James River		_		
	Unites States Geo	ological Survey 8-digit hyd	drologic cataloging unit co	ode (if known):	02080500	_	
3.6.	CSO Operations.						
	•	ty impacts on the receiving washell fish bed closings, fish kil	•		-	e water quality standard).	
	CSO discharges cau	se short duration episc	odic exceedances of the	e bacteriological w	vater quality standa	rds.	
						· · · · · ·	
4			END OF				
-	REFE	R TO THE APPLICA	TION OVERVIEW TO 2A YOU MUS	DETERMINE W	HICH OTHER PAI	RTS OF FORM	4

FACIL	JIY.	NAME AND PERMI									roved 1/14/99 ber 2040-008
~~~	<u>~</u>			WWTP VA					**************************************		
		UTFALLS:		nce for each C					AVQ /		400-
COMP	ICIC	daeanous-a-a-a-a	Jugines:o.c.	ICENDI EACINO	SU,uiscnargi	e pom	Albania .	C. C	A STATE OF THE PROPERTY OF THE		4000
G.3.	De	escription of Outfal	II.								
	a.	Outfall Number	<u>010 ( Ga</u>	ımbles Hill)							
	Ь.	Outfall Location	Richmone	d			23219				
			(City or tov	wn, if applicable	e)		(Zip Code)		_		
			(County)				Virginia (State)		<b></b>		
				32 min 5.78 se	:C		` '	26 min 40.2 sec			
			(Latitude)				(Longitude)		_		
	C.	Distance from shor	re (if applical	ble)	<u>N/A</u> ft.						
	d.	Depth below Surfa	ice (if applica	able)	N/A ft.	-					
	e.	Which of the follow	ving were mo	onitored during	the last year f	for this CSO?					
		Rainfa	ılle		CSO pollu	itant concentr	ations	CSO frequency			
			flow volume			water quality		OOO irequeries			
	f. ł	How many storm eve	ents were m	onitored during	the last year?	?	0				
G.4.	CS	SO Events.									
	•	Cive the number of	-f CCA avan	t- in the leaf we							
	a.	Give the number of 2 events(		-							
		2 010/10/	_ 60(44) 5.		JA.;						
	h	Cive the average (	duration nor	CSO avent							
	b.	Give the average of 2 hours (			ox.)						
		<u> </u>			,						
	c	Give the average v	volume ner C	`SO event							
		0.25 million gallons			ox.)						
			•	<del></del> _	•						
	d.	Give the minimum	rainfall that	caused a CSO	event in the la	last vear.					
	<u>.</u>	1.2 inches of rainfa		Jau000 U 404	CVOIL III III II	not your.					
G.5.	De	escription of Receiv	ving Waters	<b>i</b> .							
•		Name of receiving		Haxall Canal	1						
						14011:-		<del></del>			
	b.	Name of watershed		,		ames - Willis		_			
		United States Soil	Conservation	n 14-digit water	rshed code (if	⊹known):	0026	08020500H39	-		
	C.	Name of State Man	nagement/Riv	ver Basin:	James Riv	ver		<del></del>			
		Unites States Geol	logical Surve	y 8-digit hydrol	logic catalogin	ng unit code (i	f known):	02080500	-		
G.6.	CS	6O Operations.									
		scribe any known quality						nittent beach closings, tion of any applicable State	e water quality standa	ed)	
	-									<b>-</b> 7.	
	<u>cs</u>	O discharges caus	se short dur	ration episodic	c exceedance	es of the bac	teriological	water quality standa	rds.		
	_										
	·			Section 1	- Actional and a laboratory			Takaka sa		managari sa "Colobbagaga/" Ja	* *************************************
inning)		PER DEE	ים דמידטב	ABBINCATION		END OF PAR		WHICH OTHER PAR			
	i ne		K LVSIIIC	AFFEIGRAIC		OU MUST CO			CIO VEILORIII		Ser va

FACIL	_IT	Y NAME AND PERM	IT NUMBER	₹:				oved 1/14/99
				WWTP VA			OMB Numb	
		UTFALLS:					Commence State of Commence of the Commence of	- 44
Comp	olet	e questions G.3 thr	ough G.B.or	nce.for.each.C	SO discharge point.	e., (🔌 🖺 📜	A transaction of the second and the	1.0 4
G.3.		Description of Outfa	II.					
	a	a. Outfall Number	011 (Par	k Hydro)				
		o. Outfall Location	Diahman			23220		
	·	o. Oddan Location	(City or to	u wn, if applicabl	e)	(Zip Cod	de)	
			N/A			Virginia	1	
			(County) N 37deg (	32 min 0.93 se	c	(State) W 77 de	eg 27 min 11.35 sec	
			(Latitude)			(Longitu		
	c	. Distance from sho	re (if applica	ble)	<u>N/A</u> ft.			
	d	I. Depth below Surfa	ice (if applica	able)	N/A ft.			
	е	. Which of the follow	vina were ma	onitored during	the last year for this CSO	?		
	•		_	g	-		CSO fraguency	
		Rainfa	illi flow volume		Receiving water quality		CSO frequency	
	f.	. How many storm ev	ents were m	onitored during	the last year?	0		
G.4.	c	SO Events.		-	•			
•								
	а	<ul> <li>Give the number of 8 events(</li> </ul>						
	_	o eventst	_ actual OI	abbi	OK.)			
	'n	. Give the average	duration nor	CSO overt				
	_	2.5 hours (			ox.)			
	С	. Give the average	volume per C	CSO event.				
	_	1.4 million gallons	( actual or	X appr	ox.)			
	d	<ol> <li>Give the minimum</li> <li>0.7 inches of rainf</li> </ol>		caused a CSO	event in the last year.			
<b>.</b> .	_			_				
G.5.		Description of Recei	_	<b>.</b>				
	а	. Name of receiving	water:	James Rive	<u> </u>		<del></del>	
	b	. Name of watershe	d/river/strea	m system:	Middle James - Willis	;	<u> </u>	
		United States Soil	Conservatio	n 14-digit wate	rshed code (if known):		00208020500H39	
	С	. Name of State Ma	nagement/Ri	iver Basin:	James River			
		Unites States Geo	logical Surve	ey 8-digit hydro	logic cataloging unit code	(if known)	02080500	
G.6.	C	SO Operations.						
	D	escribe any known qualit	v impacts on th	he receiving wate	r caused by this CSO (e.g. pen	nanent or in	ntermittent beach closings.	
			•				violation of any applicable State water quality standard).	
	<u>C</u>	SO discharges cau	se short du	ration episodi	c exceedances of the ba	cteriologi	ical water quality standards.	
	_							
		***************************************			THE SELECTION OF SE	OT C	All the state of t	#15m218
ĵ.		REFE	R'TO THE	APPLICATION	END OF PA END OVERVIEW TO DE		EWHICH OTHER PARTS OF FORM	wi i
	SWAS .				2A YOU MUST C			1000

FACIL	ITY NAME AND PERM. RICI	HMOND WWTP V	'A 0063177				Form Approved 1/14/99 OMB Number 2040-008
	OUTFALLS:			in come			
Comp	lete questions G/3 thr	ough GiB once for eac	h.CSO discharge point	etaman) Metraman		A CAMPANA SANDARA	
G.3.	Description of Outfa	II.					
	a. Outfall Number	012 (Hilton Street	1				
	b. Outfall Location	Richmond		23231			
		(City or town, if applic N/A	cable)	(Zip Code) Virginia			
		(County)		(State)			
		N 37deg 30 min 24.7 (Latitude)	78 sec	(Longitude)	23 <u>mín 51.12 sec</u>	<u> </u>	
	c. Distance from sho	re (if applicable)	<u>N/A</u> ft.				
	d. Depth below Surfa	ace (if applicable)	N/A ft.				
	e. Which of the follow	wing were monitored du	ring the last year for this CS	60?			
	Rainfa	all _ flow volume _	CSO pollutant cono Receiving water qua		CSO freque	ency	
	f. How many storm ev	ents were monitored du	ring the last year?	0			
G.4.	CSO Events.						
		of CSO events in the las actual orXa					
		duration per CSO event actual orXa					
		volume per CSO event. s( actual or <u>X</u> a	pprox.)				
	d. Give the minimum  0.2 inches of raint		SO event in the last year.				
G.5.	Description of Recei	ving Waters.					
	a. Name of receiving	water: Almond	Creek				
	b. Name of watershe	d/river/stream system:	Middle James - Wi	llis			
	United States Soil	Conservation 14-digit w	ratershed code (if known):	002	08020500H39		
	c. Name of State Ma	nagement/River Basin:	James River				
	Unites States Geo	ological Survey 8-digit hy	drologic cataloging unit co	de (if known):	020805	00	
G.6.	CSO Operations.						
	•	• -	vater caused by this CSO (e.g. p. ills, fish advisories, other recrea			•	d).
	CSO discharges cau	se short duration epis	odic exceedances of the	<u>bacteriological</u>	water quality s	tandards.	
							<del></del>
	And the second s	anno rae la Santania	ENDOF	PARTIG	enamentalingo, a	(1.000) (1.000)	ery vertining with the first party of the first par
			TION OVERVIEW TO	DETERMINE		R PARTS OF FORM	
a constitution	Make L	waren and the state of the stat	2A YOU MUST	COMPLETE:	menumudi.		(engaga i lane) i lane.

FACIL	ITY NAME AND PERM	AIT NUMBER:				Form Approved 1/14/99
	RIC	HMOND WWTP VA	A 00 <u>63177</u>			OMB Number 2040-0086
	OUTFALLS:	\$2.4	The State of the S		a a company	Mb = 4.0
Comp	lete questions G:3 thi	rough G.8 once for each	ICSO discharge point		aninthini (Caraca)	dentalijan v s
G.3.	Description of Outfa	all.	·			
	a. Outfall Number	013 (Maury Street)				
ı	b. Outfall Location	Richmond		23225		
		(City or town, if applica	•	(Zip Code) Virginia		
ı		(County)		(State)		
l		N 37deg 31 min 31.94 (Latitude)		W 77 deg 25 min 47.11 sec (Longitude)		
	c. Distance from sho	ore (if applicable)	<u>N/A</u> ft.			
l	d. Depth below Surf.	ace (if applicable)	<u>N/A</u> ft.			
	e. Which of the follo	wing were monitored during	ng the last year for this CSO?			
	Raint			tionsCSO frequen	су	
l	cso	flow volume	Receiving water quality			
	f. How many storm ev	vents were monitored durin	ng the last year?	0		
G.4.	CSO Events.					
		of CSO events in the last				
	22_ events(	actual orX _ap	prox.)			
	b. Give the average 2.47 hours (	duration per CSO eventactual orXap	prox.)			
1		volume per CSO event. s( actual or X app	prox.)			
	d. Give the minimum  0.2 inches of rain	n rainfall that caused a CS nfall.	O event in the last year.			
G.5.	Description of Rece	iving Waters.				
	a. Name of receiving	g water: Mancheste	er Canal			
	b. Name of watershe	ed/river/stream system:	Middle James - Willis			
	United States Soil	l Conservation 14-digit wa	tershed code (if known):	00208020500Н39		
	c. Name of State Ma	anagement/River Basin:	James River			
	Unites States Geo	ological Survey 8-digit hyd	rologic cataloging unit code (if	known):0208050	0	
G.6.	CSO Operations.					
		•	iter caused by this CSO (e.g. perma s, fish advisories, other recreational			
	CSO discharges cau	use short duration episo	dic exceedances of the bact	eriological water quality sta	andards.	
						_
						-
		into the second of the light per	FNDOCONO	T G		
	REF	ER TO THE APPLICAT	END OF PAR IION OVERVIEW TO DET	ERMINE WHICH OTHER	PARTS OF FORM	
	, 444 (See 1	The state of the s	2A YOU MUST CO	MPLETE:		

FACI	LITY NAME AND PERM	IIT NUMBER:				Form Approved 1/14/99
	RIC	HMOND WWTP VA	\ 0063177			OMB Number 2040-008
	OUTFALLS:					personal a
Comp	olete questions G.3.thr	ough G.8 once for each	CSO discharge point.	June / Janes	a. The second of	
G.3.	Description of Outfa	HI.				
	a. Outfall Number	014 Stockton Stree	<b>s</b> †			
	a. Cuttali Nutribel	014 Stockton Stree	<u>a</u>			
	b. Outfall Location	Richmond (City or town, if applica	hio)	23225 (7in Code)		
		N/A	ole)	(Zip Code) Virginia		
		(County)		(State)		
ļ		N 37deg 31 min 31.49 (Latitude)	sec	W 77 deg 25 min 58.27 ( (Longitude)	sec	
1	<b>-</b>			. 3		
1	c. Distance from sho	re (it applicable)	N/A ft.			
ŀ	d. Depth below Surfa	ace (if applicable)	<b>N/A</b> ft.			
	e. Which of the follow	wing were monitored durin	ng the last year for this CSO	?		
	Rainf			rationsCSO free	quency	
	CSO	flow volume	Receiving water quality	1		
	f. How many storm ev	rents were monitored durin	ng the last year?	<u> </u>		
G.4.	CSO Events.		•			
	a. Give the number of	of CSO events in the last y	vear.			
		actual orXapp				
	b. Give the average	duration per CSO event.				
	2.25 hours (	actual orXapr	orox.)			
1		volume per CSO event.				
		s( actual or X app	JOX.)			
	d 01 #b		O			
	<ol> <li>Give the minimum</li> <li>0.3 inches of raint</li> </ol>	rainfall that caused a CSt fall.	U event in the last year.			
G.5.	Description of Recei	ving Waters.				
1	a. Name of receiving	water: Mancheste	er Canal			
	b. Name of watershe	ed/river/stream system:	Middle James - Willis			
	United States Sail	Conservation 14-digit wat	tarshad code (if known):	00208020500H35	•	
		•		00200020001100	<u>'</u>	
	c. Name of State Ma	nagement/River Basin:	James River			
	Unites States Geo	logical Survey 8-digit hydr	rologic cataloging unit code	if known): 0208	0500	
G.6.	CSO Operations.					
	Describe any known qualit	ty impacts on the receiving wat	ter caused by this CSO (e.g. pern	nanent or intermittent beach clos	sings,	
	permanent or intermittent	shell fish bed closings, fish kills	s, fish advisories, other recreation	al loss, or violation of any applic	able State water quality standa	rd).
	CSO discharges cau	se short duration episor	dic exceedances of the ba	teriological water quality	/ standards.	
]						<del></del>
				<del></del> -		
			_			
			END OF PA	RT G	S AND S	and the same of th
Disciplina 235.	REFE	R TO THE APPLICAT	ION OVERVIEW TO DE		ER PARTS OF FORM	
<b>.</b>			####≈ 2A YOU MUST C		and the second	

FACIL	ITY NAME AND PERM. RICI	HMOND WWTP	VA 0063177	•		Form Approved 1/14/9 OMB Number 2040-00
cso	OUTFALLS:					
		ough G.8 once for ea	ich CSO discharge point		efficient son from the second	A MERCHANIST AND A STREET
G.3.	Description of Outfa	II.		•		
	a. Outfall Number	015 (Canoe Run	)			
			•	2022		
	b. Outfall Location	Richmond (City or town, if app	licable)	23225 (Zip Code)		
		N/A		Virginia		
		(County) N 37deg 31 min 29	1.22 sec	(State) W 77 deg 27 min	26.49 sec	
		(Latitude)		(Longitude)		
	c. Distance from sho	re (if applicable)	<u>N/A</u> ft.			
	d. Depth below Surfa	ace (if applicable)	N/A ft.			
	e. Which of the follow	wing were monitored d	uring the last year for this C	SO?		
	Rainfa	all	CSO pollutant con-	centrationsC	SO frequency	
	cso	flow volume	Receiving water qu	uality		
	f. How many storm ev-	ents were monitored d	luring the last year?	0		
G.4.	CSO Events.					
	a. Give the number of	of CSO events in the la	ast year.			
	<u>5</u> events(	actual orX	approx.)			
	b. Give the average of 2.5 hours (	duration per CSO ever actual orX				
	c. Give the average v	volume per CSO even s( actual or <u>X</u>				
	d. Give the minimum  1 inches of rainf		CSO event in the last year.			
G.5.	Description of Recei	ving Waters.				
	a. Name of receiving	water: James I	River			
	b. Name of watershe	d/river/stream system:	Middle James - W	illis		
	United States Soil	Conservation 14-digit	watershed code (if known):	00208020	500H39	
	c. Name of State Mar	nagement/River Basin	James River			
	Unites States Geo	logical Survey 8-digit l	nydrologic cataloging unit co	ode (if known):	02080500	
G.6.	CSO Operations.					
			water caused by this CSO (e.g. kills, fish advisories, other recre		each closings, iny applicable State water quality	standard).
	CSO discharges caus	se short duration epi	sodic exceedances of the	bacteriological water	quality_standards.	
innun (			END OF	PART G:		
	REFE	R TO THE APPLIC	ATION OVERVIEW TO	DETERMINE WHIC	HIOTHER PARTS OF FO	ORM PURPLE
	and the second second second		ZA YOU MUS	T COMPLETE.		

	OUTFALLS:				1 1983	44		· •
					And the second second		Ministration of the second of	
2.2	ete questions G.3 thre					The Sub-P	<b>Partition</b>	, T. V. 140
J.J.	Description of Outfa	IJ.					•	
	a. Outfall Number	016 (Woodland	Heights)					
	b. Outfall Location	Richmond			23225			
		(City or town, if ap	plicab <b>l</b> e)		(Zip Code)	<u></u>	,	
		N/A (County)			Virginia (State)		•	
		N 37deg 31 min 2	9.22 sec		W 77 deg 27 mir	n 41.13 sec		
		(Latitude)			(Longitude)			
	c. Distance from sho	re (if applicable)	N/A	— ^{ft.}				
	d. Depth below Surfa	ice (if applicable)	N/A	_ft.				
	e. Which of the follow	ving were monitored	during the last y	ear for this CSO?				
	Rainfa	all	cso p	collutant concentra	ationsC	CSO frequency		
	cso	flow volume	Receiv	ving water quality				
	f. How many storm even	ents were monitored	during the last y	ear?	0			
<b>3.4</b> .	CSO Events.							
	a. Give the number of	of CSO events in the	last vear.					
		_actual orX	-					
	b. Give the average							
	<u>u</u> nours (	_actual orX_	_approx.)					
	0		-4					
	<ul> <li>Give the average v</li> <li>0.13 million gallons</li> </ul>	olume per CSO ever ( actual or X						
		,						
	d. Give the minimum	rainfall that caused a	CSO event in t	he last vear.				
	1.8 inches of rainf			<b>,</b>				
i.5.	Description of Recei	ving Waters.						
	a. Name of receiving	water: <u>James</u>	River					
	b. Name of watershe	d/river/stream systen	n: <u>Middle</u>	e James - Willis				
	United States Soil	Conservation 14-digi	t watershed cod	e (if known):	00208020	0500H39		
	c. Name of State Mai	nagement/River Basi	n: <b>James</b>	River				
	Unites States Geo	logical Survey 8-digit	hydrologic catal	loging unit code (if	known):	02080500		
6.6.	CSO Operations.							
	Describe any known qualit	v impacts on the receiving	o water caused by	this CSO (e.g. perm:	anent or intermittent t	neach closings.		
	permanent or intermittent s	-					water quality standard).	
	CSO discharges caus	se short duration er	oisodic exceed	ances of the bac	eriological wate	r quality standar	ds	
•							<del></del>	
**********		ncilling because comm		FEND OF PAR	T.G.		Appendig of the Control of the Contr	

	RICI	HMOND WWTP	VA 0063177			OMB Number
Ō	OUTFALLS:		VA 0003177			
	Description of Outfai					
3.	Description of Outfal					
	a. Outfall Number	017 (Reedy Cree	<u>:k)</u>			
	L Out-Wiles	5:-Ld		02005		
	b. Outfall Location	Richmond (City or town, if appli	licable)	23225 (Zip Code)		_
		N/A		(Zip Code) Virginia		
		(County)		(State)		_
		N 37deg 31 min 27.	.77 sec		8 min 9.16 sec	
		(Latitude)		(Longitude)		
	c. Distance from shor	re (if applicable)	N/A ft.			
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.			
	e. Which of the follow	wing were monitored du	uring the last year for this C	SO?		
			,			
	Rainfa	_			CSO frequency	
	CSO f	flow volume	Receiving water qu	ıality		
	f. How many storm eve	ents were monitored du	uring the last year?	0		
	How many down or	orno moro mormo da de	aring the tast year t			
ì.4.	CSO Events.					
		-£ 000	-4			
		of CSO events in the last actual or X				
	events(	actual of	approx.)			
		duration per CSO even				
	0 hours (	actual or <u>X</u> ;	approx.)			
	c. Give the average v	volume per CSO event.	<b>!.</b>			
	0 million gallons	(actual or X	approx.)			
	- Chro the minimum	infall that caused a (	CSO event in the last year.			
	N/A inches of rainfa		JOU event in the last year.			
•	monod of rawn	<b></b>				
.5.	Description of Receive	ving Waters.				
	a. Name of receiving	under: James I	Piwar			
	a. Name of receiving	water: <u>James F</u>	//A61		_	
	b. Name of watershed	d/river/stream system:	Middle James - W	illis		
		O	- 1 1			
	United States Soil	Conservation 14-digit v	watershed code (if known):	002	08020500H39	_
	c. Name of State Mar	nagement/River Basin:	James River			
		•			_	
	Unites States Geol	logical Survey 8-digit h	nydrologic cataloging unit co	ode (if known):	02080500	_
.6.	CSO Operations.					
	ото ороналоно.					
	Describe any known quality	y impacts on the receiving	water caused by this CSO (e.g.	permanent or interm	ittent beach closings,	
	permanent or intermittent s	shell fish bed closings, fish	kills, fish advisories, other recre	ational loss, or violat	ion of any applicable State	e water quality standard).
	CSO discharage cau	ea chart duration ani	sodic exceedances of the	hacteriological	water quality stands	arde
-	C30 discharges caus	ae anort duration epis	Sould exceed ances of the	- Dacteriological	water quality stands	103.
•						

FACILITY NAME AND P	ERMIT NUMBER:		Form Approved 1/14/99
	RICHMOND WWTP VA 006		OMB Number 2040-0086
CSO OUTFALLS:	March Million binners of the second		
Complete questions G.:	through G:8 once for each CSO o	scharge point.	Tools and the state of the stat
G.3. Description of C	outfall.		
a. Outfall Numb	er <u>018 (42nd Street)</u>	·	
b. Outfall Locati		23225	
	(City or town, if applicable) N/A	(Zip Code) Virginia	
	(County) N 37deg 31 min 32.58 sec	(State)	
	(Latitude)	W 77 deg 28 min 25,25 sec (Longitude)	
c. Distance from	n shore (if applicable) <u>N</u>	<b>A</b> ft.	
d. Depth below	Surface (if applicable) N	Aft.	
e. Which of the	following were monitored during the I	st year for this CSO?	
F	RainfallC	O pollutant concentrations CSO frequer	ncy
°	CSO flow volumeR	ceiving water quality	
f. How many stor	m events were monitored during the I	st year? <u>0</u>	
G.4. CSO Events.			
a. Give the num	ber of CSO events in the last year.		
1 events(_	actual orX_approx.)		
	age duration per CSO eventactual orXapprox.)		
	age volume per CSO event.  Illons( actual or X approx.)		
d. Give the mining 1.8 inches of	mum rainfall that caused a CSO ever rainfall.	in the last year.	
G.5. Description of R	eceiving Waters.		
a. Name of rece	iving water: James River		
b. Name of wate	rshed/river/stream system: M	ddle James - Willis	
United States	Soil Conservation 14-digit watershed	code (if known): 00208020500H39	
c. Name of State	e Management/River Basin:	nes River	
Unites States	Geological Survey 8-digit hydrologic	ataloging unit code (if known): 0208050	0
G.6. CSO Operations			
-		I by this CSO (e.g. permanent or intermittent beach closings isories, other recreational loss, or violation of any applicable	
			, , ,
CSO discharges	cause snort duration episodic exc	edances of the bacteriological water quality sta	andards.
-			
	EEED TO THE ADDITIONAL	END OF PART G. VERVIEW TO DETERMINE WHICH OTHER	PARTS OF FORM
	LI-LA-IO-KHE/AFREIGATION C	ZA YOU MUST COMPLETE:	

FACIL	ITY NAME AND PERM	IT NUMBER:				Form Approved 1/14/99 OMB Number 2040-008
		HMOND WWTP \				OMB Number 2040-006
	OUTFALLS:		Minimum is a market of the state of the stat	In Page 1 Section 2 No.		See See Committee All
Comp	lete:questions;G:3 thr	ough!G:8:once.for.eac	ch CSO discharge point. 🌡			
G.3.	Description of Outfa	.II.				
	a. Outfall Number	019 (Hampton St	reet)			
	b. Outfall Location	Richmond		23220		
		(City or town, if applied N/A	cable)	(Zip Code) Virginia		
		(County)		(State)		
		N 37deg 31 min 50. (Latitude)	53 sec	W 77 deg 28 min 30 (Longitude)	J.66 sec	
	c. Distance from sho	re (if applicable)	<u>N/A</u> ft.			
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.			
I	e. Which of the follow	wing were monitored du	uring the last year for this CS	0?		
	Rainfa	_		entrationsCSC	) frequency	
	<u></u>	flow volume _	Receiving water qua	lity		
	f. How many storm ev	ents were monitored du	uring the last year?	0		
G.4.	CSO Events.					
		of CSO events in the las actual orX_ a				
	b. Give the average 2 hours (	duration per CSO event	t. approx.)			
		volume per CSO event. s( actual or <u>X</u> a				
	d. Give the minimum  1.3 inches of raint		SO event in the last year.			
G.5.	Description of Recei	ving Waters.				
	a. Name of receiving	water: James R	River			
	b. Name of watershe	d/river/stream system:	Middle James - Will	is		
	United States Soil	Conservation 14-digit v	vatershed code (if known):	0020802050	0H39	
	c. Name of State Ma	nagement/River Basin:	James River			
	Unites States Geo	logical Survey 8-digit h	ydrologic cataloging unit cod	e (if known):	02080500	
G.6.	CSO Operations.					
	•		water caused by this CSO (e.g. po kills, fish advisories, other recreat		<u> </u>	andard).
	CSO discharges cau	se short duration epis	sodic exceedances of the t	pacteriological water qu	uality standards.	
						<del></del>
	J. (2016)	**************************************	The state of the	ADTO		,
Drug (Ma	REFE	R TO THE APPLIC	END OF P ATION OVERVIEW TO D		OTHER PARTS OF FOR	RM A DE LA
				COMPLETE.		

	ITY NAME AND PERM. RIC	HMOND WWT	P VA 00	063177						n Approve Number 2	
cso	OUTFALLS:	(			dilio d					31	#
Comp	lete questions G/3 thr	ough G.8 once fo	r each CS	O dischargelr	ooint.	<b>186</b> 4	diff.	. 16:	even di che cent	hari f <b>aati</b> ila	i i i i i i i i i i i i i i i i i i i
G.3.	Description of Outfa	II.									
	a. Outfall Number	020 (McCloy	Street)								
	b. Outfall Location	Richmond				23221		<del></del>			
		(City or town, if a	applicable)			(Zip Code Virginia	e)				
		(County)				(State)		······			
		N 37deg 32 mir (Latitude)	1 24.32 sec	:		W 77 deg (Longitud	g 29 min 41.85 sec le)	_			
	c. Distance from sho	re (if applicable)		<u>N/A</u> ft.							
	d. Depth below Surfa	ace (if applicable)		<b>N/A</b> ft.							
	e. Which of the follow	wing were monitore	ed during th	e last year for	this CSO?						
	Rainfa	ail		CSO poliutar	nt concentra	tions	CSO frequency	,			
		flow volume		_Receiving wa		_	000 maquono,				
	f. How many storm ev	ents were monitore	ed during th	ne last year?	-	0					
G.4.	CSO Events.										
	a. Give the number of	of CSO events in th	e last vear								
		_actual orX									
	b. Give the average2 hours (	duration per CSO e actual orX		.)							
	c. Give the average v	volume per CSO e		.)							
	d. Give the minimum  1.5 inches of raint		d a CSO ev	vent in the last	year.						
<b>3.5</b> .	Description of Recei	ving Waters.									
	a. Name of receiving	water: Jam	es River								
	b. Name of watershe	d/river/stream syst	em:	Middle Jame	s - Willis						
	United States Soil	Conservation 14-d	ligit watersl	ned code (if kn	own):	<u>0</u>	0208020500H39	<del></del>			
	c. Name of State Ma	nagement/River Ba	asin:	James River							
	Unites States Geo	logical Survey 8-di	git hydrolog	gic cataloging	unit code (if	known):	02080500				
3.6.	CSO Operations.										
	Describe any known quality	•	-	-	-		_	ate water qualit	v standard).		
	CSO discharges cau							·	,,		
	OOD discharges can	SE SHORE GUIZGON	<del>cpisodic (</del>	- AUCCUAINGO	or are buck	chologic	an water quanty stan	<u>uurus.</u>	_		
		<del></del>		<del></del>					<del></del>		
STAL ZASHING				− '≔ EN	D'OF PAP	TG.			Line of the last	7750	- Termina ya
en en en Geld	REFE	R TO THE APP	LICATION	NOVERVIEV	V TO DET	ERMINE	WHICH OTHER P	ARTS OF F	ORM		netition.
gr. ersenigil m	Market Balling Co.	At White the same to		2A YOU	MUST CO	MPLET	E;	and the second	desemblik		****

	DIAL	DECAME MARKET	1/4 0/	200477				OMB Nur	nber 2040-008
CSO C	DUTFALLS:	HMOND WWTP				Section 1	· · · · · · · · · · · · · · · · · · ·	90%	76 St. 16 A.
	te questions G.3 thro						Maria professional de la companya d	464	
	Description of Outfal								
í	a. Outfall Number	021 Gordon Av	<u>e.)</u>						
ı	b. Outfall Location	Richmond (City or town, if app	, pliantia)		23224	->			
		N/A	plicable)		(Zip Code Virginia	s)			
		(County)			(State)		<del></del>		
		N 37deg 31 min 2 (Latitude)	3.29 sec	3	W 77 deg (Longitud	g <b>24 min 15.12 sec</b> le)			
	c. Distance from sho	re (if applicable)		<u>N/A</u> ft.					
(	d. Depth below Surfa	ice (if applicable)		<u>N/A</u> ft.					
	e. Which of the follow	ving were monitored	during th	ne last year for this	SCSO?				
	Rainfa	all		CSO pollutant c	oncentrations	CSO frequency	,		
		flow volume		Receiving water					
1	f. How many storm eve	ents were monitored	during th	ne last year?	0				
G.4. (	CSO Events.								
-	a. Give the number o	of CSO events in the lactual or X	•						
-	5.28 hours (	duration per CSO eve actual orX_		)					
	c. Give the average v 3.56 million gallons	volume per CSO ever ( actual or <u>X</u>		)					
-	Give the minimum     0.1 inches of rainfal		CSO e	vent in the last ye	ar.				
G.5. [	Description of Receiv	ving Waters.							
ē	a. Name of receiving	water: <u>James</u>	River						
t	. Name of watershee	d/river/stream system	n:	Middle James -	Willis				
	United States Soil	Conservation 14-digi	t watersl	hed code (if know	n): <u>0</u>	0208020500H39			
c	. Name of State Mar	nagement/River Basir	n:	James River		<del></del> .			
	Unites States Geol	logical Survey 8-digit	hydrolog	gic cataloging unit	code (if known):	02080500			
G.6. (	CSO Operations.								
	Describe any known quality Permanent or intermittent s			-		ermittent beach closings, plation of any applicable S	tate water quality stan	dard).	
<u>(</u>	CSO discharges caus	se short duration ep	oisodic	exceedances of t	the bacteriologic	al water quality stan	dards.	<del></del>	
_									
	And the second	W. Cran	iff zotáli	■ 🌉 END C		rogensk (1905) 1904 - Marie Mine		en e	All of
	REFE	R*IO*THE APPLI	CATIO	V OVERVIEW 1 ŽA YOU MI	O'DETERMINE IST COMPLETI	WHICH OTHER P E.	ARTS OF FORI	M PAR S	

	RICI	HMOND WWTP V	A 0063177			OMB Number 2040-00
cso	OUTFALLS:		فينافون البرواني	المتعارف المالا		
Comp	lete questions G.3 thr				and the second s	The Control of the Co
G.3.	Description of Outfa	ti.				
	•		· 01			
	a. Outfall Number	024 (Gillie and Var	rina Streets			
	b. Outfall Location	Richmond		23231	<u>.</u>	
		(City or town, if applica	able)	(Zip Code)		
		N/A (County)		Virginia (State)		
		N 37deg 31 min 42.4	1 sec	W 77 deg 2	3 min 37.04 sec	
		(Latitude)		(Longitude)		
	c. Distance from sho	re (if applicable)	<u>N/A</u> ft.			
	d. Depth below Surfa	ice (if applicable)	N/A ft.			
	e. Which of the follow	ving were monitored duri	ng the last year for this C	SO?		
	Rainfa	_	-		CSO froguenou	
		flow volume	CSO pollutant conc Receiving water qu		CSO frequency	
	f. How many storm ev	ents were monitored duri	ing the last year?	0		
G.4.	CSO Events.		· .			
Ų. T.	ooo Eronts.					
		of CSO events in the last				
	4u_events(	actual orXap	prox.)			
		duration per CSO event. _actual orXap	oprox.)			
		volume per CSO event. (actual orX ap	oprox.)			
	d. Give the minimum  0.1 inches of rainf		6O event in the last year.			
G.5.	Description of Recei	ving Waters.				
	a. Name of receiving	water: Gillies Cr	eek			
	b. Name of watershe	d/river/stream system:	Middle James - Wi	llis		
	United States Soil	Conservation 14-digit wa	atershed code (if known):	0020	08020500H39	
	c. Name of State Ma	nagement/River Basin:	James River			
	Unites States Geo	logical Survey 8-digit hyd	frologic cataloging unit co	de (if known):	02080500	
<b>3.6.</b>	CSO Operations.				· ·	
	•					
			ater caused by this CSO (e.g.   ls, fish advisories, other recrea		ittent beach closings, ion of any applicable State water qua	ılity standard).
	CSO discharges cau	se short duration episo	dic exceedances of the	bacteriological :	water quality standards.	
	And the second second		FNDOF	PARTIG		

1	OTAMA GIAGMICIC	/A 0062477			OMB Number 2040-
CSO OUTFALLS:	RICHMOND WWTP V	/A 0063177			
	through G.8 once for each	h CSO discharge point			
ompiete que suons o	Million Blico. Dioripe il oni eac	Jiligo O Julia Grani gespointe	Player Hill Market Section Control of the Control		Manager and the second
6.3. Description of C	utfall.				
a. Outfall Numb	er 025 (Briel Street	and Gillies Creek)			,
	•				
b. Outfall Locati	on <u>Richmond</u> (City or town, if applied	rahla)	23223 (Zip Code)		
	N/A	Cable)	Virginia		
	(Countv)		(State)		
	N 37deg 31 min 42.4 (Latitude)	41 sec	W 77 deg 23 r (Longitude)	nin 37.04 sec	
			,,		
c. Distance fron	shore (if applicable)	<u>N/A</u> ft.			
d. Depth below	Surface (if applicable)	<u>N/A</u> ft.			
e. Which of the	following were monitored du	ring the last year for this C	SO?		
	_	_		200 (	
	Rainfall CSO flow volume	Receiving water qu	centrations uality	_CSO frequency	
f. How many stor	m events were monitored du	iring the last year?	0		
.4. CSO Events.	/	J			
<b>-</b>					
	ber of CSO events in the las actual or X a				
		pp.ox.,			
	age duration per CSO event				
	abidal ofXa	эрргох.,			
-,					
	age volume per CSO event. Illons( actual or <u>X</u> a				
		-ppi-on.)			
d Chro the min		CO amont in the last year			
1.1 inches of	mum rainfall that caused a C rainfall.	.so event in the last year.			
.5. Description of R	eceiving Waters.				
a. Name of rece	iving water: Gillies C	reek		_	
b. Name of water	rshed/river/stream system;	Middle James - W	/illis		
				-	
	Soil Conservation 14-digit v		00208	020500H39	
c. Name of Stat	e Management/River Basin:	James River		_	
Unites States	Geological Survey 8-digit hy	ydrologic cataloging unit co	ode (if known):	02080500	
.6. CSO Operations					
Describe any known	quality impacts on the receiving v	water caused by this CSO (e.g.	nermanent or intermitte	nt heach closings	
	ittent shell fish bed closings, fish I			-	quality standard).
CCO disabarası	source chart duration only	adia averadances of the	s bacterialogical w	stor quality etandarde	
CSO discharges	cause short duration epis	sodic exceedances or un	e Dacteriological wa	iter quality standards.	
		<del></del>			
	EFERTOTHE APPLICA		PARTG.		

FACILITY NAME AND PERMIT NUMBER: RICHMOND WWTP VA 0063177						Form Appi OMB Numl				
					AND TO THE PROPERTY OF THE PARTY OF THE PART					
	OUTFALLS:				Mary 2, 2, 2, 200				38	
Comple	te questions G.3 thro	ough G:8 one	ce for each C	SO discharge point.	· id.o.com. and deligation	min ALL SAMPAGEMENT V	1 4 (1) (1) (1)	MANAGEMENT AND THE STREET, NO. 1	<u> </u>	
	Description of Outfal									
	a. Outfall Number	026 (Gov	't Road and	NSRR)						
	b. Outfall Location	Richmond (City or tow	n, if applicable	<u></u>	23231 (Zip Cod					
		N/A	n, n applicable	-,	Virginia	,				
		(County)			(State)					
		N 37deg 3* (Latitude)	<u>1 min 28.67 s</u>	ec	W 77 de (Longitu	e <b>g 23 min 58.46 sec</b> ide)	<u> </u>			
	c. Distance from sho	re (if applicab	le)	N/A ft.						
	d. Depth below Surfa			N/A ft.						
	•		•	<del></del>						
	e. Which of the follow	_	nitored during	•						
	Rainfa CSO	all flow volume		CSO pollutant cond Receiving water qu		CSO freque	ncy			
	f. How many storm ev	ents were mo	nitored during	the last year?	0					
	•	one were the	····orea daming	the lost your.						
G.4.	CSO Events.									
	<ol> <li>Give the number of 33 events(</li></ol>									
-	events(	_ actual of	<u></u> appic	ж.,						
	b. Give the average of	duration per C	SO event.							
-	2.97 hours (			ox.)						
	0: "		20							
_	<ul> <li>Give the average value</li> <li>0.22 million gallons</li> </ul>			ox.)						
_	d. Give the minimum  1.1 inches of rainf		aused a CSO	event in the last year.						
G.5.	Description of Recei	ving Waters.								
i	a. Name of receiving	water:	Gillies Creek	<u> </u>						
	b. Name of watershe	d/river/stream	system:	Middle James - W	'illis					
	United States Soil	Conservation	14-digit water	shed code (if known):		00208020500H39				
	c. Name of State Mar			James River	•					
		<del>-</del>		ogic cataloging unit co	nde (if known)	 : 0208050	10			
^ ~		logical ourvey	y o digit ilyaloi	ogic catalognig till o	300 (II IMIOWII)					
G.6.	CSO Operations.									
	Describe any known qualit permanent or intermittent s	• •	_			-		ality standard).		
<u>.</u>	CSO discharges cau	se short dura	ation episodio	exceedances of the	bacterio <u>log</u>	ical water quality st	landards.			
_								·		
indom <u>erili</u>		Habitan San San San San San San San San San S	Maria de la composition della	END OF	PARTO		anasaa jilkiilian		Harman (III	
	REFE	R TO THE	APPLICATION	ON OVERVIEW TO	DETERMIN	IE WHICH OTHER	R PARTS OF	FORM:		
R.		Leg en la company	u res	2A YOU MUS			ar en			

PACIL	LIIY NAME /				. 0000477		1		Form Approved 1/14/ OMB Number 2040-00
<u>cso</u>	OUTFAL		HMOND	WWTP VA		ian i di si			
					CSO discharge poi	int.	Andreas (Section 1997)	42.5	
G.3.		on of Outfa							
<b>.</b>	-			lliamsburg F	5II				
	a. Outfall	Number	U20 (****	<u>Mamsoury i</u>	<u>Road)</u>				
	b. Outfali	Location	Richmon (City or to			23231 (7in Cor		<del></del>	
			(City or to N/A	own, if applicab	ole)	(Zip Cod Virginia	,		
			(County)			(State)			
			N 37deg ( (Latitude)	<u>31 min 20.42 :</u> )	sec	W 77 de (Longitu	<u>eg 24 min 44.51 sed</u> ude)	<u> </u>	
	c. Distanc	ne from sho	ore (if applica		_ <b>N/A</b> ft.		- <b>.</b>		
			, , ,	·					
	•		ace (if applic	·	<u>N/A</u> ft.				
	e. Which		_	onitored during	ng the last year for thi				
		Rainfa	all flow volume		CSO pollutant o	concentrations _ er quality	CSO freque	ency	
	f. How ma				ng the last year?	0			
G.4.	CSO Even	-	51110 110.0	Officios carrie	y mo mor your.				
G.4.	COO Even	its.							
				nts in the last ye	•				
	17_eve	ents(	_actual or	Xapp	irox.)				
	h Give th	anerene	direction ner	CSO event.					
	D. Give a 2.4 ho	ne average v ours (	actual or	Xapp	orox.)				
		· <del>-</del>	_		•				
	c. Give th	ne average '	volume per (	CSO event.					
				Х арр	orox.)				
				caused a CSC	O event in the last ye	ear.			
	0.5 inc	ches of rainf	iali.						
G.5.	Descriptio	on of Recei	iving Waters	5.					
l	a. Name	of receiving	water:	Gillies Cree	ek			•	
l	b. Name	of watershe	ed/river/strea	ım system:	Middle James	- Willis			
l	United	i States Soil	Conservation	on 14-digit wat	tershed code (if know	wn): .	00208020500H39		
I	c. Name	of State Ma	nagement/R	tiver Basin:	James River				
	Unites	States Gec	ological Surv	ey 8-digit hydr	rologic cataloging uni	it code (if known)	): 020805	600 <u> </u>	
G.6.	CSO Oper		-	-	-		<del>-</del>		
	•		te on (	·			" - that alogio		
				_	ter caused by this CSO ( s, fish advisories, other re		_		ity standard).
	CSO discl	harges cau	se short du	ration episod	dic exceedances of	i the bacteriologi	ical water quality s	tandards.	
		IM, gov		10000					
				<del></del>				<del></del>	<del></del>
i									
									•
						OF PART G.	Salara (Salara		
		REFE	R TO THE	APPLICATI	ION OVERVIEW			R PARTS OF I	FORM
A	7 3 3 May 1	Alexander 1997	S-100		ZA TUU W	IUST COMPLET	/ E.		

FACII	LITY NAME AND PERM					Form Approved 1/14/99 OMB Number 2040-008
		HMOND WWTP \		<u> </u>		The Hallest 2010 occ
CSC	OUTFALLS:			ra <del>ndi minara k</del> an mara di mananda k		Maria Calabara
COM	nete:questions:o:5:tili	oughto:office:ioffeac	incoo:discriarge:point:	din en	Laconna C.	
G.3.	Description of Outfa	ıll.				
	a. Outfall Number	031 (Oakwood Co	emetary)			
	b. Outfall Location	Richmond		23223		
	o. out.o. 2000.	(City or town, if applied	cable)	(Zip Code)	***************************************	
		N/A (County)		Virginia (State)		
		N 37deg 32 min 19.	52 sec	W 77 deg 24 min 44.	51 sec	
		(Latitude)		(Longitude)		
	c. Distance from sho	ore (if applicable)	<u>N/A</u> ft,			
	d. Depth below Surf	ace (if applicable)	N/A ft.			
	e. Which of the follo	wing were monitored du	ring the last year for this CS	0?		
	Doi:-1	iall	CCO pollutost conse		<b>5</b>	
	Rainf	all _ flow volume _	Receiving water qua	entrationsCSO fility	rrequency	
	f. How many storm ev	rents were monitored du	ring the last year?	0		
G.4.	CSO Events.					
	O' 11 1	(000				
		of CSO events in the las actual or X a				
		dolda, 51	pprox.)			
	b 02: #5	d				
		duration per CSO eventactual orXa				
			(F. F. **···)			
	c. Give the average	volume per CSO event.				
		s( actual or X a	pprox.)			
	d. Give the minimum	rainfall that caused a C	SO event in the last year.			
	0.1 inches of rain	fall.	·			
G.5.	Description of Rece	iving Waters.				
	a. Name of receiving	water: Stoney F	₹un			
		ed/river/stream system:	Middle James - Wil	(is		
		•	vatershed code (if known):	002080205001	Jan	
		•		0,0208,0203001	133	
		nagement/River Basin:	James River			
		ological Survey 8-digit hy	drologic cataloging unit cod	e (if known):02	2080500	
G.6.	CSO Operations.					
	-		vater caused by this CSO (e.g. p kills, fish advisories, other recreat		closings, pplicable State water quality standa	ard).
	CSO discharges cau	se short duration epis	odic exceedances of the I	pacteriological water qua	ality standards.	
				·		
				•		
[						
	The second second		END OF F	APT C	. Character and the control of the c	The second secon
1	REF	ER TO THE APPLICA			THER PARTS OF FORM	Supplied Services
- AND	welling all him million of			COMPLETE.		

O OUTFALLS: uplete questions G:3 thi  Description of Outfa  a. Outfall Number  b. Outfall Location	ough G.8 once for each	in CSO discharge poli			Policial Disabilities the Annual Commission of the Commission of t
Description of Outfa	ough G.8 once for each	h CSO discharge poir			and the state of t
a. Outfall Number	033 (Shields Lake Richmond (City or town, if applied	<u>e)</u>			
	Richmond (City or town, if applied	<u>e)</u>			
	Richmond (City or town, if applied	<u>21</u>			
b. Outfall Location	(City or town, if applic				
			23220	<u> </u>	<b></b>
	N/A	•	(Zip Code Virginia	e) ·	
	(County)		(State)		_
	N 37deg 32 min 17.4	43 sec		28 min 35.69 sec	_
	(Latitude)		(Longitude	e)	
c. Distance from she	ore (if applicable)	<u>N/A</u> ft.			
d. Depth below Surf	ace (if annlicable)	N/A ft.			
d. Departicion our	acc (ii applicable)	10/1			
e. Which of the follo	wing were monitored du	ring the last year for this	S CSO?		
Rain	all	CSO pollutant co	oncentrations	CSO frequency	
	flow volume	Receiving water			
f. How many storm e	vents were monitored du	ring the last year?	0		
1. Flow many storm ex	renta were monitorea da	ring the last year:			
CSO Events.					
a. Give the number	of CSO events in the las	t vear			
	actual orX_a	- <b>2</b>			
		.,			
h Cive the syerose	duration per CCO quant				
	duration per CSO eventactual orX_ a				
		,			
<b></b>					
_	volume per CSO event. s( actual or X a				
	s( actual ofxa	рргох.,			
	n rainfalí that caused a C	SO event in the last year	ar.		
1.5 inches of rain	iali.				
Description of Rece	iving Waters.				
a. Name of receiving	water: <u>Dooley's</u>	Branch			
a. Name of receiving	water. <u>Dooley s</u>	Bianch		<del></del>	
<ul> <li>b. Name of watershe</li> </ul>	ed/river/stream system:	Middle James -	Willis	_ <del>_</del>	
United States Soi	Conservation 14-digit w	atershed code (if know	n): <b>0</b> 0	)208020500H39	
	_	·	,		-
c. Name of State Ma	nagement/River Basin:	James River		<del></del>	
Unites States Ger	ological Survey 8-digit hy	drologic cataloging unit	code (if known):	02080500	
000 0					-
CSO Operations.					
· ·	ty impacts on the receiving v			•	
permanent or intermittent	shell fish bed closings, fish k	kills, fish advisories, other re	creational loss, or vio	lation of any applicable State	water quality standard).
CSO discharges cau	se short duration epis	odic exceedances of t	the bacteriologic	al water quality standar	rds.
		· · · · · · · · · · · · · · · · · · ·			
History William . A State of		END	F PART G.		
REF	ER TO THE APPLICA	TION OVERVIEW T	O DETERMINE	WHICH OTHER PAR	RTS OF FORM

				063177	2000-00-00-00-00-00-00-00-00-00-00-00-00			11111100000
	OUTFALLS:					<b>5</b> 2, 52, 19,80	A Discoulate Office	
mpl	ete questions G.3 thro	ough G:8 once	for each CS	O discharge po	int. 🚈		k. 1990 Bertelet States 1990 (1990)	
3.	Description of Outfal	I.						
	a. Outfall Number	034 (19th a	and Dock)					
	a. Outrail Number	034 (1901)	ind DOCK)					
	b. Outfall Location	Richmond			23219			
		(City or towл N/A	, if applicable)	)	(Zip Code)	)		
		(County)			Virginia (State)		<del></del>	
		N 37deg 31	min 51.67 se	С	W 77 deg	25 min 40.46 sec	_	
		(Latitude)			(Longitude	<del>!</del> )		
	c. Distance from short	e (if applicable	)	N/A ft.				
	d. Depth below Surfa	ce (if applicable	e).	N/A ft.				
	·			<del></del>				
	e. Which of the follow	ving were moni	torea auring tr	ne last year for th	is CSO?			
	Rainfa				concentrations	CSO frequency		
		low volume		_ Receiving water	erquanty			
	f. How many storm eve	ents were moni	tored during t	he last year?	0			
	CSO Events.							
	a. China tha mumban a	f CCO	- 4h- (4	_				
	<ul> <li>a. Give the number o</li> <li>44 events(</li> </ul>	actual or	_		,			
	c. Give the average v			c.)				
	d. Give the minimum  1.1 inches of rainfa		ised a CSO e	vent in the last ye	ear.			
	Description of Receiv	ving Waters.						
	a. Name of receiving	water: C	ity Dock					
	_	_						
	<ul> <li>b. Name of watershed</li> </ul>	z/river/stream s	system:	Middle James	- WILLIS			
	United States Soil	Conservation 1	4-digit waters	hed code (if knov	vn): <u>00</u>	208020500H39	<del>_</del>	
	c. Name of State Mar	nagement/Rive	Basin:	James River				
	Unites States Geol	ogical Survey 8	3-digit hydrolo	gic cataloging un	it code (if known):	02080500	_	
	CSO Operations.							
	Baranta and a second				·			
	Describe any known quality permanent or intermittent s		-	-		_	ite water quality standard).	
	CSO discharges caus	a about durat	on animadi-	avaaadam*** -4	the bootesielesies	المسام معالمان معاملات	lardo	
•	oso discliarges caus	e anort uurat	on episouic	excecualices Of	me pacteriologica	ii water quanty stano	arus.	
						<u> </u>		

FACILITY NAME AND PER		0000477			Form Approved 1/14/5 OMB Number 2040-00
CSO OUTFALLS:	CHMOND WWTP VA				To an alternative to the second
	hrough G!8 once for each (				
	1100 811,010101010101010101010101	o o control de pontramo	· Constitution · Constitution	J. S. Soldan J. J. State V.	( ags
G.3. Description of Out	fall.				
a. Outfall Number	035 (25th and Dock	)			
b. Outfall Location	Richmond		23219		
b. Odnan Eocadon	(City or town, if applicab	ole)	(Zip Code)		
	N/A		Virginia		
	(County) N 37deg 31 min 39.03	sec.	(State) W 77 deg 25 min 2	21 28 sec	
	(Latitude)		(Longitude)		
c. Distance from st	nore (if applicable)	N/A ft.			
	,				
d. Depth below Su	rface (if applicable)	<u>N/A</u> ft.			
e. Which of the foll	lowing were manitared during	the last year for this CSC	)?		
Rai	nfall	CSO pollutant concer	trations CS	O frequency	
	O flow volume	Receiving water quali		o noquanaj	
f. How many storm of	events were monitored during	n the last year?	0		
·	TOTAL TICIO MONORO COMINA	g in c last year.			
G.4. CSO Events.					
a. Give the number	r of CSO events in the last ye	ear.			
	actual orX app				
b. Give the average	e duration per CSO event.				
2 hours (	actual orXapp	rox.)			
c. Give the average	e volume per CSO event.				
0.06_ million gallor	ns( actual or X app	rox.)			
	m rainfall that caused a CSC	event in the last year.			
0.1 inches of rai	nfall.				
G.5. Description of Rec	elving Waters.		•		
a. Name of receiving	ng water: City Dock				
a. Hame of receiving	ig water. Oity Dock				
<ul> <li>b. Name of watersh</li> </ul>	ned/river/stream system:	Middle James - Willi	5		
United States So	oil Conservation 14-digit water	ershed code (if known):	002080205	00Н39	
c. Name of State M	lanagement/River Basin:	James River			
	_				
Unites States Ge	eological Survey 8-digit hydro	plogic cataloging unit code	(ir known):	02080500	
3.6. CSO Operations.					
Describe any known qua	ality impacts on the receiving water	er caused by this CSO (e.g. pe.	manent or intermittent bea	ach closings.	
				y applicable State water quality sta	ndard).
CSO discharges ca	use short duration episod	ic exceedances of the ba	acteriological water o	uuality standards	
	viii. v viii. vpivou		The state of the s		
<del></del>					
79 Mar.			ART G.		
REF	ER TO THE APPLICAT	ON OVERVIEW TO D		OTHER PARTS OF FOR	M

		HMOND WWTP V				
	OUTFALLS:		un exchee <b>rn</b> ee all committee			
mp	lete questions G.3 thro	ough G.Bionce.for.each	ı CSO discharge point	the Min retire shin with		
.3.	Description of Outfal	.II.				
	a. Outfall Number	039 (Gov't Rd. and	1 Gillies Creek)			
	b. Outfall Location	Richmond		23223		
		(City or town, if applica		(Zip Code)		
		N/A (County)		Virginia (State)		
		N 37deg 31 min 23.9	4 sec	W 77 deg 24	min 17.45 sec	
		(Latitude)		(Longitude)		
	c. Distance from shor	re (if applicable)	<u>N/A</u> ft.			
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.			
	e. Which of the follow	wing were monitored duri	ing the last year for this (	CSO?		
	Rainfa			ncentrations	CSO frequency	
	CSO f	flow volume	Receiving water q	uality		
	f. How many storm eve	rents were monitored duri	ing the last year?	0		
i.	CSO Events.					
	a. Cive the number of	of CSO events in the last				
		or CSO events in the last actual or X ap				
			γρ. ολ.,			
	4.6 hours (	duration per CSO eventactual orXap				
		( actual or X ap	prox.)			
	d. Give the minimum  0.1 inches of rainfa	rainfall that caused a CS fall.	3O event in the last year	,		
	Description of Receiv	ving Waters.				
	a. Name of receiving	water: Gillies Cro	eek		_	
	b. Name of watershed	d/river/stream system:	Middle James - W	Villis	_	
	United States Soil	Conservation 14-digit wa	atershed code (if known)	<u>00208</u>	0020500H39	
	c. Name of State Mar	nagement/River Basin:	James River		_	
	Unites States Geol	logical Survey 8-digit hyd	drologic cataloging unit of	ode (if known):	02080500	
	CSO Operations.					
		ty impacts on the receiving wa shell fish bed closings, fish kil			ent beach closings, n of any applicable State water quality	standard).
	CSO discharges caus	se short duration episo	adic exceedances of th	o bacteriological w	atas quality standards	
	COC discharges case	se short duration opioc	Alle execedances of the	S Dacteriologica	Ater quanty standards.	

FACII	LITY NAME AND PERM	IIT NUMBER:				Form Approved 1/14/99
		HMOND WWTP V				OMB Number 2040-008
	OUTFALLS:		n CSO discharge point.			
G.3.	Description of Outfa					
J.J.	a. Outfall Number	040 (CSO - 1 outfa	all / 99 (DD)			
			<u> </u>			
	b. Outfall Location	Richmond (City or town, if applic	able)	23224 (Zip Code)	<del></del>	
		N/A		Virginia		
		(County) N 37deg 31 min 41.2	'eor	(State) <u>W</u> 77 deg 26 π	in 23 35 car	
		(Latitude)	360	(Longitude)	IIII 23.33 SEC	
	c. Distance from sho	ore (if applicable)	<u>N/A</u> ft.			
	d. Depth below Surfa	ace (if applicable)	<u>N/A</u> ft.			
	e. Which of the follow	wing were monitored dur	ing the last year for this CSO?	2	•	
	Rainf	all	CSO pollutant concentr	ations	CSO frequency	
	cso	flow volume	Receiving water quality			
	f. How many storm ev	vents were monitored dur	ring the last year?	0		
G.4.	CSO Events.					
	a. Give the number of	of CSO events in the last	t vear.			
		actual orXa				
	b. Give the average	duration per CSO event.				
		actual orX_a	pprox.)			
	c. Give the average	volume per CSO event.				
		s( actual or X a	pprox.)			
			SO event in the last year.			
	0.2 inches of rain	rall.				
G.5.	Description of Recei	ving Waters.				
	a. Name of receiving	water: James Ri	ver			
	b. Name of watershe	ed/river/stream system:	Middle James-Willis			
	United States Soil	Conservation 14-digit w	atershed code (if known):	002080	20500Н39	
	c. Name of State Ma	nagement/River Basin:	James River Basin			
	Unites States Geo	ological Survey 8-digit hy	drologic cataloging unit code (	if known):	02080205	
G.6.	CSO Operations.					
	•		rater caused by this CSO (e.g. perm		- ·	
	permanent or intermittent	shell fish bed closings, fish ki	ills, fish advisories, other recreation	al loss, or violation o	of any applicable State water qu	ality standard).
	CSO discharges cau	se short duration episo	odic exceedances of the bac	teriological wa	ter quality standards.	
			<u> </u>			<u></u>
·	ergeriggingsakunggresigs Berghanders	TO THE SECOND CONTRACT OF THE PARTY OF THE P	END OF PA		en 1887 e <b>description de 1</b> 887	
		ER TO THE APPLICA	TION OVERVIEW TO DE			FORM WALL
-	agrandi da		2A YOU MUST CO	JMKTF1F:		altinovalje sa kalendarije sa pro

## Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

## **VPDES SEWAGE SLUDGE FORM**

### **Richmond WWTP**

VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

# VPDES SEWAGE SLUDGE FORM - SECTION A: GENERAL INFORMATION

FACILITY NAME:	Richmond WWTP	VPDES PERMIT NUMBER:	VA 0063177

#### VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

#### SCREENING INFORMATION

This information is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

1.	All applicants must complete Section A (General Information)
2.	Will this facility generate sewage sludge? X Yes No
	Will this facility derive a material from sewage sludge?  Yes  X  No
	If you answered Yes to either, complete Section B (generation of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).
3.	Will this facility apply sewage sludge to the land? Yes X No
	Will sewage sludge from this facility be applied to the land? X Yes No
	If you answered Yes to either, answer the following three questions:
	a. Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?  Yes X No
	b. Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land? Yes X No
	c. Will sewage sludge from this facility be sent to another facility for treatment or blending?  Yes X No
	If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge) (See Supplement No. S-AF)
	If you answered Yes to a, b or c, skip Section C.
4.	Do you own or operate a surface disposal site?  Yes  X  No
	If Ves. complete Section D (Surface Disposal)

EP A	CIT	TTV	NA	ME

Richmond	WWTP
----------	------

VPDES PERMIT NUMBER:

VA 0063177

2

#### SECTION A. GENERAL INFORMATION

All applicants must complete this section.

a.	acility Information.  Facility name:	Richmond Wastewater Treat	ment Fesilts	,		
b.	•	Mr. Christopher Beschler	шеші ғасиіу			
U.	Title:	Director of Public Utilities				·
	Phone:	(804) 646-5200				
_		(804) 040-3200			· · · · · · · · · · · · · · · · · · ·	
c.		770 E P 644				
	Street or P.O. Box:	730 E. Broad Street	Caran	77.4	7:	22210
	City or Town:	Richmond	State:	VA	Zip:	23219
d.	Facility Location: Street or Route #:	1400 W 4 C44				
		1400 Brander Street	······································			
	County:	N/A	Chata	77.4	77:	22224 220
	City or Town:	Richmond	State:	VA	Zip:	23224-239
e.	_	ludge management facility?	<u>X</u>	_Yes	No	
f.			ga			
g.						
h.		•				
	***************************************	treatment works (POTW)				
	**************************************	l treatment works				
		d treatment works				
		atment operation				
	Surface disposa					
	Other (describe	· <del>·</del>				
Ъ.	Street or P.O. Box:	1400 Brander Street				· · · · · · · · · · · · · · · · · · ·
	City or Town:	Richmond	State:	VA	Zip:	23224-239
C.		Mr. Clair L Watson				
	Title:	Supt. of Plant Operations		· · · · · · · · · · · · · · · · · · ·		.,
	Phone: ( 804 )	646-8903				
đ.	• • •	er or operator (or both) of this faci	lity?			
	X owner	X operator				
e.	Should correspondence i	regarding this permit be directed to	o the facility	or the applicant?	(Check	one)
	X facility	applicant	Ť	• •	•	•
		***************************************				
Pe	ermit Information					
	Facility's VPDES permit	number (if applicable): VA	0063177			
a.	List on this form or an a	ttachment, all other federal, state of	r local permi	ts or constructio	n, approva	als received
a. b.	or applied for that reculs	ite this facility's sewage sludge ma	magement pr	actices:		
	or applied for time logar	Type of Permit:				
	Permit Number:					
	Permit Number:				_	
	Permit Number:		<del>.,,, , , , , , , , , , , , , , , , , , </del>		<del></del>	
b.	Permit Number: N / A	tion, treatment, storage, application	on to land or	disposal of sewa	  ge sludge	from this
b. In	Permit Number: N / A		on to land or	•	  ge sludge	from this

FACIL	ITY NAME:	Richmond WWTP	VPDES PERMIT NUMBER:	VA 0063177
5.			aps (or other appropriate maps if a topographic map is  Maps should include the area one mile beyond all property	
	boundaries of the	facility.		
	n Logotion	of all causes sludge management	facilities, including locations where source cludge is generated	

- Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
- Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.

#### Refer to Figure A.5. "Topographical Map of Richmond WWTP"

6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.

#### Refer to Figure A.6. "WWTP Flow and Solids Handling Diagram"

(SEE SUPPLEMENT NO. S-A1)

If yes, provide the following	owing for each contracto	r (attach additio	onal pages if	necessary).		
Name:	Nutri-Blend Inc			_		
Mailing Address:						
Street or P.O. Box:	P.O. Box 38060					
City or Town:	Richmond	State:	VA	Zip:	23231	
Phone: ( 804 )	222-7514					
Contractor's Federal, S	State or Local Permit Nur	nber(s) applical	ole to this fac	ility's sewage	sludge:	

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old. (SEE SUPPLEMENT NO. S-A1)

POLLUTANT	CONCENTRATION	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
u	(mg/kg dry weight)	DAIL	MEIROD	FUR ANAL 1515
Arsenic		,		
Cadmium				
Chromium				
Copper				
Lead				
Mercury				
Molybdenum				
Nickel	-			
Selenium				
Zinc				

	Selenium						
	Zinc						
9.	Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:						
		eral Information)					
	X Section B (Gen	eration of Sewage SI		of a Material Der	rived from Sewag	e Sludge)	
	X Section B (Gen	eration of Sewage SI d Application of Bull		of a Material Der	rived from Sewag	e Sludge)	

3

FACILITY NAME:	Richmond WWTP	VPDES PERMIT NUMBER:	VA 0063177


I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of the and imprisonment for knowing violations.


Name and official title Christopher Beschler Director of Public Utilities

Signature Date Signed 8-26-2009

Telephone number (804) 646-5200

Upon request of the department, you must submit any other information necessary to asses sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.





#### Additional Information

### Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001

#### **SUPPLEMENT NO. S-A1**

Question No.

Response

Item A.7.

Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:

Virginia Dept. of Health Biosolids Use/Treatment Works Operation Permits

VDHBUR 70	VDHBUR 64
VDHBUR 91	VDHBUR 47
VDHBUR 142	VDHBUR 14
VDHBUR 27	VDHBUR 54
VDHBUR 50	VDHBUR 35
VDHBUR 74	VDHBUR 84
VDHBUR 46	VDHBUR 31
VDHBUR 00802	VDHBUR 101

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

Nutri-Blends's sewage sludge responsibilities include the following:

- On-site collection and hauling of the discharged sewage sludge to temporary storage pads;
- Loading and off-site hauling of the sewage; and
- Disposal of the sewage sludge by land application.

Item A.8.

See Pollutant Concentration Tables A1 – A15.

#### Additional Information

### Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001

#### **SUPPLEMENT NO. S-A1**

### Question No. Response

Item A.7. Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:

Virginia Dept. of Health Biosolids Use/Treatment Works Operation Permits

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

Nutri-Blends's sewage sludge responsibilities include the following:

- On-site collection and hauling of the discharged sewage sludge to temporary storage pads;
- Loading and off-site hauling of the sewage; and
- Disposal of the sewage sludge by land application.

Item A.8. See Pollutant Concentration Tables A1 – A15.

## A-1 CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

#### **JANUARY - FEBRUARY 2007**

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:02/09/07	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	10	2.08	41
Cadmium	26	26	39
Chromium	52	52	1200
Copper	410	52 26	1500
ad	110	104	300
Mercury	1	.132	17
Molybdenum	52	52	75
Nickel	<b>52</b> [*]	52	420
Selenium	5.5	5.2	36
Zinc	1300	52	2800

## NITROGEN SUMMARY TYPE SAMPLE DATE: SAMPLE DATE: NO₃-N (MG/KG) TKN (MG/KG) NH₃-N (MG/KG)

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A-2

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### MARCH - APRIL 2007

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:04/10/07	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	19.6	19.6	41
Cadmium	9.8	9.8	39
Chromium	51	19.6	1200
Copper	440	9.8	1500
ad	110	9.8	300
Mercury	1 -	.0011	17
Molybdenum	20	19.6	75
Nickel	<b>28</b> [°]	19.6	420
Selenium	25.1	25.1	36
Zinc	1300	19.6	2800

# NITROGEN SUMMARY TYPE SAMPLE DATE: SAMPLE DATE: NO₃-N (MG/KG) TKN (MG/KG) NH₃-N (MG/KG)

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A-3
CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

#### **MAY - JUNE 2007**

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:06/16/06	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	10.2	10.2	41
Cadmium	12.8	12.8	39
Chromium	51	25.5	1200
Copper	490	12.8	1500
ad	120	12.8	300
Mercury	1.1	.13	17
Molybdenum	25.5	25.5	75
Nickel	30	25.5	420
Selenium	1.1	0.92	36
Zinc	1300	0.13	2800

# NITROGEN SUMMARY TYPE SAMPLE DATE: SAMPLE DATE: NO₃-N (MG/KG) TKN (MG/KG) NH₃-N (MG/KG)

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A-H

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### July - August 2007

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:08/09/07	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	1.4	0.5	41
Cadmium	12.1	12.1	39
Chromium	49	24.2	1200
Copper	490	12.1	1500
ad	130	48.4	300
Mercury	1.2	0.13	17
Molybdenum	24.2	24.2	75
Nickel	31	24.2	420
Selenium	.96	0.23	36
Zinc	1300	24.2	2800

### **NITROGEN SUMMARY**

ТҮРЕ	SAMPLE DATE: 08/09/07	SAMPLE DATE:	
NO ₃ -N (MG/KG)	17		
TKN (MG/KG)	9200		
NH ₃ -N (MG/KG)	1700		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A-5

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### September - October 2007

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:09/19/07	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	3.9	2.8	41
Cadmium	.65	0.54	39
Chromium	61	0.83	1200
Copper	520	2.8	1500
ad	120	2.1	300
Mercury	1.3	0.21	17
Molybdenum	19	5.6	75
Nickel	32	2.8	420
Selenium	BQL	8.3	36
Zinc	1300	5.6	2800

### **NITROGEN SUMMARY**

ТҮРЕ	SAMPLE DATE: 09/19/07	SAMPLE DATE:	
NO ₃ -N (MG/KG)	37		
TKN (MG/KG)	44000		
NH ₃ -N (MG/KG)	7100		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### **NOVEMBER - DECEMBER 2007**

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:11/18/07	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	3.8	2.4	41
Cadmium	7.2	0.47	39
Chromium	54	0.71	1200
Copper	550	2.4	1500
ad	100	1.8	300
Mercury	1.2	.18	17
Molybdenum	18	4.7	75
Nickel	22	2.4	420
Selenium	7.1	7.1	36
Zinc	1300	4.7	2800

NITROGEN SUMM	VIAK Y
TYPE	SAM

ТУРЕ	SAMPLE DATE: 11/28/07	SAMPLE DATE:	
NO ₃ -N (MG/KG)	81		
TKN (MG/KG)	49000		
NH ₃ -N (MG/KG)	7400		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A-7
CITY OF RICHMOND WASTEWATER TREATMENT PLANT
SLUDGE SUMMARY

### January - February 2008

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:01/24/08	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	8.0	1	41
Cadmium	6.0	1	39
Chromium	74	1	1200
Copper	570	1	1500
ad	136	1	300
Mercury	0.36	.05	17
Molybdenum	19	1	75
Nickel	34	1	420
Selenium	2.0	1	36
Zinc	1380	0.5	2800

### **NITROGEN SUMMARY**

ТУРЕ	SAMPLE DATE: 01/24/08	SAMPLE DATE:	_
NO ₃ -N (MG/KG)	18	•	_
TKN (MG/KG)	3620		
NH ₃ -N (MG/KG)	4400		_

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY



A - 8

CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### March - April 2008

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:03/26/08	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	5.0	0.5	41
Cadmium	5.0	0.5	39
Chromium	51	0.5	1200
Copper	463	0.5	1500
ad	88	0.5	300
Mercury	0.51	0.21	17
Molybdenum	11	0.5	75
Nickel	22	0.5	420
Selenium	7.0	0.5	36
Zinc	1170	0.3	2800

### **NITROGEN SUMMARY**

ТУРЕ	SAMPLE DATE: 01/24/08	SAMPLE DATE:	
NO ₃ -N (MG/KG)	5.54		
TKN (MG/KG)	73900		
NH ₃ -N (MG/KG)	2010		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A - 9
CITY OF RICHMOND WASTEWATER TREATMENT PLANT
SLUDGE SUMMARY

### May - June 2008

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:05/28/08	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	6.0	1	41
Cadmium	5.0 ້	1	39
Chromium	60	1	1200
Copper	433	1	1500
ad	109	1	300
Mercury	0.99	0.25	17
Molybdenum	12	1	75
Nickel	24	1	420
Selenium	8.0	1	36
Zinc	1110	0.5	2800

#### **NITROGEN SUMMARY**

ТҮРЕ	SAMPLE DATE: 05/28/08	SAMPLE DATE:
NO ₃ -N (MG/KG)	83	
TKN (MG/KG)	7030	
NH ₃ -N (MG/KG)	4620	

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY



### A-10

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### July - August 2008

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:07/30/08	CONCENTRATION (MG/KG) QL:	ALLOWABLE Maximum (MG/KG)
Arsenic	20.0	1	41
Cadmium	3.0	1	39
Chromium	71	1	1200
Copper	480	1	1500
ad	132	1	300
Mercury	1.25	0.25	17
Molybdenum	12	1	75
Nickel	25		420
Selenium	7.0	1	36
Zinc	1280	0.5	2800

### **NITROGEN SUMMARY**

ТУРЕ	SAMPLE DATE: 07/30/08	SAMPLE DATE:
NO ₃ -N (MG/KG)	25.1	
TKN (MG/KG)	36900	
NH ₃ -N (MG/KG)	6730	

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A- 11
CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### September - October 2008

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:10/01/08	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	6.19	1	41
Cadmium	4.0	1	39
Chromium	73	1	1200
Copper	410	1	1500
Lead	124	1	300
Mercury	1.00	0.25	17
Molybdenum	14	1	. 75
Nickel	25	1	420
Selenium	5.0	1	36
Zinc	1160	0.5	2800

### **NITROGEN SUMMARY**

ТУРЕ	SAMPLE DATE: 10/01/08	SAMPLE DATE:	
NO ₃ -N (MG/KG)	25.1		
TKN (MG/KG)	36100		
NH ₃ -N (MG/KG)	3800		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A-12
CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### **NOVEMBER - DECEMBER 2008**

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:12/02/08	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	7.0	1.00	41
Cadmium	5.0	1.00	39
Chromium	73	1.00	1200
Copper	483	1.00	1500
ad	90	1.00	300
Mercury	0.76	.25	17
Molybdenum	13	1.00	75
Nickel	24	1.00	420
Selenium	6	1.00	36
Zinc	930	0.5	2800

#### **NITROGEN SUMMARY**

TYPE		SAMPLE DATE:	
	12/02/08		
NO ₃ -N (MG/KG)	80.6		
TKN (MG/KG)	18700		
NH ₃ -N (MG/KG)	6020		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A - 13
CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### January - February 2009

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:01/21/09	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	9.0	0.5	41
Cadmium	6.0	05	39
Chromium	74	0.5	1200
Copper	529	0.5	1500
ad	103	0.5	300
Mercury	0.79	0.25	17
Molybdenum	14	0.5	75
Nickel	25	0.5	420
Selenium	7.0	0.5	36
Zinc	1310	0.2	2800

### **NITROGEN SUMMARY**

TYPE	SAMPLE DATE:	SAMPLE DATE:
	01/21/09	
NO ₃ -N (MG/KG)	19.1	
TKN (MG/KG)	22200	
NH ₃ -N (MG/KG)	6590	

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A- 14

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### March - April 2009

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:03/26/09	CONCENTRATION (MG/KG) QL:	ALLOWABLE MAXIMUM (MG/KG)
Arsenic	7.16	0.95	41
Cadmium	7.05	0.95	39
Chromium	68.7	0.95	1200
Copper	538	0.95	1500
ad	110	0.95	300
Mercury	0.89	0.25	17
Molybdenum	13.9	0.95	75
Nickel	25.8	0.02	420
Selenium	10.1	0.95	36
Zinc	1400	0.47	2800

### **NITROGEN SUMMARY**

ТУРЕ	SAMPLE DATE: 03/26/09	SAMPLE DATE:	
NO ₃ -N (MG/KG)	17.6		
TKN (MG/KG)	34500		
NH ₃ -N (MG/KG)	6490		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

A-15
CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY

### May - June 2009

POLLUTANT	CONCENTRATION (MG/KG) Sample Date:06/022/09	CONCENTRATION (MG/KG) QL:	ALLOWABLE Maximum (MG/KG)
Arsenic	N/D	7.6	41
Cadmium	3.0	7.6 0.76	39
Chromium	49	3.8	1200
<b>S</b> opper	400	3.8	1500
<b>J</b> ad	100	7.6	300
Mercury	1.6	0.075	17
Molybdenum	11	7.6	75
Nickel	N/D	7.6	420
Selenium	N/D	30	36
Zinc	1100	15	2800

### **NITROGEN SUMMARY**

ТУРЕ	SAMPLE DATE: 06/02/09	SAMPLE DATE:	
NO ₃ -N (MG/KG)	2.56		
TKN (MG/KG)	43700		
NH ₃ -N (MG/KG)	6590		

### CITY OF RICHMOND WASTEWATER TREATMENT PLANT SLUDGE SUMMARY



Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001 Permit Reissuance Application

VPDES SEWAGE SLUDGE FORM - SECTION B: GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

#### SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1.		ant Generated On Site.  dry metric tons per 365-day period generated at your facility:  6,460 dry metric tons
2.	dispos	ant Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or sal, provide the following information for each facility from which sewage sludge is received. If you receive the sludge from more than one facility, attach additional pages as necessary.    Facility name: N/A
	c.	Mailing address: Street or P.O. Box: City or Town: State: Zip:
	d.	Facility Address: (not P.O. Box)
	e.	Total dry metric tons per 365-day period received from this facility: dry metric tons
	f.	Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-sit facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:
3.	Treatr	nent Provided at Your Facility.
	a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility?  Class A X Class B Neither or unknown
	b.	Describe, on this form or on another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge:  Anaerobic Sludge Digestion Tanks
	c.	Which vector attraction reduction option is met for the sewage sludge at your facility?  X Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids) Option 8 (90 percent solids with unstabilized solids) None or unknown
	d.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: (SEE SUPPLEMENT NO. S-B1)
	e.	Describe, on this form or another sheet of paper, any other treatment activities, including blending, not identified in a - d above:  N/A
4.	One o	ration of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and f Vector Attraction Reduction Options 1-8 (EQ Sludge).  N/A
		ge sludge from your facility does not meet all of these criteria, skip question 4.)
	а.	Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land:dry metric tons
	b.	Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?  Yes No

ILITY N	AME: RICHMOND WWTP VPDES PERMIT NUMBER:	VA 006317
Sale	or Give-Away in a Bag or Other Container for Application to the Land.	
	ete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this	
	on if sewage sludge is covered in Question 4.)	
a.	Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility	
•	for sale or give-away for application of the land:  dry metric tons	
b.	Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or	
	given away in a bag or other container for application to the land.	
	6	
Shipn	nent Off Site for Treatment or Blending. N/A	
(Compl	ete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question	
does no	t apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is	
covered	in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)	
a.	Facility name:	
b.	Facility contact:	
	Title:	
	Phone: ( )	
c.	Mailing address:	
	Street or P.O. Box:	
	City or Town: State: Zip:	
d.	Total dry metric tons per 365-day period of sewage sludge provided to receiving facility:	dry metric to
e.	List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of	<del></del> ·
	all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal	
	practices:	
	Permit Number: Type of Permit:	
f.	Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your	
	facility? Yes No	
	Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?	
	Class A Class B Neither or unknown	
_	Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to	
	reduce pathogens in sewage sludge:	
		<del></del>
g.	Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the	
ь.	sewage sludge? Yes No	
	Option 1 (Minimum 38 percent reduction in volatile solids)	
	Option 2 (Anaerobic process, with bench-scale demonstration)	
	Option 3 (Aerobic process, with bench-scale demonstration)	
	Option 4 (Specific oxygen uptake rate for aerobically digested sludge)	
	Option 5 (Aerobic processes plus raised temperature)	
	Option 6 (Raise pH to 12 and retain at 11.5)	
	Option 7 (75 percent solids with no unstabilized solids)	
	Option 8 (90 percent solids with unstabilized solids)	
	None or unknown	
	Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to	
	reduce vector attraction properties of sewage sludge:	
•		
h.	Does the receiving facility provide any additional treatment or blending not identified in f or g above?	
	Yes No	
	If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above?	
i.	If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility	
	to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.	

2

	NAME: RICHMOND WWTP VPDES PERMIT NUMBER:	
j.	Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-	
3	away for application to the land? YesNo	
	If yes, provide a copy of all labels or notices that accompany the product being sold or given away.	
k.	Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally	
	used for such purposes?  Yes  No. If no, provide description and specification on the vehicle use	ed to
	transport the sewage sludge to the receiving facility.	
	show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the	
	week and the times of the day sewage sludge will be transported.	
	Application of Bulk Sewage Sludge.	
	olete question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in questions 4, 5 or 6;	
compl	lete question 7.b, c & d only if you are responsible for land application of sewage studge.}	
a.	Total dry metric tons per 365-day period of sewage sludge to all land application sites:  metric tons  6,460	dry
b.	Do you identify all land application sites in Section C of this application?  N/A Yes	No
	If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in	_
	accordance with the instructions).	
c.	Are any land application sites located in States other than Virginia? N/AYes	No
	If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the	
	States where the land application sites are located. Provide a copy of the notification.	
d.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to	
đ.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples	
d.		
	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A	
Surfa	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  nce Disposal  N/A	
Surfa (Comp	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  nce Disposal  N/A  lete Question 8 if sewage studge from your facility is placed on a surface disposal site.)	
Surfa	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  nce Disposal  N/A  Nete Question 8 if sewage studge from your facility is placed on a surface disposal site.)  Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal	
Surfa (Compl a.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Comp	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compi a. b. c.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compl a. b.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compi a. b. c. d.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
Surfa (Compi a. b. c.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  Ince Disposal  N/A  Ince Disposal  N/A  Ince Question 8 if sewage sludge from your facility is placed on a surface disposal site.)  Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites:	
Surfa (Compi a. b. c. d.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  Ince Disposal  N/A  Ince Disposal  N/A  Ince Disposal  N/A  Ince Question 8 if sewage sludge from your facility is placed on a surface disposal site.)  Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites:	
Surfa (Compi a. b. c. d.	comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  N/A  Ince Disposal  N/A  Ince Disposal  N/A  Ince Question 8 if sewage sludge from your facility is placed on a surface disposal site.)  Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites:	

	AME: RICHMON	W ** ** II		VPDES PERMIT NUMBER:	VA 00631
	eration.				
(Compl	ete Question 9 if sewage sludge from	m your facility is fired in a se	wage sludge incinerator.)		
N/A					
	T + 1.1	265 1 : 1 6	1.1.6	717. 67. 1.7	
a.	•			cility fired in a sewage sludge	
ı.	incinerator:	dry metr		and Cartify to Freedo	
b.		_	s in which sewage sludge fr	om your facility is fired?	
	Yes	No	.1.1.7.7	4	
				do not own or operate. If you send	
_			ge incinerator, attach addition	onal pages as necessary.	
:. 1.	Incinerator name or nu	mber:			<del></del>
١.	Contact person:				
	Title:	•			<del></del>
	Phone: ( ) Contact is:	Incinerator Owner	r Incinarate	or Operator	<del></del>
		Incinerator Owner	incinerati	or Operator	
	Mailing address:	-			<del></del>
	Street or P.O. Box: City or Town:	•	State:	7;	<del></del>
		ar 365-day period of a		Zip: cility fired in this sewage sludge	
	incinerator:	er 363-day period of s dry metri		anty med in inis sewage sittinge	
				e or local permits that regulate the	
	firing of sewage sludge		oors or an ounce reuctar, Stat	e or rocar permits may regulate the	
	Permit Number:		Type of Permit:		
	remittivumber.		Type of Fernit.		
or eact		vhich sewage sludge from you	a municipal solid waste landfill. Provi ar facility is placed. If sewage sludge		
or eact wnicip	ı municipal solid waste landfill on w	vhich sewage sludge from you			
or eact unicip	ı municipal solid waste landfill on w al solid waste landfill, attach additi	vhich sewage sludge from you			
or eact sunicip I/A	i municipal solid waste landfill on w al solid waste landfill, attach additi Landfill name:	vhich sewage sludge from you			
or eact unicip //A	i municipal solid waste tandfill on w al solid waste landfill, attach addid Landfill name: Contact person:	vhich sewage sludge from you			
or eact unicip //A	i municipal solid waste tandfill on w al solid waste landfill, attach addid Landfill name: Contact person: Title:	vhich sewage sludge from you			
or eact unicip //A	i municipal solid waste tandfill on w al solid waste landfill, attach addid Landfill name: Contact person: Title: Phone: ( )	vhich sewage studge from you ional pages as necessary.)	ur facility is placed. If sewage sludge	is placed on more than one	
or each	i municipal solid waste tandfill on wal solid waste landfill, attach additi  Landfill name:  Contact person:  Title:  Phone: ( )  Contact is:	vhich sewage sludge from you		is placed on more than one	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address:	vhich sewage studge from you ional pages as necessary.)	ur facility is placed. If sewage sludge	is placed on more than one	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box:	vhich sewage studge from you ional pages as necessary.)	ur facility is placed. If sewage sludge	is placed on more than one	
r each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town:	vhich sewage studge from you ional pages as necessary.)	ur facility is placed. If sewage sludge	is placed on more than one	
r each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box:	vhich sewage studge from you ional pages as necessary.)	ur facility is placed. If sewage sludge	is placed on more than one	
r each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #:	vhich sewage studge from you ional pages as necessary.)	ur facility is placed. If sewage sludge	is placed on more than one	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County:	vhich sewage studge from you ional pages as necessary.)	ur facility is placed. If sewage sludge  Landfill C	is placed on more than one  Operator  Zip:	
r each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town:	vhich sewage studge from you ional pages as necessary.)  Landfill Owner	Landfill C	perator  Zip:  Zip:	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town:	Landfill Owner  Landfill Owner	Landfill C  State:  State:  State:	is placed on more than one  Operator  Zip:	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person:	Landfill Owner  Landfill Owner  dry metric	Landfill CState:State:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:state:	Derator  Zip:  Zip:  municipal solid waste landfill:	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons po	Landfill Owner  Landfill Owner  attachment, the numb	Landfill C  State:  St	perator  Zip:  Zip:	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons portation of this munic	Landfill Owner  Landfill Owner  attachment, the numbipal solid waste landfills	Landfill CState:State:sewage sludge placed in this ic tons pers of all other federal, state ill:	Derator  Zip:  Zip:  municipal solid waste landfill:	
r each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons po	Landfill Owner  Landfill Owner  attachment, the numbipal solid waste landfills	Landfill C  State:  St	Derator  Zip:  Zip:  municipal solid waste landfill:	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person of this munic Permit Number:	Landfill Owner  Landfill Owner  attachment, the numbripal solid waste landfil	Landfill CState:State:sewage sludge placed in this ice tons pers of all other federal, state ill: Type of Permit:	Departor  Zip:  municipal solid waste landfill: e or local permits that regulate the	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person of this munic Permit Number:	Landfill Owner  Landfill Owner  attachment, the numbripal solid waste landfil	Landfill CState:State:sewage sludge placed in this ice tons pers of all other federal, state ill: Type of Permit:	Derator  Zip:  Zip:  municipal solid waste landfill:	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person: List, on this form or an operation of this munic Permit Number:	Landfill Owner  Landfill Owner  attachment, the numbipal solid waste landfile eet applicable requirer	Landfill CState:State:state in this ic tons pers of all other federal, state ill:Type of Permit:ments in the Virginia Solid	Departor  Zip:  municipal solid waste landfill: e or local permits that regulate the	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person: List, on this form or an operation of this munic Permit Number:	Landfill Owner  Landfill Owner  attachment, the numbipal solid waste landfile eet applicable requirer	Landfill CState:State:state in this ic tons pers of all other federal, state ill:Type of Permit:ments in the Virginia Solid	Departor  Zip:  municipal solid waste landfill:  e or local permits that regulate the  Waste Management Regulation, 9	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: County: Total dry metric tons person this munic permit Number:  Does sewage sludge me VAC 20-80-10 et seq., Yes	Landfill Owner  Landfill Owner  attachment, the numbipal solid waste landfill waste landfill concerning the quality.	Landfill C	Departor  Zip:  municipal solid waste landfill:  e or local permits that regulate the  Waste Management Regulation, 9	
or eact	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: County: Total dry metric tons person this munic permit Number:  Does sewage sludge me VAC 20-80-10 et seq., Yes	Landfill Owner  Landfill Owner  attachment, the numbinal solid waste landfill concerning the quality.  No id waste landfill comp	Landfill C	Decrator  Zip:	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person this form or an operation of this munic Permit Number:  Does sewage sludge me VAC 20-80-10 et seq., Yes Does the municipal soli Waste Management Re	Landfill Owner  Landfill Owner  attachment, the numbrical solid waste landfill  No id waste landfill comproduction, 9 VAC 20-8	Landfill C	Departor  Zip:  Zip:  municipal solid waste landfill: e or local permits that regulate the  Waste Management Regulation, 9 municipal solid waste landfill? ia et forth in the Virginia Solid  YesNo	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person this munic permit Number:  Does sewage sludge me VAC 20-80-10 et seq., Yes Does the municipal soli Waste Management Re Will the vehicle bed or	Landfill Owner  Landfill Owner  attachment, the numbrical solid waste landfill owner attachment, the numbrical solid waste landfill owner oncerning the quality.  No id waste landfill compregulation, 9 VAC 20-8 other container used to	Landfill C	Departor  Zip:  Zip:  municipal solid waste landfill: e or local permits that regulate the  Waste Management Regulation, 9 municipal solid waste landfill? ia et forth in the Virginia Solid	
or each	Landfill name: Contact person: Title: Phone: ( ) Contact is: Mailing address: Street or P.O. Box: City or Town: Landfill location. Street or route #: County: City or Town: Total dry metric tons person of this munic Permit Number:  Does sewage sludge me VAC 20-80-10 et seq., Yes Does the municipal soli Waste Management Re Will the vehicle bed or be watertight and cover	Landfill Owner  Landfill Owner  Landfill Owner  attachment, the number attachment, the number attachment was to landfill owner attachment was to landfill concerning the quality. No id waste landfill compagulation, 9 VAC 20-8 other container used the ded?	Landfill C	Departor  Zip:  Zip:  municipal solid waste landfill: e or local permits that regulate the  Waste Management Regulation, 9 municipal solid waste landfill? ia et forth in the Virginia Solid  YesNo	

10.

#### **Additional Information**

### Richmond WWTP VPDES Permit #VA0063177 Outfall No. 001

### **SUPPLEMENT NO. S-B1**

Question No.

Response

t b

Item B.3.d.

The anaerobic digestion process at the facility reduces the volatile solids in the sewage sludge by a minimum of 38 percent serving as the method for pathogen reduction. This treatment in accordance 9 VAC 25-31-710 D is a process to significantly reduce pathogens. Therefore, in accordance with 9 VAC 25-31-710 B 3, sewage sludge treated by one of the processes to significantly reduce pathogens shall be classified as a Class B sewage sludge.

## City of Richmond, Virginia

### **BIOSOLIDS**

### **ENVIRONMENTAL**

### **MANAGEMENT**

### **SYSTEM**

Deputy Director	Robert Steidel
Wastewater Plant Superintendent II	Clair Watson
Wastewater Plant Superintendent I	Eric Whitehurst
Environmental Compliance Officer	
Biosolids Supervisor	Barbara Jackson

### PUBLIC UTILITIES - OPERATIONS

### **Table of Contents**

Document Control Log	
EMS Element 1— EMS Documentation	
Purpose	
Scope	
Responsible Staff	
Organization of This Manual	
Procedures	
EMS Element 2 — Biosolids Management Policy	
Purpose	
Scope	
Responsible Staff	
Procedures	
Biosolids Policy	
EMS Element 3 — Critical Control Points	
Purpose	
Scope	
Responsible Staff	<i></i>
Procedures	
EMS Element 4 — Legal and Other Requirements	1
Purpose	
Scope	
Responsible Staff	
Procedure	
EMS Element 5 — Goals and Objectives for Continual Improvement	
Purpose	
Scope	
Responsible Staff	18
Procedure	
EMS Element 6 — Public Participation in Planning	20
Purpose	
Scope	
Responsible Staff	
Procedure	
EMS Element 7 — Roles and Responsibilities	24
Purpose	24
Scope	24
Responsible Staff	
Procedure	24
Key Biosolids EMS Roles and Responsibilities	
EMS Element 8 — Training	
Purpose	
Scope	
Responsible Staff	29
Procedure	29

•	31
Purpose	31
Scope	31
Responsible Staff	31
Procedure	
EMS Element 10 — Operational Control of Critical Control Points	
Purpose	
Scope	
Responsible Staff	
Procedure	
EMS Element 11 — Emergency Preparedness and Response	
Purpose	
Scope	
Responsible Staff	
Procedure	
EMS Element 12 — EMS Documentation, Document Control, and Record Keeping	
Purpose Purpose	
Scope	
Responsibility	
Procedure	
EMS Element 13 — Monitoring and Measurement	
Purpose	
Scope	
Responsible Staff	
Procedure	
EMS Element 14 — Nonconformance: Preventive and Corrective Action	
Purpose Purpose	
Scope	
Responsible Staff	
Procedure Procedure	
EMC Flomant 15 Dayforman a Dayout	
EMS Element 15 — Performance Report	
Purpose	42
PurposeScope	
PurposeScopeResponsible Staff	43
Purpose	43 43
Purpose Scope Responsible Staff Procedure EMS Element 16 — Internal EMS Audit	43 43 45
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose	43 45 45
Purpose	43 45 45
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff	43 45 45 45
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff Procedure	43 45 45 45 45
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff Procedure  EMS Element 17 — Periodic Management Review of Performance	
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff Procedure  EMS Element 17 — Periodic Management Review of Performance Purpose	
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff Procedure  EMS Element 17 — Periodic Management Review of Performance Purpose Scope	
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff Procedure  EMS Element 17 — Periodic Management Review of Performance Purpose Scope Responsible Staff	
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff Procedure  EMS Element 17 — Periodic Management Review of Performance Purpose Scope Responsible Staff Procedure  Scope Responsible Staff Procedure	
Purpose Scope Responsible Staff Procedure  EMS Element 16 — Internal EMS Audit Purpose Scope Responsible Staff Procedure  EMS Element 17 — Periodic Management Review of Performance Purpose Scope Responsible Staff	

		Document Control Log	
	Title	Approved By:	Approval Date
	ids Environmental agement System	Operations Manager	
Revision Number	Description of Revisions		Date
00	Original Distribution		
01	Revisions resulting fi Element 3: Update Element 4: Update Element 5: Update Element 7: Correct re-organization; in Element 12: Adderevised Table 12.1 Element 13: update	nt headers;	
	<ul> <li>Corrected job title manual.</li> </ul>	s of EMS team members throughout	the
02	<ul> <li>Element 5: Revise procedure 2.</li> <li>Element 6: Update</li> <li>Element 8: Update</li> <li>Element 9: Update</li> <li>Element 12: Update</li> <li>"Retention Require</li> <li>Element 13: Delete</li> <li>Element 14: Revise</li> <li>Element 15: Update</li> </ul>	d procedure 1(a). d procedure 4. ded procedures 2, 4(c), and 6. Added ments" to Table 12.1. ded procedure 4. ded all procedures. ded procedure 1. ded procedures 2, 5, 6, 7, and 8.	
		ded "Required Report" and "Due Da	te."
03	<ul> <li>Formatted all element reference to previor</li> <li>Element 5: Update</li> <li>Element 8: Added</li> <li>Element 10: Added</li> <li>Element 11: Added</li> <li>Element 16: Update</li> <li>Appendix 4-A: Added</li> </ul>	ent headers to include effective date us versions d Table 5.1 procedure 10. I procedure 6. I procedure 4. ed procedures 1, 5, 6, 7, 8, 9, 10, and ded BMP as regulation or other requires 1.	l 12. irement
04	<ul> <li>Element 4: Update to be found on "P"</li> </ul>	d Biosolids Handling cake percentaged Location of Biosolids Managemendrive.  ve 2.1 change target date and time for	nt Report

EMS Element 1— EMS Documentation City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 2	Approval Signature  Barbara D. Jackson	Revision / Effective Date 12/03/08	Supersedes all previous versions

### **Purpose**

The purpose of this document is to provide an Environmental Management System (EMS) Manual to document biosolids EMS procedures and activities.

#### General

The City of Richmond, Wastewater Treatment Plant, utilizes an activated sludge process to treat wastewater from domestic, commercial, and industrial customers in the City's service area. The City provides for the management and beneficial reuse of anaerobically digested biosolids through land application. This includes but is not limited to processing, loading, transporting, land applying and testing of biosolids. This Environmental Management System will coordinate with state, local and federal agencies as well as the general public to provide education and outreach on the benefits of land application.

#### **Liquid Flow Stream**

Wastewater enters the plant main pumping station from the City's collection system. It is screened using a bar rake and screen and then pumped to the primary sedimentation tanks for sludge and grit removal. Wastewater then flows by gravity through four parallel primary clarifiers, then to the aeration basin, and finally to the secondary clarifiers. It then flows through the sand filtration building and on to the chlorination process. The effluent is then dechlorinated and discharged to the James River.

#### **Biosolids Handling**

Biosolids at the Richmond Wastewater Treatment Plant are generated from the anaerobic digestion of primary and secondary sludge from the plant's activated sludge process. Primary sludge is pumped to gravity thickening tanks to allow more time for the sludge to thicken before being mixed with waste-activated sludge from the secondary clarifiers. Waste-activated sludge (WAS) is processed through the use of centrifuges where it is thickened prior to it being mixed with the primary gravity thickened sludge and then pumped to the digesters. Sludge that is displaced from the digesters (as new sludge is added) flows to one of two storage tanks. This sludge is then dewatered using centrifuges and the addition of polymer to aid in the dewatering process generating biosolids that meet EPA's 40 CFR part 503 Standards as a class "B" biosolid. The de-watered biosolids are stored on a concrete pad until the contract hauler/applicator can remove them for land application. Quantities of dewatered biosolids range from 18 to 45 dry tons per day with a volatile solids content of up to 6%. The pH ranges from 6.5 to 8.0. Cake solids 24 %.

City of Richmond, Virginia	Biosolids EMS Manual
Document Control Log	

#### Scope

The scope of this element applies to the EMS Manual and all related biosolids activities. The City of Richmond Biosolids EMS Program Manual consists of a general overview of our Biosolids EMS program, which includes an outline of the policies governing Biosolids EMS procedures for environmental management. In addition, it serves as a useful organizational index and as a cross-reference of procedures for other relevant documents.

### Responsible Staff

The Biosolids Supervisor and the Biosolids EMS team are responsible for developing and maintaining the EMS manual with input from the Public Utilities Deputy Director, WWTP Superintendents, Environmental Compliance Officer, Utility Plant Supervisors, Chief Chemist, and interested parties.

### Organization of This Manual

The City of Richmond Biosolids EMS manual consists of 17 elements covering five general categories. Each element represents part of the City's biosolids value chain. Table 1.1 describes the categories and the 17 elements.

Table 1.1 EMS Organization By Categories			
Category	Element #	Element	
Policy	1	Documentation	
	2	Biosolids Management Policy	
Planning	3	Critical Control Points	
	4	Legal and Other Requirements	
	5	Goals and Objectives for Continual Improvement	
	6	Public Participation in Planning	
Implementation	7	Roles and Responsibilities	
	8	Training	
	9	Communication	
	10	Operational Control of Critical Control Points	
	11	Emergency Preparedness and Response	
	12	EMS Documentation, Document Control, and Record Keeping	
Measurement and 13 Monitoring and Measurement		Monitoring and Measurement	
Corrective Action	14	Nonconformance: Preventive and Corrective Action	
	15	Performance Report	
	16	Internal EMS Audit	
Management Review	17	Periodic Management Review of Performance	

#### **Procedures**

- 1. The Biosolids EMS manual is intended to be a "living" document. Revisions are expected as new information is obtained, changes to existing systems occur, and as experience is gained in administering an EMS.
- 2. Revisions to the EMS manual will be made by the Biosolids Supervisor on an as-needed basis. A comprehensive review/revision will be performed at least once every three years.

- 3. The Biosolids Supervisor will work with the Biosolids EMS Team on significant revisions to the EMS manual. Once revisions have been made, the Biosolids Supervisor will inform management of the availability of the revised EMS manual and will ensure all copies of the manual are updated. In addition, the most recent version of the EMS manual will be posted on the City's server in a public directory.
- 4. The Biosolids Supervisor will provide notification of significant revisions to interested parties through one or more of the communication tools listed under Element 9.
- 5. More information on revisions to the EMS manual and document control is available in Element 12 of this manual.

EMS Element 2 — Biosolids Management Policy City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

#### **Purpose**

This element establishes the City's Biosolids Management Policy and procedures for revision. The purpose of the policy is to establish the guiding principles of the City of Richmond's Biosolids Environmental Management System (EMS).

#### Scope

This policy applies to all of the City's biosolids management activities and acts as a benchmark for current and future biosolids management.

#### Responsible Staff

The Biosolids Supervisor and the Biosolids EMS team are responsible for establishing a Biosolids Management Policy with input from the Public Utilities Deputy Director, WWTP Superintendents, and the Environmental Compliance Officer.

#### **Procedures**

- 1. The Public Utilities Deputy Director after consultation with the WWTP Superintendents and Biosolids Supervisor will establish the Biosolids Management Policy committing the City to following the principles of conduct set forth in the *Code of Good Practice*.
- 2. The Biosolids Supervisor will communicate the Biosolids Management Policy at training meetings to all staff involved in the biosolids value chain, as described in Element 8.
- 3. The Biosolids Supervisor will make the Biosolids Management Policy available to interested parties for their input. Input from interested parties will be evaluated in accordance with Element 6.
- 4. If revisions to the Biosolids Management Policy are needed because of changing conditions, the Biosolids Supervisor will notify the Public Utility Superintendents and the Deputy Director of the issue and suggested changes.
- 5. If revisions to the Biosolids Management Policy are approved by the Deputy Director, the Biosolids Supervisor will communicate the revised policy as per Step 1 above. The Biosolids Supervisor will also replace the revised policy in the EMS Manual.

The City of Richmond, Virginia has an Environmental Policy Statement that commits the City to protecting the environment while providing first class municipal activities, products, and services to its citizens, businesses, and visitors.

#### **Biosolids Management Policy**

Consistent with the City's Environmental Policy Statement, the Richmond Wastewater Treatment Plant is committed to the following principles of conduct set forth in the Code of Good Practice. The treatment plant will focus its available resources to produce Class B Biosolids. Further, it shall be the policy of the treatment plant to promote and practice the beneficial use of Biosolids and the reuse/recycling of resources. The treatment plant will strive to maintain, improve, and protect the environment through its treatment/production of biosolids. The treatment plant will make every effort to ensure that the public is not endangered by the treatment/production of biosolids at the treatment plant during transportation, storage or application at permitted sites. The treatment plant shall obey all applicable federal, state, county, and local laws, rules, and regulations. We pledge to "do the right thing" and uphold the following principles of conduct.

#### **Code of Good Practice**

The Code of Good Practice is a broad framework of goals and commitments to guide the production, management, transportation, storage, and use or disposal of biosolids – in short, a comprehensive EMS for biosolids. Those who embrace the Code and participate in the EMS commit to "do the right thing." Code subscribers and EMS participants pledge to uphold the following principles of conduct:

COMPLIANCE: To commit to compliance with all applicable federal, state, and local requirements regarding production at the wastewater treatment facility, and management, transportation, storage, and use or disposal of biosolids away from the facility.

PRODUCT: To provide biosolids which meet the applicable standards for their intended use or disposal.

ENVIRONMENTAL MANAGEMENT SYSTEM: To develop an environmental management system for biosolids that includes a method of independent third-party verification to ensure effective ongoing biosolids operations.

QUALITY MONITORING: To enhance the monitoring of biosolids production and management practices.

QUALITY PRACTICES: To require good housekeeping practices for biosolids production, processing, transport, storage, and final use or disposal operations.

CONTINGENCY AND EMERGENCY RESPONSE PLANS: To develop response plans for unanticipated events such as inclement weather, spills, and equipment malfunctions.

SUSTAINABLE MANAGEMENT PRACTICES AND OPERATIONS: To enhance the environment by committing to sustainable, environmentally acceptable biosolids management practices and operations through an EMS.

PREVENTIVE MAINTENANCE: To prepare and implement a plan for preventive maintenance for equipment used to manage biosolids and wastewater solids.

CONTINUAL IMPROVEMENT: To seek continual improvement in all aspects of biosolids management.

COMMUNICATION: To provide methods of effective communication with interested parties regarding the key elements of the Biosolids EMS, including information relative to system performance.

EMS Element 3 — Critical Control Points City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

### **Purpose**

Critical control points must be properly managed to ensure biosolids meet applicable regulatory requirements and continue to maintain public acceptance, ensuring maximum beneficial use.

#### Scope

This element pertains to all management categories in the biosolids value chain.

#### Responsible Staff

The Biosolids Supervisor, with support from Superintendents II and I, is responsible for oversight of critical control points in the biosolids value chain.

#### **Procedures**

- 1. Review and revision of the critical control points in the biosolids value chain will be triggered by:
  - A. Changes in operational controls
  - B. Changes in goals and objectives
  - C. Changes in legal or other requirements
  - D. Reconfiguration of equipment or installation of new equipment in the biosolids value chain
  - E. Nonconformances or findings from internal or third-party audits
- 2. Regardless of the conditions listed in #1, a review of all critical control points will be performed annually in conjunction with the annual review of goals and objectives. This review shall be performed no later than March 1.
- 3. Changes to the critical control points will be documented by the Biosolids Supervisor. If any significant operational changes occur that require a change to an identified critical control point or environmental impact associated with the critical control points, the Biosolids Supervisor will notify the NBP and the assigned third-party auditor.

- 4. The current list of critical control points is summarized in Table 3.1. Critical control points have associated operational controls listed in the table, and the appropriate work groups have standard operating procedures prescribing practices, monitoring, measurement, testing, and/or inspection methods used to ensure biosolids and biosolids activities meet or exceed all legal, quality, environmental protection, and public acceptance requirements.
- 5. Operational controls provide methods and procedures to ensure uniform and efficient management at each critical control point. To show the relationship between operational controls and critical control points and to streamline documentation of information, Element 10 information is integrated with critical control points in Element 3, Table 3.1.
- 6. Potential environmental impacts for each critical control point are listed in Table 3.1. Using appropriate SOPs and training, the City intends to maintain a low probability of occurrence and minimize any environmental impact.

Value- Chain ategory	Critical Control Point	Operational Controls	Document Name/Location	Monitoring Frequency or Parameter	Record Location	Responsible Staff	Potential Environmental Impact			
Vastewater (	Collection ar	nd Pretreatment	·							
	Significant Industrial Users (SIU) and Categorical Industrial Users (CIU)									
		SIU and CIU permits	SIU and CIU Permitee	Every quarter with City monitoring the 1st and 3rd qtr. The SIU and CIU monitoring the 2rd and 4th qtrs.	G: drive	Environmental Compliance Officer	Inhibition of treatment plant process     Interference with collection system     Accumulation of pollutants in biosolids			
		Inspection and monitoring procedures	SOP for Inspection and monitoring procedures	Inspect semi- annually	G: drive	Environmental Compliance Officer				
		Enforcement Response Plan	City of Richmond ERP	Once every 5 years	G: drive	Environmental Compliance Officer				
		VPDES Pretreatment Program	VPDES Permit	Once every 5 years	G: drive	Environmental Compliance Officer	Inhibition of treatment plant process     Accumulation of pollutants in biosolids			
		Sample collection/ analysis procedures	SOP for Sampling Preparation SOP for Split Sampling	Every quarter with City monitoring the 1st and 3rd qtr. The SIU and CIU monitoring the 2nd and 4th qtrs.	G: drive	Environmental Compliance Officer				
		SIU accidental spill plans	SOP for Spill Reporting and Response	Yearly	G: drive	Environmental Compliance Officer	Inhibition of treatment plant process     Interference with collection system     Accumulation of pollutants in biosolids			
	Hauled W	aste Discharge				<u> </u>				
		Hauled waste procedure permits	per hauler	per dump	G: drive	Environmental Compliance Officer	Inhibition of treatment plant process     Accumulation of pollutants in biosolids			
Wastewater	Treatment ar	nd Solids Generation								
	Bar scree	n								
	MPS	Bar screen Procedure	Main Pumping Station Bar Screens/ SOP Manual	Daily - Visual (walkthrough) Clean as needed	Operator 10	Utility Plant Operator Supervisor II Equip. Operator	Plastics, grit, and other unwanted materials in the primary digesters     Potential for odors and noise			

Value-	Critical	<del></del>		Monitoring		r_ <del>-</del>	
Chain Category	Control Point	Operational Controls	Document Name/Location	Frequency or Parameter	Record Location	Responsible Staff	Potential Environmental Impact
	Grit Remo	val					
	MPS	Grit removal Procedure	Preliminary Grit Channels/ SOP Manual	Daily – Visual (walkthrough ) Clean as needed	Operator 10	Utility Plant Operator Supervisor II Equip. Operator	Plastics, grit, and other unwanted materials in the primary digesters  Potential for odors and noise
	Primary T	reatment					
	Primary Sludge	Primary clarifier Procedure	Primary Sludge Tanks / SOP Manual	Daily - Blanket level Flight check	Utility Plant Operator Supervisor II Office	Utility Plant Operator Supervisor II	Increased biosolids volumes due to inadequate settling     Potential for odors
		Primary Sludge Procedure	Primary Sludge Pumping/ SOP Manual	Visual Flow rates Pump operation	Operator 10	Utility Plant Operator Supervisor II	
	Secondary	treatment					
	Aeration	Aeration Basin Procedure	Aeration/ SOP Manual	Daily – DO MLSS Settleometers East /west solids balance pH	Operator 10	Utility Plant Operator Supervisor II	Inadequate settling     Pass through to James River     Potential for odors
	Secondar y Clarifier	Secondary clarifier Procedure	Secondary Clarifiers/ SOP Manual	Temperature Blanket level Flight check	Operator 10 Utility Plant Operator Supervisor II Office	Utility Plant Operator Supervisor II	
Solids Stabil		litioning, and Handl	ing				
	Primary G	ravity Thickening			<u> </u>		
		Primary sludge grit removal SOP	The Cyclone Degritters / SOP Manual	Visual	Operator 10	Biosolids Team Equip. Operator	

	<u></u>		Table 3.1 – Cri	itical Control I	Points (CC	Ps) – Opera	tions
Value- Chain Category	Critical Control Point	Operational Controls	Document Name/Location	Monitoring Frequency or Parameter	Record Location	Responsible Staff	Potential Environmental Impact
	Gravity Thickeni ng Tank	Gravity thickening tanks SOP	The Gravity Thickening Tanks / SOP Manual	Daily – Feed rate % Sludge solids % Overflow solids % Feed Solids Gallons pumped to digesters Bi-Monthly – % Volatile Solids	Operator 10	Biosolids Team Utility Plant Operator	Potential for odors and noise     Increased biosolids volumes that need to be dewatered transported and managed
	Secondary	Thickening	<u> </u>	<u> </u>			
		Thickening centrifuges SOP	Thickening Centrifuges / SOP Manual	Daily % Cake solids % Feed solids, % Centrate solids total gallons: waste and thickened	Operator 10	Biosolids Team Utility Plant Operator	Potential for odors and noise     Increased biosolids volumes that need to be dewatered transported and managed
		WAS Procedure	Waste Activated Sludge/ SOP Manual	Visual inspection	N/A	Biosolids Team Utility Plant Operator	Increased biosolids volumes that need to be dewatered transported and managed
	Digesters		1	l	1	1	
		Digester Procedure	Control Building Digesters #1-5 / SOP Manual	Bi-Monthly- % Volatile Solids Reduction Daily- TA/VA pH Temperature	Operator 10	Biosolids Team	Potential for odors, vector attraction (e.g., flies)     Inadequate destruction of potentially pathogenic organism
		Storage Tank #6 Procedure	Sludge Digestion Storage Tank #6 / SOP Manual	Daily – Levels Temperature	Operator 10 Utility Plant Operator Supervisor II Office	Biosolids Team	

			Table 3.1 – Cr	itical Control F	oints (CC	Ps) – Opera	tions
Value- Chain Category	Critical Control Point	Operational Controls	Document Name/Location	Monitoring Frequency or Parameter	Record Location	Responsible Staff	Potential Environmental Impact
	Dewaterin	g				-	· · · · · · · · · · · · · · · · · · ·
	Dewateri ng	Dewatering centrifuge procedure	Dewatering Building / SOP Manual	Daily- % solids - Cake % solids - Centrate % solids -sludge feed Gallons processed	Operator 10	Biosolids Team	
Solids Storag	ge and Transp	ortation					
-	Truck Loa	ding at Dewatering					
		Truck loading procedure at dewatering	EMS Critical Steps	Daily visual inspection	SOP Manual; Nutri-Blend	Nutri-Blend	Potential for odors Runoff to headworks Potential for spills
		Loading area cleanup	EMS Critical Steps	Daily visual inspection	SOP Manual; Nutri-Blend	Nutri-Blend	
		On-plant hauling requirements	EMS Critical Steps	Daily visual inspection	SOP Manual; Nutri-Blend	Nutri-Blend	
		Spills procedure	EMS Critical Steps	Daily visual inspection	SOP Manual; Nutri-Blend	Nutri-Blend	
	Storage Pa	ıd					
		Storage pad procedure	EMS Critical Steps	Daily- Visual inspection Quarterly - Volatiles	SOP Manual; Nutri-Blend	Biosolids Team Nutri-Blend	Potential for odors     Overflow and run off to headworks
	Truck Was	shing	<u> </u>		·		
_		Truck washing procedure	EMS Critical Steps	Daily during application / per loading	SOP Manual; Nutri-Blend	Nutri-Blend	Potential for odors     Wash water return to headworks
	Truck Load	ding at Storage Pad		· <u> </u>		<del></del>	
		Truck loading procedure at storage pad	EMS Critical Steps	Daily visual inspection	SOP Manual; Nutri-Blend	Nutri-Blend	Potential for odors

Value- Chain Category	Critical Control Point	Operational Controls	Document Name/Location	Monitoring Frequency or Parameter	Record Location	Responsible Staff	Potential Environmental Impact
	Transporta	ation Routes					
		Vicinity maps	Permit Book	Annually	Nutri- Blend's Office	Nutri-Blend	Contamination of public roadways     Contamination of adjacent waterways
		Spills procedure	EMS Critical Steps	Each occurrence Number of spill	SOP Manual; Nutri- Blend's Office	Nutri-Blend	
and Applica	ation						
	Application	n Site Location			·		
		Site selection procedure	EMS Critical Steps	Each site	Nutri- Blend's Office	Nutri-Blend	Exceedances of volumetric loading rates at application sites     Potential for odors
		Method for adjoining property owner notification	EMS Critical Steps	Each site	Nutri- Blend's Office	Nutri-Blend	Raise pollutant levels in soil
		Method for load rate	EMS Critical Steps	Each site	Nutri- Blend's Office	Nutri-Blend	
		Solids quality monitoring	EMS Critical Steps	Daily during application	Nutri- Blend's Office	Nutri-Blend	
		Nutrient/metals monitoring procedure	EMS Critical Steps		Nutri- Blend's Office	Nutri-Blend	
		Method for site setbacks	Va. Standards and Criteria	Site specific	Nutri- Blend's Office	Nutri-Blend	
		Site limits specifications	Va. Standards and Criteria	Site specific	Nutri- Blend's Office	Nutri-Blend	
	Land appl	ication					
		Application procedure	EMS Critical Steps		Nutri- Blend's Office	Nutri-Blend	Potential for odors Potential for spills
	Site monit	toring / post applicat	ion site management				
	_	Method for soil monitoring for nutrients	EMS Critical Steps		Nutri- Blend's Office	Nutri-Blend	Exceedances of volumetric loading rates at application sites

	Table 3.1 – Critical Control Points (CCPs) – Operations									
Value- Chain Category	Chain Control Controls Name/			Monitoring Frequency or Parameter	Record Location	Responsible Staff	Potential Environmental Impact			
		Daily site inspection record	Richmond2007.xls Richmond07.xls	Daily during application	Nutri- Blend/A	Nutri-Blend	Potential for odors     Raise pollutant levels in soil			
		Annual report to DEQ		January 15Annual	Nutri- Blend's Office	Nutri-Blend				

		nt 4 — Legal and Other ond Public Utilities – Waste		
Date of Last Review 7/22/08	Revision 4	Approval Signature  Barbara D. Jackson	Revision / Effective Date 12/03/08	Supersedes all previous versions

The purpose of this element is to summarize the process used by the City of Richmond Public Utilities to identify and track legal and other requirements applicable to the biosolids program.

## Scope

This procedure applies to biosolids management activities at all critical control points throughout the biosolids value chain.

## Responsible Staff

The Biosolids Supervisor and Utility Plant Superintendents II and I are responsible for tracking all federal, state, and local legal and regulatory requirements pertaining to the Richmond Wastewater Treatment Plant biosolids.

- 1. Sources of information about regulations and potential effects on the City's biosolids program are as follows:
  - A. Updates from the National Biosolids Partnership (NBP) including periodic biosolids update e-mails are available at <a href="http://www.biosolids.org">http://www.biosolids.org</a>
  - B. Information from the Virginia Department of Health is available at <a href="http://www.biosolids.state.va.us">http://www.biosolids.state.va.us</a>
  - C. Information from the Virginia Biosolids Council is available at <a href="http://www.virginiabiosolids.com">http://www.virginiabiosolids.com</a>
  - D. Information from the National Association of Cleanwater Agencies (NACWA) bulletin service (Alert) regarding wastewater treatment and biosolids regulations is available at <a href="http://www.amsa-cleanwater.org">http://www.amsa-cleanwater.org</a>
  - E. Federal Environmental Protection Agency regulations are available and updated through the Federal Register website at http://www.gpoaccess.gov/cfr/index.html
  - F. The State of Virginia Department of Environmental Quality updates regulations on the following website: <a href="http://www.deq.state.va.us">http://www.deq.state.va.us</a>

- 2. These information sources will be used to update and/or revise the City of Richmond's pretreatment, wastewater treatment, and biosolids procedures using the process outlined below. A list of legal requirements is found in Table 4.1.
- 3. Changes in legal requirements affecting the biosolids value chain are communicated to staff and affect the operations of the biosolids value chain in the manner described below.
  - A. The Utility Plant Superintendent II tracks all federal, state and local legal and regulatory requirements applying to the Richmond Wastewater Treatment Plant biosolids.
  - B. In the case of new permitted industries, the Environmental Compliance staff informs the Biosolids Supervisor of any new industrial/commercial sewer users that could impact operation of the wastewater treatment plant.
  - C. Information gathered by the Environmental Compliance staff is evaluated for applicability to the biosolids value chain. Applicable regulatory information and updates are passed on to the Biosolids Supervisor through e-mail, meetings, or other means of communication.
  - D. Regulatory information that is general or preliminary in nature is passed on to the EMS Team for information only. The EMS Team will monitor the progress of pertinent legislation to determine when action is needed.
  - E. If the regulatory or other updates require action, the Utility Plant Superintendent II will assign tasks related to the regulatory or process changes, ensuring they are accomplished in a timely manner.
  - F. Changes in legal and other requirements may trigger changes in operational controls, SOPs monitoring and measurement, or other practices described in the Biosolids EMS Manual. The supervisor in charge of the affected area will ensure associated changes are made to the appropriate EMS Manual element(s) and will bring revisions to the next regularly scheduled Biosolids EMS team meeting.

Table 4.1 List of Relevant Legal and Other Requirements

Regulation or Other Requirement	Required Report or Record	Due Date	Report or Record Location
Federal Federal regulations on use and disposal of biosolids – 40 CFR Part 503 and amendments	Yearly Report	February	Filed in Utility Plant Superintendent II
Federal pretreatment regulations – 40 CFR Part 403 and amendments	N/A	N/A	N/A
State VPDES Permit for the Richmond Wastewater Treatment Plant	Discharge Bi- Monthly Report	10 th of each month	Operator 10 on server
	Biosolids Annual Report	February annually	Operator 10 on server
	Biosolids Management Report	Upon permit renewal or as required	P Drive
•	Pretreatment Annual Report	January 31 annually	Environmental Compliance Officer's
Biosolids Management Plan	Biosolids Land Application Record	Upon request by VDH	Nutri-Blend's Office
	Biosolids and Soil Sampling Analysis	Upon request by VDH	Nutri-Blend's Office
	Biosolids Annual Report	January 15	Nutri-Blend's Office
	Site Approval	Upon request by VDH	Nutri-Blend's Office

<b>!!</b>		oals and Objectives for ( ond Public Utilities – Waste	-	
Date of Last Review 7/22/08	Revision <b>4</b>	Approval Signature  Barbara D. Jackson	Revision / Effective Date 12/03/08	Supersedes all previous versions

The purpose of this element is to drive the continual improvement of the biosolids program by establishing long-term biosolids program goals and associated short-term objectives for biosolids management activities. This element also establishes an action plan to implement goals and objectives based upon SMART (specific, measurable, achievable, relevant, and time-bounded) criteria.

### Scope

This element applies to all critical control points in the biosolids value chain and all EMS elements.

## Responsible Staff

The Biosolids EMS Team is responsible for setting biosolids goals and objectives. The Public Utilities Deputy Director, Utility Plant Superintendents II and I, Biosolids Supervisor, and other staff in the biosolids value chain are solicited and encouraged to give their input to the goals and objectives setting and review process.

- The Biosolids EMS Team determines goals and objectives based on the City's Biosolids Management Policy, adherence to SMART criteria, and input as listed in this procedure. Goals are developed to address each of the four NBP EMS outcome areas: environmental performance, regulatory compliance, relations with interested parties, and quality biosolids management practices.
- 2. The Biosolids Supervisor tracks progress toward current goals and objectives using the Goals Action Plan form. The active copy of this form is maintained on the City's internal server. The action plan lists interim steps for each objective, resources required, expected completion dates, and progress toward each milestone and objective.
- 3. Goals and objectives are reviewed no less than quarterly at regular Biosolids EMS team meetings. On an annual basis to occur no later than April 1, goals and objectives will be revised, or documentation will be made that existing goals and objectives remain applicable for advancement of the Biosolids EMS program.
- 4. More frequent revision of goals and objectives may be triggered by one or more of the following considerations:

City of Richmond, Virginia		Biosolids EMS Manual
	19	

- A. Changes to the City's biosolids management policy
- B. Input (if any) received from interested parties, the public, regulators, or staff involved in the biosolids value chain
- C. Response to regulatory changes, regulatory noncompliance, or Biosolids EMS program nonconformance
- D. Changes in direction from management
- 5. The goals and objectives revision process will include the following steps:
  - A. The Biosolids EMS Team will evaluate the need for goals revision based on considerations as specified in #2 and #3 above.
  - B. The Biosolids EMS Team will draft revisions to the goals and objectives.
  - C. The Biosolids EMS Team will seek input from biosolids-value-chain staff, interested parties, and the public by mailing letters to interested parties, posting information on the City's website, requesting input at staff meetings, and other outreach methods as described in Elements 6 and 9.
  - D. All input will be evaluated by the Biosolids EMS Team.
  - E. Draft goals and objections will be reviewed and approved by the Deputy Director.
  - F. A final revision will be made by the Biosolids EMS team and incorporated into the City's Biosolids EMS manual.
- 6. Goals are established and prioritized using the following criteria:
  - A. Consistent with the NBP Code of Good Practice
  - B. Consistent with the mission statement and policy
  - C. Response to input from biosolids-value-chain staff and the public, including interested parties
  - D. Linked with critical control points
  - E. Available funding
  - F. Personnel resources to carry out the goals and objectives
  - G. Regulatory changes
- 7. Goals and objectives will be prioritized by the supervisors of the work groups involved, with the understanding they will be performed to maintain legal requirements and to comply with the Biosolids EMS guidelines. The Utility Plant Superintendent II will assign responsibility for any goals and objectives not clearly defined by work group duties.

	Table	5.1 – Biosolids EMS Goals and Ol	ojectives			
Goals	Objectives	Interim Steps	Person(s) Responsible	Resources	Target Date	Progress to Date
Goal 1 - Meet	or surpass applicable regulatory compliance rec Outcome(s) Addressed: Environmental Perf					
Objective 1.1	Zero notices of permit violations from DEQ related to management of biosolids	Analyze at least one biosolids sample bi- monthly per 503 requirements	Biosolids Supervisor Nutri-Blend	Staff time, financing for contract lab analysis	Bi-monthly	
Objective 1.2	Establish better staff training in Biosolids Operations	Set-up a formal training program for new and existing employees	Utility Plant Superintendent I	Staff Time	Ongoing	
Objective 1.3	Evaluate and update Biosolids Operations maintenance procedures	Review and update as needed SOPs or manuals for maintenance procedures     Set-up training for maintenance personnel	Maintenance Superintendent, Utility Plant Superintendent	Staff Time	Ongoing	•
Goal 2 - Optin	nize dewatering centrifuge operations/storage ca Outcome(s) Addressed: Quality Biosolids M	apacity Ianagement Practices, Environmental Performance				
Objective 2.1	Optimize dewatering centrifuge operation to maintain a monthly average of 24% solids	Evaluate centrifuge SOP at meeting with operators     Training staff on optimal centrifuge operation	Biosolids Supervisor	Staff Time	11/17/08	01308 24.3% Cake
Objective 2.2	Review polymer dosing and identify methods to minimize	<ul> <li>Graph one year's polymer dosing and rate</li> <li>Meet with operators to review results</li> <li>Evaluate and update centrifuge SOP based on findings</li> </ul>	Biosolids Supervisor	Staff Time	10/24/08	8/15/2008 ON P DRIVE Continue to monitor. Change polymer fill time to 24 minutes
Goal 3 – Impre	ove public understanding of biosolids land appli Outcome(s) Addressed: Relations with Intere	cation in areas where Richmond DPU's biosolids are ested Parties	e applied	¥		
Objective 3.1	Nutri-Blend conducts outreach activities in areas where Richmond's Biosolids are applied	Identify events and dates with Nutri-Blend     Outreach dates and protocol provided by Nutri-Blend	Nutri-Blend, Public Relations Manager	Staff Time	1/01/08	1/11/08 On "P" drive- Ongoing

	Table 5.1 – Biosolids EMS Goals and Objectives							
Goals	Objectives	Interim Steps	Person(s) Responsible	Resources	Target Date	Progress to Date		
Objective 3.2	Send out information letter to County Biosolids Monitors from Nutri-Blend and City of Richmond	Identify County Inspectors  Develop with team communication objectives and then determine appropriate manner to accomplish objectives, based on audience (letter, email, other)	Biosolids Supervisor, Nutri-Blend, Public Relations Manager	Nutri-Blend & Staff Time	Ongoing			
Objective 3.3	Continue tours of the WWTP		Biosolids Supervisor	Staff Time	On-going			

		nt 6 — Public Participat and Public Utilities – Waste		•
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this procedure is to establish public involvement in the planning process, including input regarding biosolids program performance improvements and third-party verification process. This procedure includes activities designed to enhance the public image of the City's biosolids treatment and application programs.

## Scope

The City has a well managed biosolids program which has been in operation for over 30 years. During this time, there has been little to no interest in the City's biosolids program from the public.

Public confidence continues to remain indifferent and public interest in participating in the City's planning process is relatively low. The City's proactive approach to providing the public with meaningful opportunities to provide input in the planning processes is consistent with legal requirements, the degree of current public interest, historical levels of public involvement and related local circumstances.

# Responsible Staff

The Utility Plant Superintendent II and I, The Biosolids Supervisor has primary responsibility for this element. The Public Relations Manager is responsible for all public information.

- 1. Interested parties are identified by meeting one of the following criteria:
  - A. Owners of land permitted for biosolids application
  - B. Owners and/or residents of property adjacent to land approved for biosolids application
  - C. Representatives of local, state, and federal agencies including the Virginia Department of Environmental Quality, Virginia Department of Conservation and Natural Resources, Virginia Department of Health, and others

- D. Community groups including the Chesapeake Bay Foundation and Virginia Tech Extension educators.
- E. Any other individual or organization that shows an interest in the City's biosolids program by contacting staff, attending a public meeting, or requesting information.
- 2. Interested parties will be removed from the list either at their own request verbally or in writing, or when they fail to meet the criteria listed above.
- 3. The list of interested parties is maintained on the City's server. The Biosolids Supervisor is responsible for updating and maintaining this list.
- 4. The City seeks public participation from interested parties through formal and informal methods. This includes, but is not limited to, opportunities for comment at City Council meetings and work sessions, and invitation for comments on the City of Richmond's website. Biosolids information is available on the DPU page at the City's website. City Council meetings are advertised in accordance with rules governing public meetings in the state of Virginia.
- 5. The City documents public input in an electronic communications log maintained on the City's server by the Public Relations Manager and is accessible by the Biosolids Supervisor.
- 6. Response to public input varies with the nature of the comment. City staff acknowledges receipt of the input within two business days, and works to produce a full response within one week. General questions or concerns may be addressed by any Biosolids EMS Team member in coordination with the Public Relations Manager. More technical questions are dealt with by the Biosolids Supervisor in coordination with the Public Relations Manager.
- 7. All public input is discussed at Biosolids EMS Team meetings and any necessary action items are assigned. Input is noted with respect to its potential impact on biosolids goals or procedures, or the Biosolids EMS manual. The results of the public comment are also noted in the Contact Log with the original comment. A summary of significant interested-party input is included with the annual biosolids report.
- 8. In addition to the procedures above, the City also receives public input through their biosolids contractor, Nutri-Blend. Nutri-Blend solicits public input through their Communication Strategy, which is on file.Nutri-Blend shares this information with the City via phone calls, e-mail, or monthly reports depending on the nature and urgency of the comment, complaint, or input.

EMS Element 7 — Roles and Responsibilities City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this element is to define the organizational roles and responsibilities for biosolids management activities throughout the biosolids value chain.

Roles and Responsibilities accomplish three main functions:

- 1. Biosolids value chain and EMS employees know their role.
- 2. The roles of key biosolids value chain and EMS personnel are identified.
- 3. Responsibilities are assigned to biosolids value chain personnel with the authority and resources to carry out the assigned duties.

# Scope

This Element assigns roles and responsibilities to all biosolids management operational controls, Biosolids EMS Elements, and goals and objectives.

## Responsible Staff

The Biosolids Supervisor and Biosolids EMS Team are responsible for reviewing assigned roles and responsibilities. The Biosolids Supervisor, Utility Plant Superintendent II and I, and Environmental Compliance Officer assign roles and responsibilities throughout the biosolids value chain.

#### **Procedure**

1. Each Element in the Biosolids EMS Manual lists responsible staff for that element. Table 7.1 summarizes the Roles and Responsibilities for each EMS Element.

	Table 7.1 – Biosolids El	MS Responsibilities
Element	Element Description	Roles & Responsibilities <review drafted="" ems="" is="" once=""></review>
1	Documentation of Environmental Management System (EMS) for Biosolids	Biosolids Supervisor, Biosolids EMS Team
2	Biosolids Management Policy	Biosolids Supervisor, Biosolids EMS Team
3	Critical Control Points	Biosolids Supervisor, Utility Plant Superintendent II and I
4	Legal and Other Requirements	Biosolids Supervisor, Utility Plant Superintendent II and I
5	Goals and Objectives for Continual Improvement	Biosolids EMS Team
6	Public Participation in Planning	Biosolids Supervisor
7	Roles and Responsibilities	Biosolids EMS Team, Biosolids Supervisor
8	Training	Biosolids Supervisor, Utility Plant Superintendent 1
9	Communication	Biosolids Supervisor, Utility Plant Superintendent II and I, Public Relations Manager, and Nutri-Blend
10	Operational Control of Critical Control Points	WWTP Superintendent, Biosolids Supervisor, Utility Plant Supervisor
- 11	Emergency Preparedness and Response	Biosolids Supervisor and Biosolids EMS Team
12	Documentation, Document Control and Record Keeping	Biosolids Supervisor
13	Monitoring and Measuring	Utility Plant Superintendent II and I, Biosolids Supervisor, Chief Chemist/Quality Control Officer
14	Nonconformance: Preventative and Corrective Action	Biosolids Supervisor, Environmental Compliance Officer, and Utility Plant Superintendent II and I
15	Performance Report	Biosolids Supervisor and Biosolids EMS Team
16	Internal EMS Audit	Biosolids Supervisor
17	Periodic Management Review of Performance	Biosolids Supervisor, Biosolids EMS Team

- 2. The Biosolids Supervisor shall review annually with the Utility Plant Superintendent II and I and Environmental Compliance Officer the individuals assigned to roles relevant to the Biosolids EMS and will update Table 7.1.
- 3. Specific Roles and Responsibilities are also listed in the following tables:
  - A. Table 3.1 Critical Control Points and Operational Controls
  - B. Table 5.1 Biosolids EMS Goals and Objectives

4. Organizational charts for the Public Utilities Department and biosolids value chain are available in the Administration Office at the WWTP.

## Key Biosolids EMS Roles and Responsibilities

### Utility Plant Superintendent II and I

The Richmond Wastewater Treatment Plant has Utility Plant Superintendents II and I. Together, the Utility Plant Superintendents are responsible for the management of the Wastewater Treatment Plant, and virtually all personnel who work in the biosolids value chain. The Utility Plant Superintendents report directly to the Public Utilities Deputy Director and have the authority to allocate staff time and monetary resources within the Operations Division. The Utility Plant Superintendents are specifically responsible for selecting the Biosolids EMS Team. Additionally, the Utility Plant Superintendents participate in the Biosolids EMS Management Review as described in Element 17.

#### **Biosolids Supervisor**

This individual is assigned in writing by the Utility Plant Superintendent II. The Biosolids Supervisor has general responsibility to ensure the policies and procedures related to the Biosolids EMS are carried out. The specific tasks assigned to the Biosolids Supervisor include:

- Facilitating the Biosolids EMS Team meetings
- Providing EMS training or assigning training responsibilities to qualified staff
- Maintaining control of all EMS-related documents
- Ensuring internal and third-party audits are conducted as required by the EMS
- Reviewing all nonconformance and corrective action forms to ensure the appropriate work group takes action and documents corrective actions
- Compiling information for the annual biosolids performance report and the annual management review
- Assisting with the development of the Biosolids Public Participation and Outreach Plan
- Maintaining the list of interested parties
- Responding to general questions and comments about the biosolids program in coordination with the Public Relations Manager
- Assisting in developing outreach materials such as pamphlets

While the Biosolids Supervisor may delegate any of these tasks to other staff, he/she is responsible for ensuring the tasks are completed in accordance with the EMS Manual and any other policies or procedures.

#### **Biosolids EMS Team**

The Biosolids EMS Team is appointed by the Utility Plant Superintendent II. Team members are selected from various work groups associated with the biosolids value chain. The Biosolids EMS Team works under the direction of the Biosolids Supervisor. The Biosolids Supervisor may assign certain tasks to team members. As a group, the Biosolids EMS Team will review and evaluate progress toward goals and objectives quarterly. The Biosolids EMS Team also reviews interested party input relative to the Biosolids EMS, roles and responsibilities, emergency preparedness policies, and the annual management review.

#### **Biosolids EMS Internal Audit Team**

The Internal Audit Team will be appointed by the Utility Plant Superintendent II. The Audit Team is responsible for ensuring the Biosolids EMS Manual, the day-to-day operation of the WWTP facility, and land application practices associated with the biosolids program agree with the requirements of the NBP EMS program. The Audit Team will provide a summary of findings and conclusions to the EMS Team.

#### **Environmental Compliance Officer**

The Environmental Compliance Officer is responsible for the Industrial Pretreatment Program. Specific responsibilities of the Environmental Compliance Officer include, but are not limited to:

- Preparing the Annual Pretreatment Report for DEQ
- Permitting, sampling, and inspection of Categorical Industrial Users and Significant Industrial Users, and monitoring and inspection of Non-discharging Categorical Industrial Users
- Describing Biosolids CCPs and OCs associated with the pretreatment program
- Tracking and reporting on changes to regulatory and other legal requirements that may affect the EMS program
- Ensuring adequate monitoring and measurement practices are in place to evaluate performance of the pretreatment program relevant to the biosolids
- Contributing to the Biosolids Management Program Performance Report

### **Utility Plant Supervisor**

The Utility Plant Supervisor is responsible for the day-to-day operation of the wastewater treatment plant. The Utility Plant Supervisor evaluates WWTP staffing needs to ensure adequate staff is available to operate the facility and plans, directs, and monitors the long-range work plans and activities performed in the wastewater treatment plant. Specific responsibilities include, but are not limited to:

- Ensuring compliance with state and federal permit requirements, rules, and regulations with respect to the WWTP
- Managing Biosolids CCPs and OCs associated with the WWTP in absence of the Biosolids Supervisor.

- Ensuring adequate monitoring and measurement practices are in place to evaluate performance of the WWTP and Biosolids in absence of the Biosolids Supervisor.
- Contributing to the Biosolids Management Program Performance Report

### Superintendent of Plant Maintenance and Maintenance Staff

The Superintendent of Plant Maintenance is responsible for daily maintenance of the WWTP and associated facilities. Maintenance staff performs routine, preventive, and emergency maintenance on a variety of equipment in the biosolids value chain. The Superintendent of Plant Maintenance and maintenance staff coordinates with the WWTP staff via the MainsaverTM system to identify equipment for repair in order to maintain peak operational control of the WWTP process.

### Water and Wastewater Quality Control Supervisor

The Water and Wastewater Quality Control Supervisor ensures that the laboratory procedures related to biosolids are being performed according to regulations and standards.

#### **Chief Chemist**

The Chief Chemist ensures that all laboratory tests related to biosolids are being performed accurately and on time.

EMS Element 8 — Training City of Richmond Public Utilities Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this procedure is to describe the training program the City of Richmond will use in its Biosolids Management Program to ensure affected employees are proficient in their EMS responsibilities and biosolids management activities.

## Scope

This element applies to all training related to the biosolids value chain, performed either in-house or offsite by a qualified instructor.

## Responsible Staff

The Biosolids Supervisor is responsible for ensuring Biosolids and EMS-related training occurs in accordance with the following procedures. He/she may delegate the responsibility for conducting training to other City staff or qualified instructors as necessary.

- 1. Training is an on-going process for all employees. Employees throughout the Wastewater Treatment Plant are encouraged to pursue professional development and job-skill training. Training opportunities include:
  - a. Certification programs. WWTP operator certification (levels 1-4) and professional training programs are available at local community colleges.
  - b. OJT. Structured on-the-job (OJT) training is provided to new employees.
  - c. Continuing Education. Workshops, seminars, and other courses with continuing education credits are offered by the VA DEQ, Water Environment Federation (WEF), Sacramento Correspondence Courses, Mountain Empire Community College and other professional or trade organizations.
- 2. Training on the City's Biosolids EMS program is conducted throughout the year. The Biosolids Supervisor works with the appropriate supervisors to identify all employees required to receive EMS training and the level of EMS training needed, based on their duties relative to the biosolids value chain.

- 3. Biosolids EMS training can take place using any of the following formats:
  - a. Formal training meetings
  - b. Workgroup-specific staff meetings
  - c. Individual training from appropriate supervisors
  - d. Individual review of training materials
- 4. Training is divided into general EMS training and advanced EMS training.
  - a. General training includes an overview of the biosolids program, a description of the Biosolids EMS, safety training, and emergency response information.
  - Advanced EMS training includes information on biosolids legal and quality requirements and relevant SOPs.
- New, re-assigned, and temporary employees working in the biosolids value chain will be required
  to view the most recent version of the appropriate EMS training materials within three months of
  their hire date.
- 6. Employees in the biosolids value chain will receive general EMS training as well as advanced training on SOPs relevant to their work group. General training will be provided at least annually and advanced training will be provided when required by changes in equipment, procedures, or at the supervisor's discretion. Employees with EMS-related tasks but who are not in the biosolids value chain will receive general training at least annually.
- 7. Biosolids EMS training records are kept electronically along with other training records in the electronic training database in "P" drive.
- 8. Employees who miss a regularly scheduled training session will be required to review the training material and sign a form indicating they have done so within four weeks of their return to work.
- 9. Training for safety, emergency preparedness and spill response is conducted on a periodic basis in accordance with Element 11.

EMS Element 9 — Communication City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this procedure is to describe the communication and public outreach program surrounding the City's Biosolids Management Program.

## Scope

This element applies to all communication concerning the biosolids value chain and all EMS elements.

## Responsible Staff

The Biosolids Supervisor, Utility Plant Superintendents II and I, Public Information Manager, DIT, and Nutri-Blend are primarily responsible for this element.

#### **Procedure**

The process of designing the website will be by the firm of Crockett-Hooks, reviewed by the Public Information Manager and implemented by DIT Communication and public outreach may be achieved as described below.

Public meetings are scheduled to address any concerns.

- 1. Public participation in planning is also listed in EMS Element 6 and reference should be made to these items. Element 6 also describes how the interested party list is generated and maintained.
- 2. General regulatory and legal information is available to the public upon request. A pamphlet printed by the National Biosolids Partnership (NBP) is available to provide information on biosolids.
- 3. The City's Public Information Manager will issue press releases as appropriate, regarding developments in the City's Biosolids EMS program. Completion of key EMS stages, including completion of a third-party audit and attainment of EMS certification, will result in press releases to update the public on the City's Biosolids EMS program.
- 4. City of Richmond staff will promote the biosolids program through public meetings and tours of the WWTP as appropriate, targeting the general public and/or specific school, industrial, and business sectors.
- 5. Staff maintains records of all public outreach including presentations, facility tours, and/or public meetings. Records of attendees are used to update the active list of interested parties.

- 6. Internal communication is critical to facilitate effective biosolids treatment, transfer, biosolids application, and compliance with regulations. The key treatment sections are listed below, with critical communication pathways noted.
  - A. Pretreatment (Environmental Compliance)
    - (1) Pretreatment informs WWTP staff and the Biosolids Supervisor of new industries that could affect the treatment system and/or biosolids.
    - (2) Pretreatment informs WWTP staff and the Biosolids Supervisor of industrial problems and high influent samples.
    - (3) Pretreatment informs WWTP staff and the Biosolids Supervisor of changes in metals loading and changes in local limits.

## B. Operations

- (1) WWTP staff informs pretreatment of plant problems or upsets that could be caused by industrial discharges.
- (2) WWTP staff informs the Biosolids Supervisor of any problems or changes regarding quality of digested biosolids, as well as fluctuations in quantity of biosolids generated.
- (3) WWTP staff informs the Biosolids Supervisor and pretreatment of major maintenance items scheduled, including digester cleaning, clarifier takedowns, or other items that could affect treatment plant operations.

#### C. Biosolids Supervisor

- (1) Biosolids Supervisor informs WWTP staff and pretreatment of any changes in biosolids quality, including odor, appearance, solids concentrations, or regulated test parameters.
- (2) Biosolids Supervisor informs WWTP staff of any problems with application sites, (e.g., loss of sites, complaints from the public or farm owners).
- 7. Internal communication with employees in the biosolids value chain also provides input on the EMS program.
  - A. Communication to biosolids value chain employees includes regular training on the City's current biosolids policy, legal and other regulatory requirements, and on other issues relevant to biosolids. Training is fully addressed in Element 8.
  - B. Biosolids value chain employees receive other biosolids related information at regularly scheduled staff meetings and other means of communication.
  - C. The EMS Team also seeks input from biosolids value chain employees on the biosolids EMS program including the EMS manual, biosolids goals and objectives, and internal audit procedures.
- 8. The City's biosolids policy will be communicated to value chain staff through presentations at staff meetings, utility review, on signs placed throughout the workplace, and regular Biosolids EMS training. For more information on the City's biosolids policy, see Element 2.
- 9. To ensure interested parties become familiar with the biosolids policy, it is posted on the City's biosolids website, and included in presentations on the City's biosolids program.
- 10. The following methods will be used to communicate with interested parties:
  - A. The City's webpage

- B. Tours of the WWTP
- C. Correspondence with regulatory and state, city, and county officials
- D. Annual biosolids report to Virginia Department of Environmental Quality and EPA.
- E. Annual Biosolids Management Program Performance Report (BMPPR)
- F. Through its relationship with Nutri-Blend (See files: Nutri-Blend Communication Strategy, and Outreach Dates and Protocol)
- 11. Third-party audit results will be made available to the public primarily through the City's website. A summary as well as the full audit report will be posted on the website as soon as they are made available to the City. The Public Information Manager will provide a press release announcing the availability of the third-party audit results.

		Operational Control of ( ond Public Utilities – Waste		
Date of Last Review 7/22/08	Revision 4	Approval Signature  Barbara D. Jackson	Revision / Effective Date 12/03/08	Supersedes all previous versions

The purpose of this procedure is to ensure that the City systematically establishes, implements, and maintains the necessary operational control procedures, work instructions, and other management controls.

### Scope

This procedure applies to all biosolids management activities at critical control points throughout the biosolids value chain.

## Responsible Staff

The Biosolids Supervisor, with support from the Utility Plant Superintendents II and I, is responsible for providing the necessary training, guidance, and assistance in identifying; developing, documenting, and implementing needed operational control procedures.

#### **Procedure**

- 1. Based on the identified list of critical control points, the Biosolids EMS Team and appropriate supervisors shall determine those activities, products, and services for which operational control procedures, work instructions, and other management control methods are needed.
- 2. In collaboration with biosolids value chain staff, the Utility Plant Supervisors shall provide the necessary training and guidance to support the development, implementation, and maintenance of the needed operational control procedures. The operational control procedures shall contain operating criteria (e.g., process specifications and parameters, product characteristics, and SOPs).
- 3. The Utility Plant Supervisors shall develop, document, and implement the operational control procedures and communicate them to their staff. Biosolids EMS training shall be provided as outlined in Element 8.
- 4. The Utility Plant Supervisors shall oversee the implementation of operational control procedures in their respective activity areas. This includes ensuring employees in each activity area receive the necessary resources, training, and support services to properly implement the operational controls.
- 5. Operational controls provide methods and procedures to ensure uniform and efficient management at each critical control point. To show the relationship between operational controls and critical control

City of Richmond, Virginia

**Biosolids EMS Manual** 

- points and to streamline documentation of information, Element 10 information is integrated with critical control points in Element 3, Table 3.1.
- 6. The actual Preventive Maintenance routine is a combination of information from the Manufacturer's O & M Manual and comments and suggestions from the appropriate Trade Supervisor (Mechanical, Electrical & Instrumentation). PM Work Orders are generated, performed and time is recorded. Work Orders are then closed in Mainsaver which provides a permanent record of the maintenance activity. Maybe reference the new Maintenance SOP which documents the process.
- 7. The Biosolids EMS Team shall periodically review the operational control procedures, which are listed in Element 3, Table 3.1, and work with the Plant Utility Supervisors to revise them according to any changes in the facility's critical control points.

		– Emergency Prepare and Public Utilities – Wast		
		Approval Signature		
Date of Last Review 7/22/08	Revision 3	Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this procedure is to develop a plan to prepare for and respond effectively to accidents, spills, weather-related emergency situations, abnormal conditions, and other contingencies for biosolids management activities.

### Scope

This procedure is critical to all real and perceived risk emergency situations concerning the biosolids management process.

## Responsible Staff

The Biosolids EMS Team and Biosolids Supervisor are responsible for implementing this emergency response procedure as well as ensuring the regular updating of this element.

- 1. A copy of the Wastewater Treatment Plant Risk Management Plan Program Document is available in the Utility Plant Superintendent's II office. This plan covers a variety of emergency situations including natural disasters, bomb threats, chemical emergencies and other crises.
- 2. The EMS Team has developed a procedure for spills in the biosolids value chain up to the chute which is formally reviewed and updated as needed. Interim revisions to specific sections of the SOP are made on an as-needed basis. The Biosolids Supervisor is responsible for coordinating the formal review and update of the SOP. The SOP establishes clear protocol for how a variety of spills should be handled. Copies of the SOP are located in the SOP Manual.
- 3. Testing and training with respect to safety and emergency response procedures related to biosolids is conducted on a periodic basis as determined by the Biosolids EMS team and/or work group supervisors in accordance with Element 8.
- 4. Nutri-Blend maintains an Emergency Response Plan to address spills and emergency relevant to their portion of the biosolids value chain management.

		EMS Documentation, D Record Keeping nond Public Utilities– Waste		·
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this element is to establish and maintain EMS documentation, documents, and records pertaining to biosolids management activities and to keep up-to-date procedures.

## Scope

This procedure covers the Biosolids EMS Manual and all other documents and records pertaining to Richmond's Biosolids program.

## Responsibility

The Biosolids Supervisor is responsible for ensuring documents conform to the adopted document control standards as set forth in the Biosolids EMS Manual and this element.

- 1. Unless otherwise noted, all Biosolids EMS documents will be kept in Biosolids Supervisor's office or the City's server.
- 2. Biosolids EMS documents include the Biosolids EMS Manual and SOPs and other documents referenced herein. These documents are reference documents for daily operations and will be reviewed and updated annually, or as procedures change.
  - A. Biosolids EMS documents will have the following information at the top of the first page:
    - Title, including document number (if any)
    - · Revision date and initials
    - · Date of last review and initials
  - B. All Biosolids EMS documents will be labeled with the correct revision number. The header of these documents may contain other information such as appropriate reference material, equipment needed, or scope at the discretion of the workgroup supervisor.
  - C. Within the EMS Manual, all tables, charts, graphs, and appendices share the revision number and date of their respective element unless otherwise indicated.
  - D. Each work group supervisor is responsible for revision of work group SOPs, approval of revised SOPs, and development of new SOPs. Revision of EMS manual procedures and approval

- of those revisions is performed by the EMS Team. Once the revisions are accepted by the EMS Team, the Utility Plant Supervisor signs each element to indicate his/her approval.
- 3. Biosolids records include daily logs, worksheets, forms, and associated reports. These documents are maintained in the Utility Plant Supervisor's office.
- 4. Retention periods for all documents will, at a minimum, conform to applicable state document retention guidelines under Virginia DEQ.
- 5. The Biosolids Supervisor is responsible for coordinating reviews and updates to the Biosolids EMS Manual. At least once every three years, all 17 elements in this document will be reviewed and updated if necessary. Certain elements are reviewed and updated more frequently per their specific procedure.
- 6. Nutri-Blend maintains documents and records pertaining to their role in the Biosolids Management Program including SOPs and land application records. Retention periods for all documents will, at a minimum, conform to applicable state document retention guidelines under Virginia DEQ.

Element 13 — Monitoring and Measurement City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

This element covers the process used to track progress toward goals, objectives, and targets of continual improvement. Element 13 serves the following functions:

- 1. Ensures compliance with applicable legal and other requirements
- 2. Measures biosolids program performance at critical control points
- 3. Tracks progress toward achieving biosolids program goals and objectives per Element 5
- 4. Measures effectiveness of the Biosolids EMS program

### Scope

Element 13 covers all critical control points in the biosolids value chain and documents the effectiveness of CCPs, operational controls, biosolids application, public outreach, and overall EMS efforts.

## Responsible Staff

The Biosolids Supervisor, Utility Plant Superintendents II and I, Chief Chemist/Quality Control Officer, and designated staff will be responsible for ensuring that all Biosolids EMS aspects requiring monitoring and measuring are followed and documented.

- 1. The Biosolids EMS team will review progress toward biosolids goals and objectives quarterly. Progress will be monitored using the goals and objectives in Table 5.1 as stated in Element 5.
- 2. All legally required monitoring and measurements will be conducted at specified intervals to ensure compliance with all Federal and state regulations (See Element 3, Table 3.1).
- 3. Nonconformance and corrective actions will be documented in accordance with Element 14.
- 4. The Chief Chemist/Quality Control Officer will annually evaluate performance metrics of contract laboratories used in biosolids compliance testing using results of EPA standards.

- 5. A key record in monitoring WWTP operations are the log sheets and log books. These logs are used to track data daily throughout the plant.
- 6. All records in monitoring and measuring results are stored according to the procedures in Element 12.
- 7. Nutri-Blend monitors monthly to determine their application rates. These reports are sent to VDH on a monthly basis.

EMS Element 14 — Nonconformance: Preventive and Corrective Action City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this EMS element is to develop procedures for identifying, investigating, and taking corrective action(s) for nonconformance.

### Scope

This procedure addresses preventive and corrective action(s) to address nonconformance's identified during routine monitoring and measurement, audits, and other inspections.

## Responsible Staff

The Biosolids Supervisor, in conjunction with the Environmental Compliance Officer and the Utility Plant Superintendents II and I, will be responsible for addressing and tracking identified nonconformance and corrective actions within the biosolids value chain.

#### **Procedure**

This element is an important key to continual improvement. When elements of the environmental management system or biosolids value chain deviate from requirements, it is necessary to determine the cause, change the operating procedures and objectives, change training requirements, and address any environmental impacts that may have occurred as a result of the problem. Nonconformance conditions may be discovered either in the course of day-to-day biosolids management activities or through a systematic EMS audit process.

- 1. Legal and regulatory noncompliance that affect, or may potentially affect, the biosolids value chain will be dealt with according to the applicable regulatory requirements. Noncompliance will also be considered an EMS nonconformance and processed in the same manner as other nonconformance. Deadlines to meet compliance requirements identified as nonconformance will be strictly enforced. The responsible supervisor must coordinate with the appropriate regulatory agency to request extensions if the supervisor anticipates problems meeting the deadline.
- 2. Nonconformance identified during routine operations will be addressed using the EMS Corrective Action Form. This form requires a description of the nonconformance including the root cause of the condition, any applicable regulatory or other requirements, proposed corrective actions, and a description of the action taken to correct the nonconformance, among other information. Nonconformance identified during either internal or third-party audits will also be addressed using the EMS Corrective Action Form.

- 3. The Corrective Action Form will be given to the appropriate supervisor and he/she will assign responsibility to ensure appropriate steps are taken to correct the nonconformance. The corrective action will be reviewed at subsequent meetings of the Biosolids EMS Team until the action is verified and accepted and the nonconformance is closed. Review of the nonconformance includes taking steps to prevent any future recurrence of the same or similar nonconformance, such as identifying the root cause, providing additional training, etc. Any required changes to procedures, training, or other processes that are designed to prevent recurrence will be performed and documented before the nonconformance may be considered closed. Steps taken to prevent recurrence will be documented on the Corrective Action Form. If the deadline for correcting a nonconformance is missed, the Biosolids Supervisor will work with the responsible supervisor to identify any resources required and to resolve the nonconformance as quickly as possible.
- 4. Nonconformance associated with equipment or machinery will be assigned, documented, and tracked using the MainsaverTM. The appropriate supervisor is responsible for identifying the problem, and will notify the Biosolids Supervisor. The Biosolids Supervisor will be notified with updates on the corrective action until the nonconformance is closed.
- 5. The Biosolids Supervisor is responsible for verifying the nonconformance has been closed unless the Biosolids Supervisor is the responsible supervisor identified on the Corrective Action Form. In that case, the EMS Team will assign the task of verifying corrective actions to another individual.
- 6. Once a year, at a minimum, the effectiveness of all preventive and corrective actions taken will be evaluated. This will normally be performed as part of the annual Biosolids Management Program Progress Report process.

EMS Element 15 — Performance Report City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The purpose of this EMS element is to describe the process of completing an annual written Biosolids Management Program Performance Report (BMPPR) that summarizes the performance of the Biosolids Management Program and EMS to drive continued improvement.

### Scope

The BMPPR shall contain appropriate summaries of monitoring, measurements, and other results demonstrating the performance of the biosolids program relative to its goals, objectives, and legal requirements, including those management activities conducted by the Wastewater Treatment Plant.

## Responsible Staff

The Biosolids EMS Team and Biosolids Supervisor are responsible for preparing the BMPPR. The Biosolids Supervisor will ensure information from the report is made available to interested parties.

#### **Procedure**

- 1. The performance of the Biosolids Management Program and EMS will be published in an annual Biosolids Management Program Performance Report (BMPPR) made available to interested parties, the public, and the National Biosolids Partnership no later than April 1 unless an internal or independent third party audit is scheduled during or shortly thereafter. If an audit is scheduled during or shortly after April 1, the BMPPR will be made available as soon as possible to include the summary of the audit as required by section 3 of this element.
- 2. The report will provide evidence of the commitment to adhere to the Code of Good Practice and the City's biosolids policy, as well as evidence the department is striving to meet all biosolids EMS goals and objectives set out the previous year. The report will also be used as a tool to foster and facilitate communication with the general public.
- 3. At a minimum, the BMPPR will include progress toward goals and objectives, legal and regulatory compliance, including biosolids activities conducted by Nutri-Blend, and results of internal and/or third-party audits within the last twelve months. The report may include any or all, but not limited to, of the following:
  - A. Significant changes to the Biosolids EMS program

- B. Projection of changes or additions to goals and objectives
- C. Summary of abnormal or emergency incidents, as well as significant preventive and corrective actions taken
- 4. The Biosolids Supervisor will ensure information contained in the BMPPR is made available to interested parties by providing copies of the report. In addition, the report will be posted on the City's website.

EMS Element 16 — Internal EMS Audit City of Richmond Public Utilities – Wastewater Treatment				
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions

The Internal EMS Audit is used to periodically analyze the Biosolids EMS program to determine whether the City is effectively implementing its Biosolids Management Policy, program requirements, and program goals and objectives.

### Scope

This procedure applies to the entire biosolids value chain and the EMS.

### Responsible Staff

The Biosolids Supervisor is responsible for this element and will designate an internal audit team to conduct the internal audit. The Utility Plant Superintendent II and I, Public Utilities Deputy Director and Utility Plant Supervisors will ensure resources are available to conduct the audit and will review and approve audit results.

#### **Procedure**

- 1. The Biosolids Supervisor will work with the Utility Plant Superintendent II to recruit the internal audit team. The Biosolids value chain staff will be notified of the impending audit prior to the audit start date. Notification will cover the scope, schedule, and other pertinent information.
- 2. The Biosolids EMS internal audit team will be comprised of two to three individuals from various work groups within the biosolids value chain. One or more audit team members may be from another agency or an independent contractor. No internal audit team member may audit an area over which they have direct control as part of their regularly assigned duties. The internal audit team will designate a lead auditor and identify that person as lead auditor on all audit documents.
- 3. The internal audit will be conducted according to the current version of the National Biosolids Partnership document *Third Party Verification Auditor Guidance*.
- 4. The Public Utilities Deputy Director and the Utility Plant Superintendent II and I, shall ensure audit training and resources are provided to internal audit team members. At a minimum, one member of the internal audit team will have received training from either the NBP or another source acceptable to the EMS Team. The remainder of the internal audit team will at the least receive training consisting of review of general auditing techniques provided by a certified auditor or another source acceptable by the EMS team, the NBP, or the internal audit lead auditor.

City of Richmond, Virginia

**Biosolids EMS Manual** 

- 5. Internal audits must be conducted in years that a third-party audit (either interim or reverification) is **not** being conducted. Internal audits may also be conducted in addition to a third-party audit if the Biosolids EMS Team feels the additional audit is necessary.
  - A. The audit schedule for years 0 through 5 is as follows:

Year 0: Third party verification audit

Year 1: Third party interim audit

Year 2: Internal interim audit

Year 3: Third party interim audit

Year 4: Internal interim audit

Year 5: Third party re-verification audit

- B. Internal audits may substitute for third-party interim audits according to the guidelines in the *Third Party Verification Auditor Guidance*. Internal interim audits must review progress toward goals and objectives, EMS outcomes, actions taken to prevent minor nonconformance, the management review process, corrective actions, and preventive action requests. Additionally, internal interim audits will analyze aspects of the program agreed to by the City's EMS representative and the third-party auditor in the interim audit plan.
- C. All EMS elements must be covered during the four interim audits, either by the third-party auditor or the internal audit team.
- D. Results of the internal interim audit must be summarized in a report that is made available to the EMS Team, management, interested parties, and the NBP.
- 6. The specific scope of each internal audit will vary. Each internal audit may examine any or all activities related to the biosolids value chain, however every internal audit must investigate whether the program is conforming to the biosolids policy and program requirements, and whether it is making progress toward goals and objectives. The internal audit team will develop the audit scope based on these required elements as well as:
  - A. The potential environmental impacts of biosolids activities
  - B. Results of previous audits, including third-party audits
  - C. Changes or modifications to processes or procedures
  - D. Changes in requirements stipulated by applicable environmental laws and regulations (local, state, and federal)
- 7. The internal audit team is responsible for ensuring audit protocols and procedures are in place to focus on the objective evidence relating to the biosolids program. Specific duties include but are not limited to:
  - A. Developing the audit schedule. The specific audit activities will be scheduled with tentative time frames by the internal audit team and given to the Biosolids Supervisor no later than one week prior to the audit. Each internal audit will include an opening meeting with the EMS Team, a schedule for interviews and transaction testing, a summary meeting with the Biosolids Supervisor, and a closing meeting with the EMS Team.

- B. Determining the method for conducting the audit, including assigning audit responsibilities and determining appropriate methods for collecting objective evidence.
- C. Using standard forms such as checklists, corrective action request forms, audit assessment forms, or developing new forms if necessary. A guide for the internal audit including EMS Manual requirements and associated questions is available on the network.
- D. Determining how corrective and preventive actions will be verified for effectiveness, in accordance with Element 14.
- 8. Auditors will conduct a closing meeting to discuss identified nonconformance and/or deficiencies with the Biosolids EMS program. At this time, the Biosolids EMS Team may present any final evidence concerning the audit findings.
- 9. The lead auditor is responsible for writing the internal audit report itemizing all findings and identifying them as major nonconformance, minor nonconformance, or opportunities for improvement. A summary of these findings will be presented in the Biosolids Management Program Performance Report. This report will be posted on the City of Richmond, Dept. of Public Utilities Biosolids Website.
- 10. The EMS Team will summarize the internal audit results, including the internal audit report, recommended corrective actions, and a schedule for corrective actions. Audit results will be given to the Public Utilities Deputy Director and the Utility Plant Supervisor II for their review and approval.
- 11. Nonconformance identified in the internal audit will be addressed using procedures in Element 14.
- 12. The Biosolids Supervisor will ensure internal audit records are maintained on the City's server. These records should include:
  - A. Description of each audit's scope, schedule, protocol and methodology
  - B. Identification of the lead auditor and his/her qualifications
  - C. The Internal Audit Report
  - D. Other records that describe the content and conduct of the internal audit, as necessary

City of Richmond, Virginia

**Biosolids EMS Manual** 

EMS Element 17 — Periodic Management Review of Performance City of Richmond Public Utilities – Wastewater Treatment								
Date of Last Review 7/22/08	Revision 3	Approval Signature  Barbara D. Jackson	Revision / Effective Date 7/22/08	Supersedes all previous versions				

The purpose of this element is to describe how the City will conduct periodic management reviews of the biosolids management program and EMS performance in order to drive continual improvement.

## Scope

The Management Review will discuss the possible need to change policy, goals and objectives, biosolids management program, and other Biosolids EMS elements based on internal EMS audit results, external verification of EMS audits by third parties, changing circumstances, and the commitment to continual improvement.

## Responsible Staff

The Biosolids Supervisor and Biosolids EMS Team will be responsible for compiling information for the periodic review of the biosolids management program and EMS. The Deputy Director and Utility Plant Superintendents II and I will conduct the review.

- 1. The Biosolids Supervisor and the Biosolids EMS Team will compile information from the following sources:
  - A. Annual Biosolids Report to DEQ
  - B. Biosolids Management Program Report
  - C. Audit Summaries (internal and/or third party)
  - D. Quarterly Summary Reports (internal and/or NBP)
  - E. Corrective Action Work Orders
  - F. Regulatory Updates
  - G. Input from Interested Parties

- 2. This information will be summarized in memorandum form and will also include recommended improvements to the Biosolids Management Program.
- 3. The Biosolids Supervisor will schedule and conduct a Management Review meeting yearly basis.. The Superintendent II and I and Biosolids Supervisor will be responsible for review of the information as well as any changes in the EMS program.
- 4. The Biosolids Supervisor will prepare a written summary of the management review meeting. Any actions or recommendations from the management review meeting will be documented. The written summary will be provided to the Biosolids EMS Team.

# City of Richmond DPU Wastewater Treatment Plant

Verification	Originator	Revised	Approved	Issued
Initials	ELW		CW `	5/08

# EMS - Nonconformity, Corrective and Preventive Action (Draft Copy)

## **EP 4.5.3-1FA Corrective Action Request (CAR)**

DEPARTMENT:		<del></del> ]	CAR REPORT #:					
			<b>4</b> 7227 2122 <b>4</b> 777 <i>m</i>					
(Section A B. to be completed by Originator)  A. Audit Area Location:								
B. Description of Issue:	Nonconformance:	<b></b>	Opportunity for Improveme	nt: 「				
b. Description of Issue.	Tvoicomornance.	<u> </u>	opportunity for improveme	iit. j				
ISO Element Reference:								
Issued to Area Rep.:		Origin	ator:					
Date:		Date:						
			ı					
C. Root Cause Description:	eam or Area Representative)							
		•						
D. Short Term Corrective A	etion:							
D. Short Torin Corrective Ix								
Target Date:			Project Manager:					
E. Long Term Preventive A	ction:							
Target Date:		Project	Project Manager:					
(Section F. to be completed and signed by	the EMS Management Representat	tive and the core	EMS Team)					
F. Verification:								
Date of Completion:								
EMS Team Member:		EMS Man. F	Rep.					
Signature:		Signat						
Date:		Date:						

# References

City of Richmond Annual Pretreatment Reports
DES Env-W's 800
40 CFR 403
40 CFR 503
NBP EMS Elements of Environmental Management System for Biosolids
NBP National Manual of Good Practice
NBP Third Party Verification Auditor's Guidance